

Global Burden of Cardiovascular Disease

Estimates of Global and Regional Premature Cardiovascular Mortality in 2025

Gregory A. Roth, MD, MPH; Grant Nguyen, BA; Mohammad H. Forouzanfar, MD, PhD; Ali H. Mokdad, PhD; Mohsen Naghavi, MD, PhD; Christopher J.L. Murray, MD, DPhil

Background—United Nations member states have agreed to reduce premature cardiovascular disease (CVD) mortality 25% by 2025. Global CVD risk factor targets have been recommended. We produced estimates to show how selected risk factor reduction would affect CVD mortality for different regions and countries.

Methods and Results—We used mortality, risk factor, and relative risk data from the Global Burden of Disease, Risk Factors, and Injuries (GBD) 2013 study to project CVD mortality for 188 countries up to the year 2025. We disaggregated observed CVD mortality in 1990 and 2013 into deaths attributable and unattributable to hypertension, tobacco smoking, diabetes mellitus, and obesity using an age- and sex-specific population-attributable fraction. Risk factors were projected to 2025 assuming that current trends continue. Counterfactual scenarios were then constructed reflecting CVD premature mortality if United Nations risk factor targets are achieved in the year 2025, adjusting for joint effects of risk factors. We estimate 7.8 million premature CVD deaths in 2025 if current risk factor trends continue. Premature CVD deaths would be reduced to 5.7 million if these risk factors targets are achieved as a result of a 26% reduction for men and a 23% reduction for women in the global risk of premature CVD death. Globally, decreasing the prevalence of hypertension accounted for the largest risk reduction, followed by a reduction in tobacco smoking for men and obesity for women, but these results varied by region. The impact of meeting all risk factor targets on CVD mortality varied widely by region and sex.

Conclusions—The United Nations target of a 25% reduction in premature CVD mortality by the year 2025 appears achievable for some countries, but more aggressive risk factor targets may be required if all regions are to reach this goal. Without these reductions in CVD risk factors, many countries will see no change or even an increase in premature CVD mortality. (*Circulation*. 2015;132:1270-1282. DOI: 10.1161/CIRCULATIONAHA.115.016021.)

Key Words: epidemiology ■ population ■ prevention and control ■ risk factors

Cardiovascular diseases (CVDs) are the leading cause of death in the world and a major barrier to human development.¹ The member states of the United Nations (UN) have adopted targets for reducing noncommunicable diseases mortality, including CVD.^{2,3} These targets include both a reduction in selected behavioral and biological risk factors and a 25% reduction in all premature mortality resulting from CVD. However, large regional variation has been found in the burden of CVD risk factors and disease.⁴

To better understand the implications of the UN global targets, we estimated alternate scenarios using data and methods from the Global Burden of Disease, Risk Factors, and Injuries (GBD) 2013 study. Using the same targets adopted by the UN in 2013, we estimated premature CVD mortality through 2025 across a range of scenarios. We used a transparent method to account for and to communicate the different assumptions required to produce future estimates. In addition, we sought to provide national and regional estimates to support regional and national policy decisions. We hypothesized that the impact

of risk factor reduction would be highly sensitive to local patterns of risk and regional trends in CVD mortality.

Methods

Data Sources

We used estimated age-, sex-, country-, and year-specific CVD death rates from the GBD 2013 study for the years 1990 through 2013. The methods for GBD 2013 have been published elsewhere.^{1,5,6} In brief, the GBD 2013 study used all available data, including vital records and sample vital registration, to estimate age-, sex-, and cause-specific mortality in 188 countries resulting from 240 diseases for the years 1990 to 2013. CVD mortality is the result of separate estimation for 10 CVD subcause categories, consisting of ischemic heart disease, ischemic stroke, hemorrhagic and other stroke, atrial fibrillation, peripheral vascular disease, aortic aneurysm, hypertensive heart disease, endocarditis, rheumatic heart disease, and a category for other CVD conditions. The unconditional probability of death between the ages of 30 and 70, the UN-recommended metric representing the risk of premature mortality resulting from CVD, was calculated as 1 minus the exponentiated sum of the age-specific death rate. We used results from the GBD 2013 Comparative Risk

From Division of Cardiology, Department of Medicine and Institute for Health Metrics and Evaluation (G.A.R.), and Institute for Health Metrics and Evaluation (G.N., M.H.F., A.H.M., M.N., C.J.L.M.), University of Washington, Seattle.

The online-only Data Supplement is available with this article at <http://circ.ahajournals.org/lookup/suppl/doi:10.1161/CIRCULATIONAHA.115.016021/-/DC1>.

Correspondence to Gregory A. Roth, MD, MPH, 2301 5th Ave, Ste 600, Seattle, WA 98121. E-mail rothg@uw.edu

© 2015 American Heart Association, Inc.

Circulation is available at <http://circ.ahajournals.org>

DOI: 10.1161/CIRCULATIONAHA.115.016021

Assessment for estimates of exposure and risk owing to the target risk factors (GBD 2013 Risk Factors Collaborators, unpublished data, 2013). Risk exposure was modeled for all age-sex-country-years with the use of health examination surveys, epidemiological studies, and, for tobacco smoking, mortality data.⁷⁻⁹ Tobacco smoking was measured as prevalence of people exposed. All other risk factors were analyzed as continuous variables (systolic blood pressure [SBP; in mm Hg], fasting plasma glucose [in mmol/dL], and body mass index [BMI; in kg/m²]). Age-specific relative risks (RRs) for risk-disease pairs (eg, SBP–ischemic heart disease) were modeled on the basis of pooled prospective cohort studies.

Projections were performed separately by sex for cause-specific 5-year age categories for each of the 188 countries included in GBD 2013. We used 1000 draws sampled from the uncertainty distribution of the number of deaths. Each draw was then projected forward. Reported results were the mean of the 1000 draws for each age-sex-subcause-country with uncertainty represented by the 2.5 and 97.5 percentiles of the distribution. Our age-, sex-, and country-specific estimation for each CVD subcause produced 7 480 000 unique results (7480 projections repeated 1000 times each).

Constructing Future Risk Factor Scenarios

We constructed 6 separate scenarios for the year 2025. Specifications for each scenario are described in Table 1. Our baseline scenario assumed that the observed past changes in a given risk factor continued unchanged into the future with the use of a proportional change model. A proportional change model projects the annualized rate of change, in this case for the time period between the years 1990 and 2013, as follows:

$$Exposure_{year+1} = exposure_{year} * \exp \left(\frac{\ln \left(\frac{exposure_{2013}}{exposure_{1990}} \right)}{23} \right)$$

We then constructed 4 counterfactual scenarios to reflect each of the UN risk factor targets. We assumed that each target would be achieved in 2025. A fifth “combined” scenario was constructed in which all 4 of these targets are achieved in 2025. To calculate the distribution of SBP in the scenario in which the prevalence of hypertension is reduced by 25%, we calculated the mean and standard deviation of a counterfactual gaussian distribution of SBP in which the area under the curve >140 mm Hg was reduced by 25%. Risk factor exposure for years between 2013 and 2025 was then interpolated. Mortality reductions resulting from changes in the prevalence in tobacco smoking included the effect of reductions in exposure to secondhand smoke. We did not include scenarios for improved access to medications, reduction in physical inactivity, or reduction in harmful alcohol use, which are also UN targets, because of limited data on exposure prevalence or RR for these targets.

Disaggregating Mortality Unattributable to Risk Factors

We followed the same method to project mortality in each scenario. First, we used the population-attributable fraction (PAF) to calculate the number of CVD deaths in 1990 and 2013 that were attributable to our risk factors of interest (tobacco smoking, secondhand smoke, high fasting plasma glucose, high BMI, and high SBP). PAF is the proportion of health outcome in a population that can be eliminated by altering exposures to a counterfactual distribution. We calculated PAF as follows:

$$PAF = \frac{\int_{x=0}^m RR(x)P1(x)dx - \int_{x=0}^m RR(x)P2(x)dx}{\int_{x=0}^m RR(x)P1(x)dx}$$

where $RR(x)$ is the RR for exposure level x , $P1(x)$ is the population distribution of exposure, $P2(x)$ is the counterfactual distribution of exposure, and m is the maximum exposure level. We set $P2(x)$ to the theoretical minimum risk exposure adopted by Lim et al¹⁰ for the GBD

study, except for SBP, for which we adopted a limit of 115 mm Hg with no significant variance. The RRs are reported in Tables IA and IB in the online-only Data Supplement. The remaining theoretical minimum risk exposures were prevalence of zero for tobacco smoking or secondhand tobacco smoke exposure, mean of 4.9 to 5.3 mmol/L (SD, 0.3 mmol/L) for fasting plasma glucose, and mean of 21 to 23 kg/m² (SD 1 kg/m²) for BMI. After attributable CVD deaths were subtracted from total CVD deaths, the remainder of deaths in a given year were considered to be unattributable to these risk factors. For all scenarios, we projected unattributable deaths using the annualized rate of change observed between the years 1990 and 2013. This approach carries that assumption that change in the unspecified factors leading to risk of unattributable CVD death (ie, factors other than tobacco, diabetes mellitus, obesity and hypertension) would continue the trend observed from 1990 to 2013.

Projecting Alternative Scenarios

Our approach considered the total deaths in 2025 to be a function of 2 separate projections: the trend in deaths unattributable to the selected risk factors (which is the same for each scenario and estimated as described above) and the trend in exposure to tobacco, hypertension, diabetes mellitus, and obesity (which is different for each scenario). For each scenario, we estimated deaths in 2025 using the projected risk factors, the theoretical minimum risk exposure distribution and the following equation:

$$Attributable\ Deaths_{2025} = \left(\frac{unattributable\ deaths_{2025}}{(1-PAF_{2025})} \right) - unattributable\ deaths_{2025}$$

in which PAF_{2025} was calculated with the use of scenario-specific levels of risk factor exposures as described in Table 1.

We estimated an age-specific independent RR of mortality resulting from BMI.¹¹ The BMI scenario represents the direct effect of elevated BMI independently of its effect on blood pressure and fasting plasma glucose, and the combined scenario accounts for the joint effects of all the risk factors. All future rates were calculated with the use of the UN World Population Prospects projections of total population.¹² Results between the years 2013 and 2025 were generated with interpolated rates for exposures and deaths. Country-level results were collapsed to the level of 21 globally exhaustive regions. To evaluate the performance of our projections, we applied our model to data from years 1990 to 1999 to project to years 2000 to 2013 and examined the results stratified by sex and country.

Results

If current observed trends in tobacco use, diabetes mellitus, obesity, and blood pressure continued, premature CVD deaths would rise from 5.9 million in 2013 to 7.8 million in 2025 (Tables 2 and 3) without any significant change in the global probability of premature cardiovascular deaths (men: 2%; 95% uncertainty interval, 0 to 4; women: −2%; 95% uncertainty interval, 0 to 4). South Asia, East Asia, and Southeast Asia together accounted for 60% of these deaths. The risk of a premature CVD death in 2025 was highest for men in Central Asia and Eastern Europe (both 0.28; 95% uncertainty interval, 0.26–0.30 and 0.27–0.29, respectively) and for women in Oceania (0.19; 95% uncertainty interval, 0.13–0.26). The lowest risk was seen in Western Europe, high-income Asia Pacific, and Australasia (0.03 for men and 0.01 for women). Overall, most regions saw a decline in the risk of premature CVD mortality between 2013 and 2025, but the magnitude varied widely, with the largest being a 32% decline for women in high-income Asia Pacific. Results were also aggregated to the 14 World Health Organization regions to facilitate policy development for regional health agencies (Tables IIA and IIB in the online-only Data Supplement).

If the selected risk factors continued their current trend, many of the world's most populous countries, including China, India, Russia, Mexico, and Ethiopia, had no detectable change in premature CVD mortality by 2025 (Figure 1A and 1B). On the other hand, premature CVD mortality rose for some countries in Africa. In some countries, rates fell but failed to achieve the goal of a 25% reduction, including the United States, Brazil, and South Africa.

In the combined scenario in which the 4 selected risk factor goals are achieved in 2025, many countries in the world did not achieve the 25% premature CVD mortality goal, although almost all saw a reduction (Table III in the online-only Data Supplement). There were marked reductions beyond this goal for countries in Western Europe, Central Europe, Australasia, high-income Asia Pacific, Canada, the United States, Iran, Brazil, Vietnam, and China. Smaller reductions were seen for countries in Sub-Saharan Africa and South and Central Asia.

As a single target, a reduction in hypertension prevalence provided the largest benefit for premature CVD-specific mortality for most, but not all, regions. Notable exceptions were high-income North America and Australasia, women in tropical Latin America, and men in high-income Asia Pacific, where halting the rise in obesity had the largest impact. A reduction in tobacco smoking contributed the most to reductions in premature CVD mortality for men in North Africa and Middle East, Central Asia, and Central Sub-Saharan Africa and for women in high-income Asia Pacific and Western Europe. Globally, the next leading single risk factor target after hypertension depended on sex. A halt in the rise of obesity had the second-largest impact for women, whereas for men, it was

reduction in tobacco smoking (Figures 1A–1U and 1IA–1IU in the online-only Data Supplement). There was overlap in the uncertainty interval among scenarios such that the dominance of a particular risk factor strategy may reflect limitations in the measurement in the underlying data.

There was large variation in CVD mortality reduction across regions. In East Asia, the hypertension target alone produced a rapid reduction in premature CVD mortality for men with a smaller contribution from reductions in tobacco cessation, obesity, and diabetes mellitus (Figures 2A and 3A). For women in East Asia, a similar pattern was apparent; however, a 30% reduction in tobacco smoking actually produced a smaller reduction in CVD mortality than the baseline scenario because of very large relative declines in tobacco smoking among women in China over the past 23 years. Instead, halting the rise in obesity provided the second-largest benefit. In Eastern Europe, large swings in CVD mortality were apparent during the breakup of the Soviet Union, and if risk factor trends continued, premature CVD mortality began to rise again after 2013 (Figures 2B and 3B). A similar pattern was also seen in Central Asia (Figures 1D and 1ID in the online-only Data Supplement). In South Asia, premature CVD mortality rose rapidly for men and more slowly for women if risk factor trends continued (Figures 2C and 3C). For men, tobacco reduction alone lowered CVD mortality compared with the baseline scenario but not enough to prevent an increase in CVD mortality by 2025. For women, halting the rise in obesity provided a larger reduction in risk of premature CVD mortality than the tobacco smoking target. Premature CVD mortality in high-income North America continued to show such a large

Table 1. Baseline and Counterfactual Risk Factor Scenarios

Scenario Specifications		Risk Factors Exposure Levels that Remain Same as in Baseline Scenario
Baseline scenario		
Risk factors of interest continue current trend	Age-, sex-, country-specific CVD risk factors projected at the annualized rate of change observed between 1990 and 2013	
UN risk factor target scenarios*		
A 30% relative reduction in prevalence of current tobacco smoking	Age-, sex-, country-specific prevalence of tobacco smoking in 2025 is 30% less than in 2013	High BMI High fasting plasma glucose High SBP
A 25% relative reduction in the prevalence of hypertension	Age-, sex-, country-specific SBP distribution is shifted in 2025 such that the number of persons with SBP >140 mm Hg is reduced by 25%	High BMI High fasting plasma glucose Tobacco smoking
Halt the rise in diabetes mellitus	Age-, sex-, country-specific fasting plasma glucose in 2025 is the same as in 2013	High BMI High SBP Tobacco smoking
Halt the rise in obesity	Age-, sex-, country-specific BMI in 2025 is the same as in 2013 (representing only BMI risk of mortality not mediated through blood pressure and fasting plasma glucose)	High fasting plasma glucose High SBP Tobacco smoking
All 4 targets described above are achieved in 2025	All 4 counterfactual adjustments described above are made together	None

BMI indicates body mass index; CVD, cardiovascular disease; SBP, systolic blood pressure; and UN, United Nations.

*Scenario specifications for UN risk factor target scenarios are based on exposure level. The remaining risk factor exposure levels remain the same as in baseline scenario.

Table 2. Projected Reduction in Cardiovascular Mortality for Men With Leading Single Risk Factor Scenario and Combined Risk Factor Scenario

Regions	Premature CVD Deaths in 2025 if Risk Factor Trends Continue, n (95% UI)	Probability of Premature CVD Death in 2025 if Risk Factor Trends Continue (95% UI)	Change 2013–2025, % (95% UI)	Leading Single Risk Factor Scenario	Premature CVD Deaths in 2025 With Leading Single Risk Factor Scenario for Each Region Achieved, n (95% UI)	Probability of Premature CVD Death in 2025 With Leading Single Risk Factor Scenario for Each Region Achieved (95% UI)	Change 2013–2025, % (95% UI)	Premature CVD Deaths in 2025 With Combined Risk Factor Scenario Achieved, n (95% UI)	Probability of Premature CVD Death in 2025 With Combined Risk Factor Scenario Achieved (95% UI)	Change 2013–2025, % (95% UI)
Andean Latin America	14 814 (12 557 to 17 124)	0.06 (0.05 to 0.06)	–8 (–9 to –7)	HTN	13 460 (11 423 to 15 575)	0.05 (0.04 to 0.06)	–16 (–18 to –14)	12 544 (10 666 to 14 497)	0.05 (0.04 to 0.05)	–22 (–24 to –19)
Australasia	5055 (4685 to 5452)	0.03 (0.03 to 0.03)	–37 (–39 to –35)	BMI	4562 (4238 to 4908)	0.03 (0.02 to 0.03)	–43 (–44 to –42)	4311 (3965 to 4645)	0.02 (0.02 to 0.03)	–46 (–48 to –44)
Caribbean	25 015 (22 452 to 28 136)	0.12 (0.11 to 0.13)	0 (–2 to 3)	HTN	21 965 (19 678 to 24 850)	0.11 (0.10 to 0.12)	–11 (–15 to –9)	20 401 (18 256 to 23 069)	0.10 (0.09 to 0.11)	–17 (–21 to –15)
Central Asia	121 669 (111 328 to 134 667)	0.28 (0.26 to 0.30)	5 (3 to 6)	Smoking	105 153 (96 103 to 116 654)	0.25 (0.23 to 0.27)	–7 (–9 to –5)	89 192 (81 037 to 99 904)	0.21 (0.20 to 0.23)	–19 (–22 to –16)
Central Europe	80 951 (77 788 to 83 892)	0.11 (0.10 to 0.11)	–20 (–21 to –19)	HTN	67 832 (64 444 to 70 911)	0.09 (0.09 to 0.10)	–32 (–35 to –30)	59 973 (56 868 to 62 776)	0.08 (0.08 to 0.09)	–40 (–42 to –37)
Central Latin America	87 556 (82 730 to 93 128)	0.08 (0.07 to 0.08)	–5 (–7 to –4)	HTN	77 524 (73 350 to 82 198)	0.07 (0.06 to 0.07)	–16 (–18 to –14)	73 670 (69 705 to 77 942)	0.07 (0.06 to 0.07)	–20 (–22 to –18)
Central Sub-Saharan Africa	53 305 (43 119 to 64 519)	0.18 (0.15 to 0.21)	5 (3 to 7)	Smoking	50 180 (40 642 to 60 899)	0.17 (0.14 to 0.20)	0 (–2 to 3)	50 975 (41 087 to 61 975)	0.17 (0.14 to 0.20)	1 (–3 to 5)
East Asia	1 052 779 (866 884 to 1 199 825)	0.11 (0.09 to 0.12)	–3 (–8 to 1)	HTN	581 847 (478 810 to 658 810)	0.06 (0.05 to 0.07)	–45 (–48 to –43)	514 631 (421 259 to 583 872)	0.06 (0.05 to 0.06)	–51 (–53 to –49)
Eastern Europe	350 842 (335 311 to 365 921)	0.28 (0.27 to 0.29)	4 (3 to 6)	HTN	308 890 (290 946 to 327 108)	0.25 (0.24 to 0.26)	–7 (–11 to –4)	261 211 (245 967 to 275 993)	0.22 (0.21 to 0.23)	–19 (–23 to –16)
Eastern Sub-Saharan Africa	132 to 372 (121 952 to 144 575)	0.13 (0.12 to 0.14)	–2 (–3 to 0)	HTN	108 659 (99 743 to 118 423)	0.11 (0.10 to 0.12)	–19 (–21 to –17)	102 929 (94 264 to 112 542)	0.10 (0.10 to 0.11)	–23 (–25 to –20)
High-income Asia Pacific	34 702 (30 933 to 38 456)	0.03 (0.03 to 0.03)	–28 (–29 to –26)	BMI	33 369 (29 712 to 37 026)	0.03 (0.02 to 0.03)	–30 (–32 to –29)	32 091 (28 594 to 35 931)	0.03 (0.02 to 0.03)	–33 (–35 to –31)
High-income North America	129 843 (117 823 to 143 017)	0.06 (0.05 to 0.06)	–25 (–27 to –23)	BMI	122 250 (111 077 to 134 346)	0.05 (0.05 to 0.06)	–29 (–30 to –28)	123 928 (112 757 to 135 815)	0.05 (0.05 to 0.06)	–28 (–29 to –27)
North Africa and Middle East	295 956 (274 405 to 319 530)	0.12 (0.11 to 0.13)	–13 (–15 to –12)	Smoking	270 965 (251 252 to 293 226)	0.11 (0.11 to 0.12)	–20 (–21 to –18)	247 057 (228 401 to 267 836)	0.10 (0.10 to 0.11)	–27 (–28 to –25)
Oceania	9818 (6241 to 14392)	0.23 (0.16 to 0.31)	4 (0 to 7)	HTN	8130 (5248 to 11 877)	0.19 (0.13 to 0.26)	–12 (–15 to –9)	6620 (4367 to 9573)	0.16 (0.11 to 0.22)	–25 (–27 to –23)
South Asia	1 717 276 (1 418 260 to 2 039 056)	0.20 (0.17 to 0.24)	9 (7 to 12)	HTN	1 394 746 (1 168 298 to 1 662 564)	0.17 (0.15 to 0.20)	–8 (–11 to –5)	1 223 642 (1 020 301 to 1 457 277)	0.15 (0.13 to 0.18)	–18 (–21 to –15)
Southeast Asia	506 106 (451 675 to 555 797)	0.15 (0.13 to 0.16)	2 (0 to 3)	HTN	444 300 (396 419 to 489 239)	0.13 (0.12 to 0.14)	–10 (–13 to –8)	391 166 (348 010 to 429 273)	0.11 (0.10 to 0.13)	–20 (–22 to –17)
Southern Latin America	24 795 (22 966 to 26 590)	0.07 (0.07 to 0.08)	–22 (–24 to –20)	HTN	22 181 (20 579 to 23 751)	0.07 (0.06 to 0.07)	–30 (–33 to –28)	20 743 (19 170 to 22 204)	0.06 (0.06 to 0.07)	–34 (–37 to –32)
Southern Sub-Saharan Africa	24 577 (21 238 to 28 348)	0.11 (0.09 to 0.13)	–6 (–8 to –4)	HTN	20 945 (18 023 to 24 255)	0.09 (0.08 to 0.11)	–20 (–24 to –16)	20 367 (17 424 to 23 711)	0.09 (0.08 to 0.11)	–21 (–26 to –18)
Tropical Latin America	103 046 (93 604 to 113 113)	0.09 (0.09 to 0.10)	–18 (–19 to –17)	HTN	93 406 (83 667 to 103 173)	0.08 (0.08 to 0.09)	–25 (–29 to –23)	84 145 (75 568 to 93 031)	0.08 (0.07 to 0.08)	–32 (–36 to –30)
Western Europe	98 894 (93 032 to 103 503)	0.03 (0.03 to 0.04)	–32 (–34 to –32)	HTN	90 856 (85 027 to 95 440)	0.03 (0.03 to 0.03)	–38 (–40 to –36)	85 287 (79 689 to 89 875)	0.03 (0.03 to 0.03)	–41 (–43 to –40)
Western Sub-Saharan Africa	140 122 (126 977 to 156 479)	0.13 (0.12 to 0.15)	16 (12 to 20)	HTN	126 678 (114 337 to 141 398)	0.12 (0.11 to 0.13)	5 (0 to 9)	115 016 (103 852 to 128 585)	0.11 (0.10 to 0.12)	–3 (–7 to 0)
Global	5 009 to 492 (4 632 942 to 5 389 257)	0.13 (0.12 to 0.14)	2 (–0 to 4)	HTN	3 987 977 (3 731 389 to 4 280 804)	0.10 (0.10 to 0.11)	–18 (–20 to –16)	3 539 896 (3 316 386 to 3 804 971)	0.09 (0.09 to 0.10)	–26 (–28 to –24)

BMI indicates halting the rise in body mass index; CVD cardiovascular disease; HTN, reduction of prevalence of systolic hypertension by 25%; and UI, uncertainty interval.

decline that, among men, a 25% decrease in the prevalence of hypertension produced less benefit than the baseline scenario, and as a result, the scenario showing the direct effects of BMI was slightly better than the combined risk factor scenario (Figures 2D and 3D). Large improvements in the control of SBP among older individuals in the United States make the UN target a more conservative one than what we estimate for the baseline scenario using a proportional rate of change model.¹³

For both men and women in this region, the halt in the rise of obesity was a particularly large component of achieving a 25% reduction in premature CVD mortality by the year 2025.

The combined scenario, in which all risk factor targets are achieved in 2025, reduced global CVD deaths in 2025 to 5.7 million, a 26% reduction for men and a 23% reduction for women in the probability of premature CVD death. However, change in the risk of premature CVD ranges widely across regions, from

Table 3. Projected Reduction in Cardiovascular Mortality for Women with Leading Single Risk Factor Scenario and Combined Risk Factor Scenario

Regions	Premature CVD Deaths in 2025 if Risk Factor Trends Continue, n (95% UI)	Probability of Premature CVD Death in 2025 if Risk Factor Trends Continue (95% UI)	Change 2013–2025, % (95% UI)	Leading Single Risk Factor Scenario	Premature CVD Deaths in 2025 With Leading Single Risk Factor Scenario for Each Region Achieved, n (95% UI)	Probability of Premature CVD Death in 2025 With Leading Single Risk Factor Scenario for Each Region Achieved (95% UI)	Change 2013–2025, % (95% UI)	Premature CVD Deaths in 2025 With Combined Risk Factor Scenario Achieved, n (95% UI)	Probability of Premature CVD Death in 2025 With Combined Risk Factor Scenario Achieved (95% UI)	Change 2013–2025, % (95% UI)
Andean Latin America	10 504 (8289 to 13 048)	0.04 (0.03 to 0.05)	–11 (–12 to –10)	HTN	9877 (7763 to 12 283)	0.04 (0.03 to 0.04)	–16 (–19 to –14)	9210 (7219 to 11 412)	0.03 (0.03 to 0.04)	–22 (–24 to –20)
Australasia	2539 (2183 to 3417)	0.01 (0.01 to 0.02)	–30 (–35 to –24)	BMI	2143 (1872 to 2892)	0.01 (0.01 to 0.02)	–40 (–42 to –38)	2143 (1868 to 2874)	0.01 (0.01 to 0.02)	–40 (–43 to –38)
Caribbean	17 835 (15 098 to 20 761)	0.08 (0.07 to 0.10)	–6 (–9 to –4)	HTN	15 15 (13 292 to 18 380)	0.07 (0.06 to 0.09)	–18 (–21 to –14)	14 224 (12 104 to 16 492)	0.07 (0.06 to 0.08)	–25 (–28 to –22)
Central Asia	68 to 207 (59 196 to 76 737)	0.15 (0.13 to 0.16)	3 (–1 to 5)	HTN	58 627 (50 291 to 66 782)	0.13 (0.11 to 0.14)	–11 (–15 to –8)	55 988 (48 107 to 63 665)	0.12 (0.10 to 0.14)	–14 (–19 to –12)
Central Europe	35 970 (33 646 to 41 540)	0.04 (0.04 to 0.05)	–23 (–25 to –21)	HTN	29 959 (27 450 to 35 125)	0.04 (0.03 to 0.04)	–35 (–39 to –32)	25 702 (23 610 to 30 057)	0.03 (0.03 to 0.04)	–44 (–47 to –42)
Central Latin America	53 677 (47 683 to 63 569)	0.04 (0.04 to 0.05)	–11 (–13 to –10)	HTN	48 686 (43 306 to 57 746)	0.04 (0.03 to 0.05)	–20 (–22 to –17)	44 648 (39 668 to 53 055)	0.04 (0.03 to 0.04)	–26 (–28 to –24)
Central Sub-Saharan Africa	39 184 (30 677 to 50 619)	0.13 (0.11 to 0.17)	–4 (–5 to –2)	HTN	38 437 (29 977 to 50 118)	0.13 (0.10 to 0.16)	–7 (–11 to –3)	37 073 (28 925 to 48 685)	0.12 (0.10 to 0.16)	–9 (–14 to –6)
East Asia	451 791 (360 420 to 548 858)	0.05 (0.04 to 0.06)	–16 (–20 to –13)	HTN	257 910 (209 475 to 312 055)	0.03 (0.02 to 0.04)	–52 (–54 to –50)	249 041 (202 368 to 302 135)	0.03 (0.02 to 0.03)	–53 (–55 to –51)
Eastern Europe	177 277 (147 544 to 192 015)	0.11 (0.09 to 0.12)	4 (–9 to 7)	HTN	158 492 (129 687 to 174 640)	0.10 (0.08 to 0.11)	–7 (–20 to –1)	145 729 (118 910 to 160 443)	0.09 (0.08 to 0.10)	–14 (–26 to –8)
Eastern Sub-Saharan Africa	108 831 (92 076 to 128 893)	0.10 (0.09 to 0.12)	–3 (–5 to –1)	HTN	87 317 (74 758 to 104 686)	0.08 (0.07 to 0.10)	–23 (–26 to –20)	81 876 (70 137 to 98 741)	0.08 (0.07 to 0.09)	–27 (–29 to –24)
High-income Asia Pacific	13 723 (11 997 to 18 137)	0.01 (0.01 to 0.01)	–32 (–34 to –30)	Smoking	13 273 (11 585 to 17 554)	0.01 (0.01 to 0.01)	–34 (–36 to –32)	13 495 (11 787 to 17 940)	0.01 (0.01 to 0.01)	–33 (–35 to –31)
High-income North America	67 988 (57 887 to 82 996)	0.03 (0.02 to 0.03)	–21 (–23 to –20)	BMI	64 315 (54 879 to 78 703)	0.03 (0.02 to 0.03)	–26 (–27 to –24)	63 463 (54 269 to 77 701)	0.03 (0.02 to 0.03)	–27 (–28 to –25)
North Africa and Middle East	194 795 (173 397 to 217 242)	0.08 (0.07 to 0.09)	–14 (–15 to –13)	HTN	181 060 (161 049 to 202 305)	0.08 (0.07 to 0.09)	–20 (–22 to –18)	168 165 (149 818 to 187 378)	0.07 (0.06 to 0.08)	–25 (–27 to –24)
Oceania	7756 (4907 to 11 654)	0.19 (0.13 to 0.26)	7 (3 to 11)	HTN	6081 (3928 to 9062)	0.15 (0.10 to 0.21)	–15 (–17 to –13)	5014 (3262 to 7474)	0.13 (0.09 to 0.18)	–28 (–30 to –26)
South Asia	916 908 (665 308 to 1 130 215)	0.12 (0.09 to 0.15)	–0 (–3 to 2)	HTN	809 432 (583 621 to 996 500)	0.11 (0.08 to 0.13)	–11 (–15 to –8)	736 819 (532 380 to 910 343)	0.10 (0.07 to 0.12)	–19 (–23 to –16)
Southeast Asia	328 503 (280 076 to 382 535)	0.09 (0.08 to 0.11)	–1 (–3 to 1)	HTN	298 313 (254 322 to 347 790)	0.08 (0.07 to 0.10)	–10 (–14 to –7)	281 590 (241 255 to 327 746)	0.08 (0.07 to 0.09)	–15 (–19 to –12)
Southern Latin America	12 372 (11 090 to 14 743)	0.03 (0.03 to 0.04)	–19 (–24 to –17)	HTN	11 263 (10 005 to 13 381)	0.03 (0.03 to 0.04)	–26 (–31 to –23)	10 663 (9482 to 12 715)	0.03 (0.03 to 0.04)	–30 (–35 to –27)
Southern Sub-Saharan Africa	19 579 (15 544 to 25 733)	0.07 (0.05 to 0.09)	–6 (–10 to –3)	HTN	16 524 (12 818 to 21 997)	0.06 (0.04 to 0.07)	–21 (–29 to –15)	14 885 (11 535 to 19 826)	0.05 (0.04 to 0.07)	–29 (–35 to –24)
Tropical Latin America	72 224 (63 768 to 85 516)	0.06 (0.05 to 0.07)	–17 (–19 to –14)	BMI	64 940 (57 516 to 76 887)	0.05 (0.05 to 0.06)	–25 (–26 to –24)	58 653 (51 363 to 69 822)	0.05 (0.04 to 0.06)	–32 (–36 to –29)
Western Europe	41 732 (37 987 to 54 567)	0.01 (0.01 to 0.02)	–31 (–33 to –30)	Smoking	38 336 (34 764 to 50 046)	0.01 (0.01 to 0.02)	–37 (–39 to –35)	37 422 (33 838 to 48 911)	0.01 (0.01 to 0.02)	–38 (–40 to –37)
Western Sub-Saharan Africa	128 547 (108 702 to 153 584)	0.12 (0.10 to 0.14)	12 (7 to 17)	HTN	116 773 (98 412 to 140 689)	0.11 (0.09 to 0.13)	1 (–5 to 6)	103 415 (87 292 to 124 443)	0.10 (0.08 to 0.11)	–8 (–13 to –5)
Global	2 769 945 (2 321 954 to 3 044 866)	0.07 (0.06 to 0.08)	–2 (–6 to –0)	HTN	2 339 446 (1 972 558 to 2 595 614)	0.06 (0.05 to 0.07)	–17 (–20 to –15)	2 159 217 (1 827 170 to 2 393 080)	0.06 (0.05 to 0.06)	–23 (–26 to –21)

BMI indicates halting the rise in body mass index; CVD cardiovascular disease; HTN, reduction of prevalence of systolic hypertension by 25%; and UI, uncertainty interval.


a 1% increase in Central Sub-Saharan Africa among men to a 53% decrease in East Asia among women. Some regions did not achieve the UN target of a 25% reduction in premature CVD mortality despite achieving the global risk factors targets for hypertension, tobacco smoking, obesity, and diabetes mellitus.

On the basis of population impact factor, we found that, taken together, high SBP, tobacco smoking, high fasting

plasma glucose, and high BMI accounted for most of premature CVD mortality (Figure IIIA and IIIB in the online-only Data Supplement).

When we applied our model to data only for the years 1990 to 1999, we found that our projections for the years 2000 to 2013 tracked closely with the observed probability of premature cardiovascular death in most countries (Figures

A Percentage Change in Premature Cardiovascular Mortality from 2013-2025 if Risk Factors Continue Current Trend



B Percentage Change in Premature Cardiovascular Mortality from 2013-2025 if Risk Factor targets are achieved in 2025




Figure 1. A, Global map of percentage change in premature cardiovascular mortality from 2013 to 2025 if risk factors continue the current trend. **B,** Global map of percentage change in premature cardiovascular mortality from 2013 to 2025 if all risk factor targets are achieved in 2025.





Figure 2. Observed and projected cardiovascular mortality for men in selected regions, 1990 to 2025: (A) East Asia, (B) Eastern Europe, (Continued)

C Probability of premature death in men due to cardiovascular disease between ages 30–70 in High-income North America



D Probability of premature death in men due to cardiovascular disease between ages 30–70 in South Asia




Figure 2. Continued (C) high-income North America, and (D) South Asia. The scenario for halting the rise in body mass index (BMI) uses the association with death adjusted to be independent of its effect on blood pressure and fasting plasma glucose and therefore underestimates the effect of BMI on mortality. The inflection point seen in 2013 to 2014 represents the change from observed mortality to results based on the projection method.




A Probability of premature death in women due to cardiovascular disease between ages 30–70 in East Asia**B** Probability of premature death in women due to cardiovascular disease between ages 30–70 in Eastern Europe

Figure 3. Observed and projected cardiovascular mortality for women in selected regions, 1990 to 2025: (A) East Asia, (B) Eastern Europe, (Continued)

C Probability of premature death in women due to cardiovascular disease between ages 30–70 in High-income North America



D Probability of premature death in women due to cardiovascular disease between ages 30–70 in South Asia




Figure 3. Continued (C) high-income North America, and (D) South Asia. The scenario for halting the rise in body mass index (BMI) uses the association with death adjusted to be independent of its effect on blood pressure and fasting plasma glucose and therefore underestimates the effect of BMI on mortality. The inflection point seen in 2013 to 2014 represents the change from observed mortality to results based on the projection method.

IV and V in the online-only Data Supplement). Accuracy was related to the degree of past fluctuation in death rates. Most countries had little fluctuation from 1990 to 1999 with constant slope, which led to better risk factor–based prediction. Our model was less accurate for some countries in Eastern Europe, Central Asia, and Southern Sub-Saharan Africa, where there has been significant fluctuation in recent mortality rates. Because our study used data over 23 years, we would expect better accuracy in our actual results than in this test of predictive validity.

Discussion

Our study suggests that large reductions in premature CVD mortality are possible by 2025 if multiple risk factor targets are achieved. This success would reduce the number of premature CVD deaths in that year from 7.8 million to 5.7 million, but these gains in health will not be shared equally. Investments in prevention and treatment will need to account for large existing regional and sex-related disparities in CVD health. Our findings call for renewed efforts by countries to understand and then address the burden of CVD risk factors in their communities so that health improvements will be shared by all people. These results may provide countries and regions with a tool for setting priorities when resources for health are limited.

Our estimates are strikingly different across geographic regions. For high-income regions already experiencing rapid declines in CVD mortality, current targets appear too conservative and provide a relatively small additional benefit. However, for many low- and middle-income regions, a 25% reduction in premature CVD mortality may occur only in a scenario in which all risk factor targets are achieved. Much of the predicted benefit is attributable to a reduction in the prevalence of hypertension, a reduction in the prevalence of tobacco smoking, and a halt in the rise in obesity. Some of the poorest regions of the world fail to achieve a 25% reduction in premature CVD mortality even if all 4 targets are achieved, although the lower uncertainty limit often reaches beyond the 25% goal set by the UN. The failure to achieve the UN goal is particularly concerning and shows that countries will also need to address risk factors beyond those examined in our model.

Our methods represent the interaction between risk factor exposure, RR, and fraction of deaths resulting from a particular CVD subcause. The variation by region and sex observed in our study is a direct result of these age-, sex-, country-, and year-specific estimates from the GBD 2013 study. For example, regions with rapid declines in tobacco exposure such as parts of Latin America will see significantly less CVD mortality benefit in a scenario in which this risk factor is further reduced. Likewise, scenarios in which a risk factor is reduced by a given proportion such as tobacco and hypertension will provide greater benefit than those in which the rise in exposure is only halted. Risk factors with the largest observed RR in pooled cohort studies, the source of the GBD RRs used in our projections, will have the greatest impact on CVD mortality. Finally, larger RRs for ischemic heart disease and stroke will have a larger impact than those for less common causes of CVD-related deaths. Our study provides an innovative summary measure for health policy planning that synthesizes this complex range of inputs.

Our study is the first to evaluate UN CVD targets for individual countries. However, our global results are similar to those by Kontis et al.¹⁴ In their analysis, using different methods that included alcohol risk, they found a similar 34% reduction in the risk of premature CVD mortality in 2025 if risk factor targets are achieved. However, their baseline scenario, based on different methods for projection of risk factor trends, suggested a much larger 18% reduction in premature CVD mortality compared with our estimate of almost no change if current risk factor trends continue. Norheim et al.¹⁵ projected mortality rates by cause and income level in the year 2030 if current trends continue. Using slightly broader categories for age and cause of death, they found that deaths would fall by 10% per decade for low-income countries but almost 3 times faster in high-income countries. Our results are similar for high-income regions, where our baseline scenario shows declines in CVD mortality of 24% to 40%. However, our estimates for Sub-Saharan Africa show a wider range, with CVD mortality even increasing in western Sub-Saharan Africa, likely because we examine results for smaller geographies within each income class and estimate distribution of risk and death and the mean.

Limitations

We have elected to make relatively simple and transparent assumptions for this exercise. As with all future projections, our results are wholly dependent on these assumptions. We note that our method estimates the change in mortality resulting from a reduction in risk relative to a theoretical minimum risk level rather than the implementation of any particular set of interventions. For example, results different from ours would be found in a scenario in which the prevalence of hypertension was reduced only for those with SBP >140 mm Hg. We assume that the change in SBP leading to a reduction in the prevalence of hypertension occurs as a shift in the entire distribution of SBP, keeping the shape of the distribution constant. This shift is most consistent with population-based strategies for blood pressure reduction that affect most people rather than those at the highest end of the distribution.¹⁶ Similarly, reductions in BMI would produce a greater benefit for mortality than in our BMI scenario because of effects on blood pressure and fasting plasma glucose.

We have modeled a subset of the targets agreed on by the UN in 2013 and did not include changes in diet or access to medications. However, changes in these 2 important aspects of CVD are partially represented through their role in reducing blood pressure and obesity. Change in low-density lipoprotein cholesterol level was not included as a UN target. Improved access to statins would provide significant health benefit but was also not included as a specific UN target. We focus exclusively on CVD mortality in part because it is an explicit goal of the UN; however, the result is that other health benefits of risk factor reduction, in particular related to lung disease and cancer, are not included. In our baseline model, we assume that the rate of change observed for risk factors over the past 23 years will continue instead of using regression models to predict risk factor trends based on other nonhealth covariates. Because of this approach, future risk factor trends do not rely on or reflect predicted change in national levels of income or

education, and they are insensitive to changes occurring in the recent past. Instead, our analysis is based on estimates from 1990 through 2013, as estimated in the GBD 2013 Study, and intentionally reflects long-term secular trends. Even long-term trends in some regions show significant fluctuation that decreases the accuracy of our estimates. The largest of these fluctuations in cardiovascular mortality have been observed in Eastern Europe, Central Asia, and southern Sub-Saharan Africa. Some of the fluctuation, for example, in Russia, reflects mortality shocks resulting from the fall of the Soviet Union. In other cases, an inflection point in secular trends is caused by the development of a country's vital registration system and resulting improvements in the underlying mortality data.

We use RRs based on meta-regression from large pooled cohorts that may not reflect regional variation in the risk of CVD death. The inclusion of large Asian cohorts may provide some reassurance. Finally, population projections to 2025 used to calculate mortality rates are based on UN life tables that are not affected by CVD reduction that may have occurred. To address this, future demographic research should consider the construction of cause-deleted life tables that would increase the world's population as strategies to reduce premature mortality are implemented.

Conclusions

The UN target of a 25% reduction in premature CVD mortality by the year 2025 appears achievable for some countries, but more aggressive risk factor targets may be required if all regions are to reach this goal. Reductions in harmful use of alcohol and improvements in access to effective medications and technologies also remain important goals that will contribute to improvements in CVD. Reducing the prevalence of hypertension and tobacco smoking and halting the rise in obesity account for most of the gains in health observed, but a multi-risk factor approach produces the largest benefit. Policy makers should not expect small reductions in risk factors to have large impacts on CVD mortality if they are already rapidly declining in prevalence or have lower RRs for CVD mortality. High-income countries should consider more aggressive goals to reduce CVD mortality well below the current 25% target.

Without reductions in our selected CVD risk factors, many countries will see no change or may even see an increase in premature CVD mortality. These future trends send a powerful message, considering the limited resources available for health. CVD prevention and treatment should be a leading priority for all countries and health organizations. UN involvement in prevention should be increased to facilitate the exchange of success stories and technical skills among countries. Global policies on CVD prevention, driven by appropriate targets, can result in tremendous health benefits for the world.

Acknowledgments

We thank Maggie Lind, Megan Coggeshall, and Tiffany Ku for help in the design and preparation of figures.

Source of Funding

This work was supported by the Bill and Melinda Gates Foundation.

Disclosures

None.

References

1. GBD 2013 Mortality and Causes of Death Collaborators. Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet*. 2015;385:117–171. doi: 10.1016/S0140-6736(14)61682-2
2. World Health Organization. Draft comprehensive global monitoring framework and targets for the prevention and control of noncommunicable diseases. 2013. http://apps.who.int/gb/ebwha/pdf_files/WHA66/A66_8-en.pdf?ua=1. Accessed November 7, 2014.
3. *Global Action Plan for the Prevention and Control of Non-Communicable Diseases 2013–2020*. Geneva, Switzerland: World Health Organization; 2013.
4. Moran AE, Forouzanfar MH, Roth GA, Mensah GA, Ezzati M, Murray CJ, Naghavi M. Temporal trends in ischemic heart disease mortality in 21 world regions, 1980 to 2010: the Global Burden of Disease 2010 study. *Circulation*. 2014;129:1483–1492. doi: 10.1161/CIRCULATIONAHA.113.004042
5. Wang H, Dwyer-Lindgren L, Lofgren KT, Rajaratnam JK, Marcus JR, Levin-Rector A, Levitz CE, Lopez AD, Murray CJ. Age-specific and sex-specific mortality in 187 countries, 1970–2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet*. 2012;380:2071–2094. doi: 10.1016/S0140-6736(12)61719-X
6. Foreman KJ, Lozano R, Lopez AD, Murray CJ. Modeling causes of death: an integrated approach using CODEm. *Popul Health Metr*. 2012;10:1. doi: 10.1186/1478-7954-10-1
7. Finucane MM, Stevens GA, Cowan MJ, Danaei G, Lin JK, Paciorek CJ, Singh GM, Gutierrez HR, Lu Y, Bahalim AN, Farzadfar F, Riley LM, Ezzati M; Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Body Mass Index). National, regional, and global trends in body-mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 9.1 million participants. *Lancet*. 2011;377:557–567. doi: 10.1016/S0140-6736(10)62037-5
8. Danaei G, Finucane MM, Lu Y, Singh GM, Cowan MJ, Paciorek CJ, Lin JK, Farzadfar F, Khang YH, Stevens GA, Rao M, Ali MK, Riley LM, Robinson CA, Ezzati M; Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Blood Glucose). National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2.7 million participants. *Lancet*. 2011;378:31–40. doi: 10.1016/S0140-6736(11)60679-X
9. Danaei G, Finucane MM, Lin JK, Singh GM, Paciorek CJ, Cowan MJ, Farzadfar F, Stevens GA, Lim SS, Riley LM, Ezzati M; Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Blood Pressure). National, regional, and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 5.4 million participants. *Lancet*. 2011;377:568–577. doi: 10.1016/S0140-6736(10)62036-3
10. Lim SS, Vos T, Flaxman AD, Danaei G, Shibuya K, Adair-Rohani H, Amann M, Anderson HR, Andrews KG, Aryee M, Atkinson C, Bacchus LJ, Bahalim AN, Balakrishnan K, Balmes J, Barker-Collo S, Baxter A, Bell ML, Blore JD, Blyth F, Bonner C, Borges G, Bourne R, Boussinesq M, Brauer M, Brooks P, Bruce NG, Brunekreef B, Bryan-Hancock C, Bucello C, Buchbinder R, Bull F, Burnett RT, Byers TE, Calabria B, Carapetis J, Carnahan E, Chafe Z, Charlson F, Chen H, Chen JS, Cheng AT, Child JC, Cohen A, Colson KE, Cowie BC, Darby S, Darling S, Davis A, Degenhardt L, Dentener F, Des Jarlais DC, Devries K, Dherani M, Ding EL, Dorsey ER, Driscoll T, Edmond K, Ali SE, Engell RE, Erwin PJ, Fahimi S, Falder G, Farzadfar F, Ferrari A, Finucane MM, Flaxman S, Fowkes FG, Freedman G, Freeman MK, Gakidou E, Ghosh S, Giovannucci E, Gmel G, Graham K, Grainger R, Grant B, Gunnell D, Gutierrez HR, Hall W, Hoek HW, Hogan A, Hosgood HD 3rd, Hoy D, Hu H, Hubbell BJ, Hutchings SJ, Ibeanusi SE, Jacklyn GL, Jasrasaria R, Jonas JB, Kan H, Kanis JA, Kassebaum N, Kawakami N, Khang YH, Khatibzadeh S, Khoo JP, Kok C, Laden F, Lalloo R, Lan Q, Lathlean T, Leasher JL, Leigh J, Li Y, Lin JK, Lipshultz SE, London S, Lozano R, Lu Y, Mak J, Malekzadeh R, Mallinger L, Marcenes W, March L, Marks R, Martin R, McGale P, McGrath J, Mehta S, Mensah GA, Merriam TR, Micha R, Michaud C, Mishra V, Mohd Hanafiah K, Mokdad AA, Morawska L, Mozaffarian D, Murphy T, Naghavi M, Neal B, Nelson

- PK, Nolla JM, Norman R, Olives C, Omer SB, Orchard J, Osborne R, Ostro B, Page A, Pandey KD, Parry CD, Passmore E, Patra J, Pearce N, Pelizzari PM, Petzold M, Phillips MR, Pope D, Pope CA 3rd, Powles J, Rao M, Razavi H, Rehfuess EA, Rehm JT, Ritz B, Rivara FP, Roberts T, Robinson C, Rodriguez-Portales JA, Romieu I, Room R, Rosenfeld LC, Roy A, Rushton L, Salomon JA, Sampson U, Sanchez-Riera L, Sanman E, Sapkota A, Seedat S, Shi P, Shield K, Shivakoti R, Singh GM, Sleet DA, Smith E, Smith KR, Stapelberg NJ, Steenland K, Stöckl H, Stovner LJ, Straif K, Straney L, Thurston GD, Tran JH, Van Dingenen R, van Donkelaar A, Veerman JL, Vijayakumar L, Weintraub R, Weissman MM, White RA, Whiteford H, Wiersma ST, Wilkinson JD, Williams HC, Williams W, Wilson N, Woolf AD, Yip P, Zielinski JM, Lopez AD, Murray CJ, Ezzati M, AlMazroa MA, Memish ZA. A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet*. 2012;380:2224–2260. doi: 10.1016/S0140-6736(12)61766-8.
11. Global Burden of Metabolic Risk Factors for Chronic Diseases Collaboration (BMI Mediated Effects). Metabolic mediators of the effects of body-mass index, overweight, and obesity on coronary heart disease and stroke: a pooled analysis of 97 prospective cohorts with 1.8 million participants. *Lancet*. 2014;383:970–983.
 12. United Nations Population Division. *United Nations World Population Prospects 1950–2100 - 2010 Revision*. New York, NY: United Nations Population Division; 2011.
 13. Gu Q, Burt VL, Dillon CF, Yoon S. Trends in antihypertensive medication use and blood pressure control among United States adults with hypertension: the National Health And Nutrition Examination Survey, 2001 to 2010. *Circulation*. 2012;126:2105–2114. doi: 10.1161/CIRCULATIONAHA.112.096156.
 14. Kontis V, Mathers CD, Rehm J, Stevens GA, Shield KD, Bonita R, Riley LM, Poznyak V, Beaglehole R, Ezzati M. Contribution of six risk factors to achieving the 25×25 non-communicable disease mortality reduction target: a modelling study. *Lancet*. 2014;384:427–437. doi: 10.1016/S0140-6736(14)60616-4.
 15. Norheim OF, Jha P, Admasu K, Godal T, Hum RJ, Kruk ME, Gómez-Dantés O, Mathers CD, Pan H, Sepúlveda J, Suraweera W, Verguet S, Woldemariam AT, Yamey G, Jamison DT, Peto R. Avoiding 40% of the premature deaths in each country, 2010-30: review of national mortality trends to help quantify the UN sustainable development goal for health. *Lancet*. 2015;385:239–252. doi: 10.1016/S0140-6736(14)61591-9.
 16. Lloyd-Jones DM, Hong Y, Labarthe D, Mozaffarian D, Appel LJ, Van Horn L, Greenland K, Daniels S, Nichol G, Tomaselli GF, Arnett DK, Fonarow GC, Ho PM, Lauer MS, Masoudi FA, Robertson RM, Roger V, Schwamm LH, Sorlie P, Yancy CW, Rosamond WD; American Heart Association Strategic Planning Task Force and Statistics Committee. Defining and setting national goals for cardiovascular health promotion and disease reduction: the American Heart Association's strategic Impact Goal through 2020 and beyond. *Circulation*. 2010;121:586–613. doi: 10.1161/CIRCULATIONAHA.109.192703.

Estimates of Global and Regional Premature Cardiovascular Mortality in 2025

Gregory A. Roth, Grant Nguyen, Mohammad H. Forouzanfar, Ali H. Mokdad, Mohsen Naghavi and Christopher J.L. Murray

Circulation. 2015;132:1270-1282; originally published online September 25, 2015;
doi: 10.1161/CIRCULATIONAHA.115.016021

Circulation is published by the American Heart Association, 7272 Greenville Avenue, Dallas, TX 75231
Copyright © 2015 American Heart Association, Inc. All rights reserved.
Print ISSN: 0009-7322. Online ISSN: 1524-4539

The online version of this article, along with updated information and services, is located on the
World Wide Web at:

<http://circ.ahajournals.org/content/132/13/1270>

Data Supplement (unedited) at:

<http://circ.ahajournals.org/content/suppl/2015/09/30/CIRCULATIONAHA.115.016021.DC1>

Permissions: Requests for permissions to reproduce figures, tables, or portions of articles originally published in *Circulation* can be obtained via RightsLink, a service of the Copyright Clearance Center, not the Editorial Office. Once the online version of the published article for which permission is being requested is located, click Request Permissions in the middle column of the Web page under Services. Further information about this process is available in the [Permissions and Rights Question and Answer](#) document.

Reprints: Information about reprints can be found online at:
<http://www.lww.com/reprints>

Subscriptions: Information about subscribing to *Circulation* is online at:
<http://circ.ahajournals.org/subscriptions/>

SUPPLEMENTAL MATERIAL

Alternate Scenarios for Global and Regional Premature Cardiovascular Mortality in 2025

Roth et al

Table of Contents

Page 4

Table 1A. Premature Cardiovascular Mortality for Baseline, Leading Single Scenario, and Combined Scenarios in 14 WHO Regions for men.

Page 5

Table 1B. Premature Cardiovascular Mortality for Baseline, Leading Single Scenario, and Combined Scenarios in 14 WHO Regions for women

Page 6-28

Table 2A. Relative Risks used for Calculation of Population Attributable Fraction, by risk factor, cause, sex, and age

Page 29-32

Table 2B. Relative Risks for BMI, Adjusted for Mediation, by risk factor, cause, and age

Page 33-183

Table 3. Estimated Probability of Premature Cardiovascular Mortality with Uncertainty Interval for Years 2013 and 2025, by country, sex and scenario.

Supplementary Figures Pages 184-275

Figure 1A. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Andean Latin America

Figure 1B. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Australasia

Figure 1C. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Caribbean

Figure 1D. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Central Asia

Figure 1E. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Central Europe

Figure 1F. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Central Latin America

Figure 1G. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Central Sub-Saharan Africa

Figure 1H. Probability of premature death in men due to cardiovascular disease between ages 30–70 in East Asia

Figure 1I. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Eastern Europe

Figure 1J. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Eastern Sub-Saharan Africa

Figure 1K. Probability of premature death in men due to cardiovascular disease between ages 30–70 in High-income Asia Pacific

Figure 1L. Probability of premature death in men due to cardiovascular disease between ages 30–70 in High-income North America

Figure 1M. Probability of premature death in men due to cardiovascular disease between ages 30–70 in North Africa and Middle East

Figure 1N. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Oceania

Figure 1O. Probability of premature death in men due to cardiovascular disease between ages 30–70 in South Asia

Figure 1P. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Southeast Asia

Figure 1Q. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Southern Latin America

Figure 1R. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Southern Sub-Saharan Africa

Figure 1S. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Tropical Latin America

Figure 1T. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Western Europe

Figure 1U. Probability of premature death in men due to cardiovascular disease between ages 30–70 in Western Sub-Saharan Africa

Figure 2A. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Andean Latin America

Figure 2B. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Australasia

Figure 2C. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Caribbean

Figure 2D. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Central Asia

Figure 2E. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Central Europe

Figure 2F. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Central Latin America

Figure 2G. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Central Sub-Saharan Africa

Figure 2H. Probability of premature death in women due to cardiovascular disease between ages 30–70 in East Asia

Figure 2I. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Eastern Europe

Figure 2J. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Eastern Sub-Saharan Africa

Figure 2K. Probability of premature death in women due to cardiovascular disease between ages 30–70 in High-income Asia Pacific

Figure 2L. Probability of premature death in women due to cardiovascular disease between ages 30–70 in High-income North America

Figure 2M. Probability of premature death in women due to cardiovascular disease between ages 30–70 in North Africa and Middle East

Figure 2N. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Oceania

Figure 2O. Probability of premature death in women due to cardiovascular disease between ages 30–70 in South Asia

Figure 2P. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Southeast Asia

Figure 2Q. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Southern Latin America

Figure 2R. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Southern Sub-Saharan Africa

Figure 2S. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Tropical Latin America

Figure 2T. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Western Europe

Figure 2U. Probability of premature death in women due to cardiovascular disease between ages 30–70 in Western Sub-Saharan Africa

Figure 3A. Attributable and Unattributable Cardiovascular Mortality 1990-2025, Men

Figure 3B. Attributable and Unattributable Cardiovascular Mortality 1990-2025, Women

Figure 4A. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30–70, observed and projected based on data 1990-1999, in Andean Latin America

Figure 4B. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30–70, observed and projected based on data 1990-1999, in Australasia

Figure 4C. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Caribbean

Figure 4D. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Asia

Figure 4E. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Europe

Figure 4F. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Latin America

Figure 4G. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Sub-Saharan Africa

Figure 4H. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in East Asia

Figure 4I. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Eastern Europe

Figure 4J. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Eastern Sub-Saharan Africa

Figure 4K. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in High-income Asia Pacific

Figure 4L. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in High-income North America

Figure 4M. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in North Africa and Middle East

Figure 4N. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Oceania

Figure 4O. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in South Asia

Figure 4P. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southeast Asia

Figure 4Q. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southern Latin America

Figure 4R. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southern Sub-Saharan Africa

Figure 4S. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Tropical Latin America

Figure 4T. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Western Europe

Figure 4U. Model Validation: Probability of premature death 2000-2013 in men due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Western Sub-Saharan Africa

Figure 5A. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Andean Latin America

Figure 5B. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Australasia

Figure 5C. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Caribbean

Figure 5D. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Asia

Figure 5E. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Europe

Figure 5F. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Latin America

Figure 5G. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Central Sub-Saharan Africa

Figure 5H. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in East Asia

Figure 5I. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Eastern Europe

Figure 5J. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Eastern Sub-Saharan Africa

Figure 5K. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in High-income Asia Pacific

Figure 5L. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in High-income North America

Figure 5M. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in North Africa and Middle East

Figure 5N. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Oceania

Figure 5O. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in South Asia

Figure 5P. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southeast Asia

Figure 5Q. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southern Latin America

Figure 5R. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Southern Sub-Saharan Africa

Figure 5S. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Tropical Latin America

Figure 5T. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Western Europe

Figure 5U. Model Validation: Probability of premature death 2000-2013 in women due to cardiovascular disease between ages 30-70, observed and projected based on data 1990-1999, in Western Sub-Saharan Africa

Supplementary Table 1A. Premature Cardiovascular Mortality for Baseline, Leading Single Scenario, and Combined Scenarios in 14 WHO Regions for men.

Regions	Deaths in 2025 if risk factor trends continue (95% UI)	Probability of Premature CVD Death if risk factor trends continue (95% UI)	% Change 2013-2025	Leading Single Risk Factor Scenario	Deaths in 2025 with Leading Single Risk Factor Scenario for each Region Achieved	Probability of Premature CVD death in 2025 with Leading Single Risk Factor Scenario for each Region Achieved	% Change 2013-2025	Deaths in 2025 with Combined Risk Factor Scenario achieved	Probability of premature CVD death with Combined Risk Factor Scenario achieved	% Change 2013-2025
AFR D	174,107 (159,129, 192,097)	0.13 (0.12, 0.14)	10 (7, 12)	HTN	157,542 (144,202, 174,226)	0.12 (0.11, 0.13)	-1 (-4, 2)	145,318 (132,618, 160,753)	0.11 (0.10, 0.12)	-7 (-11, -5)
AFR E	181,642 (167,238, 197,894)	0.13 (0.12, 0.14)	1 (-0, 3)	HTN	158,453 (144,612, 174,219)	0.11 (0.11, 0.13)	-12 (-15, -9)	149,070 (136,056, 163,929)	0.11 (0.10, 0.12)	-16 (-19, -14)
AMR A	136,507 (124,324, 149,611)	0.06 (0.05, 0.06)	-24 (-26, -23)	BMI	128,748 (117,616, 140,589)	0.05 (0.05, 0.06)	-28 (-30, -27)	129,268 (117,859, 141,123)	0.05 (0.05, 0.06)	-28 (-29, -27)
AMR B	224,367 (212,457, 236,483)	0.09 (0.08, 0.09)	-13 (-15, -12)	HTN	200,682 (188,812, 211,608)	0.08 (0.07, 0.08)	-22 (-24, -20)	185,513 (174,545, 195,875)	0.07 (0.07, 0.08)	-28 (-30, -26)
AMR D	24,195 (21,768, 26,847)	0.06 (0.06, 0.07)	-6 (-7, -5)	HTN	22,056 (19,800, 24,475)	0.06 (0.05, 0.06)	-14 (-16, -13)	20,650 (18,462, 22,962)	0.06 (0.05, 0.06)	-19 (-21, -17)
EMR B	99,790 (88,651, 111,021)	0.11 (0.10, 0.12)	-12 (-14, -10)	HTN	89,539 (79,666, 99,675)	0.10 (0.09, 0.11)	-21 (-23, -18)	79,485 (70,429, 88,391)	0.09 (0.08, 0.10)	-29 (-31, -26)
EMR D	359,451 (303,754, 424,811)	0.19 (0.16, 0.22)	7 (4, 11)	HTN	304,097 (259,506, 354,044)	0.16 (0.14, 0.19)	-8 (-10, -5)	266,885 (226,693, 305,685)	0.15 (0.13, 0.16)	-17 (-20, -15)
EUR A	106,022 (99,940, 110,736)	0.04 (0.03, 0.04)	-33 (-34, -32)	HTN	97,471 (91,487, 102,178)	0.03 (0.03, 0.03)	-38 (-40, -37)	90,976 (85,291, 95,648)	0.03 (0.03, 0.03)	-42 (-44, -40)
EUR B	172,705 (161,282, 185,625)	0.14 (0.13, 0.15)	-11 (-13, -8)	HTN	154,550 (143,766, 167,191)	0.13 (0.12, 0.13)	-20 (-22, -17)	137,055 (127,344, 148,467)	0.11 (0.10, 0.12)	-28 (-30, -25)
EUR C	390,735 (373,506, 407,535)	0.28 (0.27, 0.29)	5 (4, 7)	HTN	342,173 (321,826, 361,889)	0.25 (0.24, 0.26)	-6 (-10, -3)	286,401 (270,205, 302,711)	0.21 (0.20, 0.22)	-19 (-23, -17)
SEAR B	283,882 (240,627, 318,994)	0.14 (0.12, 0.16)	4 (3, 6)	HTN	246,123 (208,201, 278,338)	0.12 (0.11, 0.14)	-8 (-12, -5)	209,766 (176,908, 236,957)	0.11 (0.09, 0.12)	-21 (-24, -17)
SEAR D	1,587,302 (1,293,941, 1,903,358)	0.20 (0.17, 0.23)	8 (5, 10)	HTN	1,298,348 (1,076,597, 1,548,478)	0.17 (0.14, 0.20)	-9 (-13, -6)	1,145,313 (953,418, 1,366,766)	0.15 (0.13, 0.18)	-19 (-22, -16)
WPR A	32,198 (28,617, 35,877)	0.03 (0.03, 0.04)	-22 (-23, -20)	BMI	31,060 (27,472, 34,673)	0.03 (0.03, 0.03)	-24 (-26, -23)	29,845 (26,313, 33,498)	0.03 (0.03, 0.03)	-27 (-29, -25)
WPR B	1,227,690 (1,041,530, 1,377,723)	0.11 (0.09, 0.12)	-3 (-7, 1)	HTN	739,052 (634,824, 824,558)	0.07 (0.06, 0.07)	-41 (-43, -38)	657,668 (565,027, 731,902)	0.06 (0.05, 0.07)	-47 (-49, -44)

Supplementary Table 1B. Premature Cardiovascular Mortality for Baseline, Leading Single Scenario, and Combined Scenarios in 14 WHO Regions for women.

Regions	Deaths in 2025 if risk factor trends continue (95% UI)	Probability of Premature CVD Death if risk factor trends continue (95% UI)	% Change 2013-2025	Leading Single Risk Factor Scenario	Deaths in 2025 with Leading Single Risk Factor Scenario for each Region Achieved	Probability of Premature CVD death in 2025 with Leading Single Risk Factor Scenario for each Region Achieved	% Change 2013-2025	Deaths in 2025 with Combined Risk Factor Scenario achieved	Probability of premature CVD death with Combined Risk Factor Scenario achieved	% Change 2013-2025
AFR D	160,454 (137,586, 187,454)	0.12 (0.10, 0.13)	7 (3, 11)	HTN	144,024 (123,252, 169,653)	0.10 (0.09, 0.12)	-5 (-9, -1)	130,795 (113,286, 154,479)	0.10 (0.08, 0.11)	-12 (-15, -9)
AFR E	143,837 (124,146, 173,245)	0.10 (0.09, 0.12)	-3 (-5, -1)	HTN	121,884 (105,993, 149,009)	0.08 (0.07, 0.10)	-18 (-21, -16)	112,995 (97,818, 138,275)	0.08 (0.07, 0.09)	-23 (-26, -21)
AMR A	71,681 (61,437, 87,409)	0.03 (0.02, 0.03)	-21 (-23, -20)	BMI	67,915 (58,466, 82,969)	0.03 (0.02, 0.03)	-25 (-27, -24)	66,388 (56,917, 81,291)	0.03 (0.02, 0.03)	-27 (-28, -26)
AMR B	142,849 (130,777, 166,894)	0.05 (0.05, 0.06)	-14 (-16, -12)	HTN	132,493 (120,706, 155,391)	0.05 (0.04, 0.05)	-21 (-23, -18)	117,280 (106,652, 138,159)	0.04 (0.04, 0.05)	-29 (-32, -27)
AMR D	20,071 (16,595, 23,652)	0.05 (0.04, 0.06)	-11 (-13, -10)	HTN	18,523 (15,408, 21,817)	0.05 (0.04, 0.05)	-18 (-21, -16)	17,194 (14,349, 20,286)	0.04 (0.04, 0.05)	-23 (-26, -22)
EMR B	43,778 (37,381, 50,015)	0.06 (0.05, 0.06)	-21 (-23, -20)	HTN	41,412 (35,339, 47,587)	0.05 (0.04, 0.06)	-26 (-29, -24)	38,319 (32,624, 44,093)	0.05 (0.04, 0.06)	-31 (-33, -29)
EMR D	274,405 (228,261, 328,545)	0.15 (0.13, 0.17)	-2 (-4, -0)	HTN	233,992 (195,182, 279,675)	0.13 (0.11, 0.15)	-16 (-19, -14)	216,639 (181,137, 257,858)	0.12 (0.10, 0.14)	-22 (-25, -19)
EUR A	44,700 (40,811, 58,084)	0.01 (0.01, 0.02)	-32 (-34, -30)	Smoking	41,080 (37,371, 53,457)	0.01 (0.01, 0.02)	-37 (-39, -36)	40,033 (36,350, 52,003)	0.01 (0.01, 0.02)	-39 (-41, -37)
EUR B	91,719 (82,163, 101,416)	0.07 (0.06, 0.08)	-6 (-12, -3)	HTN	82,293 (73,333, 91,043)	0.06 (0.06, 0.07)	-16 (-22, -12)	74,589 (66,414, 82,895)	0.06 (0.05, 0.06)	-23 (-29, -20)
EUR C	196,576 (164,668, 212,951)	0.11 (0.10, 0.12)	4 (-7, 8)	HTN	174,360 (143,428, 191,445)	0.10 (0.08, 0.11)	-7 (-19, -1)	161,356 (132,241, 177,382)	0.09 (0.08, 0.10)	-13 (-25, -8)
SEAR B	205,568 (171,209, 240,208)	0.10 (0.09, 0.12)	5 (3, 7)	HTN	186,832 (153,634, 221,515)	0.09 (0.08, 0.11)	-5 (-11, -0)	175,039 (144,780, 207,622)	0.09 (0.07, 0.10)	-10 (-16, -6)
SEAR D	816,689 (593,834, 1,007,620)	0.11 (0.08, 0.14)	-2 (-5, 1)	HTN	732,161 (528,568, 904,329)	0.10 (0.08, 0.12)	-11 (-16, -8)	667,534 (481,724, 821,819)	0.09 (0.07, 0.11)	-19 (-23, -16)
WPR A	12,591 (11,084, 16,492)	0.01 (0.01, 0.02)	-25 (-27, -23)	Smoking	12,080 (10,619, 15,804)	0.01 (0.01, 0.02)	-28 (-30, -26)	12,370 (10,810, 16,262)	0.01 (0.01, 0.02)	-27 (-29, -25)
WPR B	540,498 (441,001, 641,914)	0.05 (0.04, 0.06)	-15 (-18, -11)	HTN	338,905 (282,173, 397,733)	0.03 (0.03, 0.04)	-46 (-48, -44)	325,316 (271,633, 382,778)	0.03 (0.03, 0.04)	-48 (-50, -46)

Table 2A. Unadjusted Relative Risks used for Calculation of Population Attributable Fraction, by risk factor, cause, age and sex

Risk Factor	Cause	Sex	Age	Unit	Relative Risk
BMI	Atrial Fibrillation	Both	25 to 29	5 kg/m ²	3.237258
BMI	Atrial Fibrillation	Both	30 to 34	5 kg/m ²	3.101529
BMI	Atrial Fibrillation	Both	35 to 39	5 kg/m ²	2.877861
BMI	Atrial Fibrillation	Both	40 to 44	5 kg/m ²	2.655506
BMI	Atrial Fibrillation	Both	45 to 49	5 kg/m ²	2.452094
BMI	Atrial Fibrillation	Both	50 to 54	5 kg/m ²	2.239906
BMI	Atrial Fibrillation	Both	55 to 59	5 kg/m ²	2.079415
BMI	Atrial Fibrillation	Both	60 to 64	5 kg/m ²	1.914191
BMI	Atrial Fibrillation	Both	65 to 69	5 kg/m ²	1.72392
BMI	Atrial Fibrillation	Both	70 to 74	5 kg/m ²	1.593766
BMI	Atrial Fibrillation	Both	75 to 79	5 kg/m ²	1.481352
BMI	Atrial Fibrillation	Both	80 plus	5 kg/m ²	1.280846
BMI	Cardiomyopathy	Both	25 to 29	5 kg/m ²	2.847615
BMI	Cardiomyopathy	Both	30 to 34	5 kg/m ²	2.69481
BMI	Cardiomyopathy	Both	35 to 39	5 kg/m ²	2.56684
BMI	Cardiomyopathy	Both	40 to 44	5 kg/m ²	2.437232
BMI	Cardiomyopathy	Both	45 to 49	5 kg/m ²	2.258159
BMI	Cardiomyopathy	Both	50 to 54	5 kg/m ²	2.129418
BMI	Cardiomyopathy	Both	55 to 59	5 kg/m ²	2.011015
BMI	Cardiomyopathy	Both	60 to 64	5 kg/m ²	1.888184
BMI	Cardiomyopathy	Both	65 to 69	5 kg/m ²	1.726102
BMI	Cardiomyopathy	Both	70 to 74	5 kg/m ²	1.610587
BMI	Cardiomyopathy	Both	75 to 79	5 kg/m ²	1.489298
BMI	Cardiomyopathy	Both	80 plus	5 kg/m ²	1.423697
BMI	Endocarditis	Both	25 to 29	5 kg/m ²	2.824242
BMI	Endocarditis	Both	30 to 34	5 kg/m ²	2.736464
BMI	Endocarditis	Both	35 to 39	5 kg/m ²	2.62903

BMI	Endocarditis	Both	40 to 44	5 kg/m ²	2.441148
BMI	Endocarditis	Both	45 to 49	5 kg/m ²	2.260863
BMI	Endocarditis	Both	50 to 54	5 kg/m ²	2.117693
BMI	Endocarditis	Both	55 to 59	5 kg/m ²	2.013955
BMI	Endocarditis	Both	60 to 64	5 kg/m ²	1.874466
BMI	Endocarditis	Both	65 to 69	5 kg/m ²	1.732021
BMI	Endocarditis	Both	70 to 74	5 kg/m ²	1.61158
BMI	Endocarditis	Both	75 to 79	5 kg/m ²	1.514891
BMI	Endocarditis	Both	80 plus	5 kg/m ²	1.44765
BMI	Hemorrhagic Stroke	Both	25 to 29	5 kg/m ²	3.065878
BMI	Hemorrhagic Stroke	Both	30 to 34	5 kg/m ²	2.912961
BMI	Hemorrhagic Stroke	Both	35 to 39	5 kg/m ²	2.597545
BMI	Hemorrhagic Stroke	Both	40 to 44	5 kg/m ²	2.389132
BMI	Hemorrhagic Stroke	Both	45 to 49	5 kg/m ²	2.19878
BMI	Hemorrhagic Stroke	Both	50 to 54	5 kg/m ²	1.995641
BMI	Hemorrhagic Stroke	Both	55 to 59	5 kg/m ²	1.805233
BMI	Hemorrhagic Stroke	Both	60 to 64	5 kg/m ²	1.665354
BMI	Hemorrhagic Stroke	Both	65 to 69	5 kg/m ²	1.523442
BMI	Hemorrhagic Stroke	Both	70 to 74	5 kg/m ²	1.409982
BMI	Hemorrhagic Stroke	Both	75 to 79	5 kg/m ²	1.295452
BMI	Hypertensive Heart Disease	Both	25 to 29	5 kg/m ²	3.121831
BMI	Hypertensive Heart Disease	Both	30 to 34	5 kg/m ²	2.999624
BMI	Hypertensive Heart Disease	Both	35 to 39	5 kg/m ²	2.769397
BMI	Hypertensive Heart Disease	Both	40 to 44	5 kg/m ²	2.572755
BMI	Hypertensive Heart Disease	Both	45 to 49	5 kg/m ²	2.407315
BMI	Hypertensive Heart Disease	Both	50 to 54	5 kg/m ²	2.28144
BMI	Hypertensive Heart Disease	Both	55 to 59	5 kg/m ²	2.158819
BMI	Hypertensive Heart Disease	Both	60 to 64	5 kg/m ²	2.035327
BMI	Hypertensive Heart Disease	Both	65 to 69	5 kg/m ²	1.954833
BMI	Hypertensive Heart Disease	Both	70 to 74	5 kg/m ²	1.860688

BMI	Hypertensive Heart Disease	Both	75 to 79	5 kg/m ²	1.792366
BMI	Hypertensive Heart Disease	Both	80 plus	5 kg/m ²	1.697644
BMI	Ischemic Heart Disease	Both	25 to 29	5 kg/m ²	2.274282
BMI	Ischemic Heart Disease	Both	30 to 34	5 kg/m ²	2.017837
BMI	Ischemic Heart Disease	Both	35 to 39	5 kg/m ²	1.724134
BMI	Ischemic Heart Disease	Both	40 to 44	5 kg/m ²	1.598751
BMI	Ischemic Heart Disease	Both	45 to 49	5 kg/m ²	1.566507
BMI	Ischemic Heart Disease	Both	50 to 54	5 kg/m ²	1.520127
BMI	Ischemic Heart Disease	Both	55 to 59	5 kg/m ²	1.466458
BMI	Ischemic Heart Disease	Both	60 to 64	5 kg/m ²	1.413587
BMI	Ischemic Heart Disease	Both	65 to 69	5 kg/m ²	1.364237
BMI	Ischemic Heart Disease	Both	70 to 74	5 kg/m ²	1.318623
BMI	Ischemic Heart Disease	Both	75 to 79	5 kg/m ²	1.273518
BMI	Ischemic Heart Disease	Both	80 plus	5 kg/m ²	1.169878
BMI	Ischemic Stroke	Both	25 to 29	5 kg/m ²	2.472251
BMI	Ischemic Stroke	Both	30 to 34	5 kg/m ²	2.23462
BMI	Ischemic Stroke	Both	35 to 39	5 kg/m ²	1.97938
BMI	Ischemic Stroke	Both	40 to 44	5 kg/m ²	1.826068
BMI	Ischemic Stroke	Both	45 to 49	5 kg/m ²	1.732651
BMI	Ischemic Stroke	Both	50 to 54	5 kg/m ²	1.635153
BMI	Ischemic Stroke	Both	55 to 59	5 kg/m ²	1.542751
BMI	Ischemic Stroke	Both	60 to 64	5 kg/m ²	1.454985
BMI	Ischemic Stroke	Both	65 to 69	5 kg/m ²	1.379939
BMI	Ischemic Stroke	Both	70 to 74	5 kg/m ²	1.30368
BMI	Ischemic Stroke	Both	75 to 79	5 kg/m ²	1.228434
BMI	Ischemic Stroke	Both	80 plus	5 kg/m ²	1.067858
BMI	Other cardiovascular and circulatory diseases	Both	25 to 29	5 kg/m ²	3.251731
BMI	Other cardiovascular and circulatory diseases	Both	30 to 34	5 kg/m ²	3.095596

BMI	Other cardiovascular and circulatory diseases	Both	35 to 39	5 kg/m ²	2.872879
BMI	Other cardiovascular and circulatory diseases	Both	40 to 44	5 kg/m ²	2.674867
BMI	Other cardiovascular and circulatory diseases	Both	45 to 49	5 kg/m ²	2.443571
BMI	Other cardiovascular and circulatory diseases	Both	50 to 54	5 kg/m ²	2.23196
BMI	Other cardiovascular and circulatory diseases	Both	55 to 59	5 kg/m ²	2.062165
BMI	Other cardiovascular and circulatory diseases	Both	60 to 64	5 kg/m ²	1.886466
BMI	Other cardiovascular and circulatory diseases	Both	65 to 69	5 kg/m ²	1.717182
BMI	Other cardiovascular and circulatory diseases	Both	70 to 74	5 kg/m ²	1.595278
BMI	Other cardiovascular and circulatory diseases	Both	75 to 79	5 kg/m ²	1.46264
BMI	Other cardiovascular and circulatory diseases	Both	80 plus	5 kg/m ²	1.278977
BMI	Peripheral Vascular Disease	Both	25 to 29	5 kg/m ²	3.230555
BMI	Peripheral Vascular Disease	Both	30 to 34	5 kg/m ²	3.125487
BMI	Peripheral Vascular Disease	Both	35 to 39	5 kg/m ²	2.90812
BMI	Peripheral Vascular Disease	Both	40 to 44	5 kg/m ²	2.685932
BMI	Peripheral Vascular Disease	Both	45 to 49	5 kg/m ²	2.448561
BMI	Peripheral Vascular Disease	Both	50 to 54	5 kg/m ²	2.241801
BMI	Peripheral Vascular Disease	Both	55 to 59	5 kg/m ²	2.057849
BMI	Peripheral Vascular Disease	Both	60 to 64	5 kg/m ²	1.903941
BMI	Peripheral Vascular Disease	Both	65 to 69	5 kg/m ²	1.719602
BMI	Peripheral Vascular Disease	Both	70 to 74	5 kg/m ²	1.592187
BMI	Peripheral Vascular Disease	Both	75 to 79	5 kg/m ²	1.473317
BMI	Peripheral Vascular Disease	Both	80 plus	5 kg/m ²	1.294372
Direct Smoking	Aortic Aneurysm	Female	30 to 34	Smoker (10 year lag)	4.109559
Direct Smoking	Aortic Aneurysm	Female	35 to 39	Smoker (10 year lag)	3.740078

Direct Smoking	Aortic Aneurysm	Female	40 to 44	Smoker (10 year lag)	3.405228
Direct Smoking	Aortic Aneurysm	Female	45 to 49	Smoker (10 year lag)	3.101645
Direct Smoking	Aortic Aneurysm	Female	50 to 54	Smoker (10 year lag)	2.826302
Direct Smoking	Aortic Aneurysm	Female	55 to 59	Smoker (10 year lag)	2.576476
Direct Smoking	Aortic Aneurysm	Female	60 to 64	Smoker (10 year lag)	2.349713
Direct Smoking	Aortic Aneurysm	Female	65 to 69	Smoker (10 year lag)	2.143804
Direct Smoking	Aortic Aneurysm	Female	70 to 74	Smoker (10 year lag)	1.956758
Direct Smoking	Aortic Aneurysm	Female	75 to 79	Smoker (10 year lag)	1.786781
Direct Smoking	Aortic Aneurysm	Female	80 plus	Smoker (10 year lag)	1.560322
Direct Smoking	Aortic Aneurysm	Male	30 to 34	Smoker (10 year lag)	4.152827
Direct Smoking	Aortic Aneurysm	Male	35 to 39	Smoker (10 year lag)	3.785278
Direct Smoking	Aortic Aneurysm	Male	40 to 44	Smoker (10 year lag)	3.450648
Direct Smoking	Aortic Aneurysm	Male	45 to 49	Smoker (10 year lag)	3.145954
Direct Smoking	Aortic Aneurysm	Male	50 to 54	Smoker (10 year lag)	2.868487
Direct Smoking	Aortic Aneurysm	Male	55 to 59	Smoker (10 year lag)	2.615786
Direct Smoking	Aortic Aneurysm	Male	60 to 64	Smoker (10 year lag)	2.385614
Direct Smoking	Aortic Aneurysm	Male	65 to 69	Smoker (10 year lag)	2.175939
Direct Smoking	Aortic Aneurysm	Male	70 to 74	Smoker (10 year lag)	1.984915
Direct Smoking	Aortic Aneurysm	Male	75 to 79	Smoker (10 year lag)	1.810863
Direct Smoking	Aortic Aneurysm	Male	80 plus	Smoker (10 year lag)	1.578309

Direct Smoking	Atrial Fibrillation	Female	30 to 34	Smoker (10 year lag)	4.109559
Direct Smoking	Atrial Fibrillation	Female	35 to 39	Smoker (10 year lag)	3.740078
Direct Smoking	Atrial Fibrillation	Female	40 to 44	Smoker (10 year lag)	3.405228
Direct Smoking	Atrial Fibrillation	Female	45 to 49	Smoker (10 year lag)	3.101645
Direct Smoking	Atrial Fibrillation	Female	50 to 54	Smoker (10 year lag)	2.826302
Direct Smoking	Atrial Fibrillation	Female	55 to 59	Smoker (10 year lag)	2.576476
Direct Smoking	Atrial Fibrillation	Female	60 to 64	Smoker (10 year lag)	2.349713
Direct Smoking	Atrial Fibrillation	Female	65 to 69	Smoker (10 year lag)	2.143804
Direct Smoking	Atrial Fibrillation	Female	70 to 74	Smoker (10 year lag)	1.956758
Direct Smoking	Atrial Fibrillation	Female	75 to 79	Smoker (10 year lag)	1.786781
Direct Smoking	Atrial Fibrillation	Female	80 plus	Smoker (10 year lag)	1.560322
Direct Smoking	Atrial Fibrillation	Male	30 to 34	Smoker (10 year lag)	4.152827
Direct Smoking	Atrial Fibrillation	Male	35 to 39	Smoker (10 year lag)	3.785278
Direct Smoking	Atrial Fibrillation	Male	40 to 44	Smoker (10 year lag)	3.450648
Direct Smoking	Atrial Fibrillation	Male	45 to 49	Smoker (10 year lag)	3.145954
Direct Smoking	Atrial Fibrillation	Male	50 to 54	Smoker (10 year lag)	2.868487
Direct Smoking	Atrial Fibrillation	Male	55 to 59	Smoker (10 year lag)	2.615786
Direct Smoking	Atrial Fibrillation	Male	60 to 64	Smoker (10 year lag)	2.385614
Direct Smoking	Atrial Fibrillation	Male	65 to 69	Smoker (10 year lag)	2.175939
Direct Smoking	Atrial Fibrillation	Male	70 to 74	Smoker (10 year lag)	1.984915

Direct Smoking	Atrial Fibrillation	Male	75 to 79	Smoker (10 year lag)	1.810863
Direct Smoking	Atrial Fibrillation	Male	80 plus	Smoker (10 year lag)	1.578309
Direct Smoking	Hemorrhagic Stroke	Female	30 to 34	Smoker (10 year lag)	6.020498
Direct Smoking	Hemorrhagic Stroke	Female	35 to 39	Smoker (10 year lag)	5.3571
Direct Smoking	Hemorrhagic Stroke	Female	40 to 44	Smoker (10 year lag)	4.767416
Direct Smoking	Hemorrhagic Stroke	Female	45 to 49	Smoker (10 year lag)	4.243186
Direct Smoking	Hemorrhagic Stroke	Female	50 to 54	Smoker (10 year lag)	3.777087
Direct Smoking	Hemorrhagic Stroke	Female	55 to 59	Smoker (10 year lag)	3.362619
Direct Smoking	Hemorrhagic Stroke	Female	60 to 64	Smoker (10 year lag)	2.994015
Direct Smoking	Hemorrhagic Stroke	Female	65 to 69	Smoker (10 year lag)	2.666158
Direct Smoking	Hemorrhagic Stroke	Female	70 to 74	Smoker (10 year lag)	2.374507
Direct Smoking	Hemorrhagic Stroke	Female	75 to 79	Smoker (10 year lag)	2.115031
Direct Smoking	Hemorrhagic Stroke	Female	80 plus	Smoker (10 year lag)	1.778425
Direct Smoking	Hemorrhagic Stroke	Male	30 to 34	Smoker (10 year lag)	4.175327
Direct Smoking	Hemorrhagic Stroke	Male	35 to 39	Smoker (10 year lag)	3.805259
Direct Smoking	Hemorrhagic Stroke	Male	40 to 44	Smoker (10 year lag)	3.468278
Direct Smoking	Hemorrhagic Stroke	Male	45 to 49	Smoker (10 year lag)	3.161402
Direct Smoking	Hemorrhagic Stroke	Male	50 to 54	Smoker (10 year lag)	2.881917
Direct Smoking	Hemorrhagic Stroke	Male	55 to 59	Smoker (10 year lag)	2.627359
Direct Smoking	Hemorrhagic Stroke	Male	60 to 64	Smoker (10 year lag)	2.395485

Direct Smoking	Hemorrhagic Stroke	Male	65 to 69	Smoker (10 year lag)	2.184257
Direct Smoking	Hemorrhagic Stroke	Male	70 to 74	Smoker (10 year lag)	1.99182
Direct Smoking	Hemorrhagic Stroke	Male	75 to 79	Smoker (10 year lag)	1.816488
Direct Smoking	Hemorrhagic Stroke	Male	80 plus	Smoker (10 year lag)	1.582246
Direct Smoking	Hypertensive Heart Disease	Female	30 to 34	Smoker (10 year lag)	4.109559
Direct Smoking	Hypertensive Heart Disease	Female	35 to 39	Smoker (10 year lag)	3.740078
Direct Smoking	Hypertensive Heart Disease	Female	40 to 44	Smoker (10 year lag)	3.405228
Direct Smoking	Hypertensive Heart Disease	Female	45 to 49	Smoker (10 year lag)	3.101645
Direct Smoking	Hypertensive Heart Disease	Female	50 to 54	Smoker (10 year lag)	2.826302
Direct Smoking	Hypertensive Heart Disease	Female	55 to 59	Smoker (10 year lag)	2.576476
Direct Smoking	Hypertensive Heart Disease	Female	60 to 64	Smoker (10 year lag)	2.349713
Direct Smoking	Hypertensive Heart Disease	Female	65 to 69	Smoker (10 year lag)	2.143804
Direct Smoking	Hypertensive Heart Disease	Female	70 to 74	Smoker (10 year lag)	1.956758
Direct Smoking	Hypertensive Heart Disease	Female	75 to 79	Smoker (10 year lag)	1.786781
Direct Smoking	Hypertensive Heart Disease	Female	80 plus	Smoker (10 year lag)	1.560322
Direct Smoking	Hypertensive Heart Disease	Male	30 to 34	Smoker (10 year lag)	4.152827
Direct Smoking	Hypertensive Heart Disease	Male	35 to 39	Smoker (10 year lag)	3.785278
Direct Smoking	Hypertensive Heart Disease	Male	40 to 44	Smoker (10 year lag)	3.450648
Direct Smoking	Hypertensive Heart Disease	Male	45 to 49	Smoker (10 year lag)	3.145954
Direct Smoking	Hypertensive Heart Disease	Male	50 to 54	Smoker (10 year lag)	2.868487

Direct Smoking	Hypertensive Heart Disease	Male	55 to 59	Smoker (10 year lag)	2.615786
Direct Smoking	Hypertensive Heart Disease	Male	60 to 64	Smoker (10 year lag)	2.385614
Direct Smoking	Hypertensive Heart Disease	Male	65 to 69	Smoker (10 year lag)	2.175939
Direct Smoking	Hypertensive Heart Disease	Male	70 to 74	Smoker (10 year lag)	1.984915
Direct Smoking	Hypertensive Heart Disease	Male	75 to 79	Smoker (10 year lag)	1.810863
Direct Smoking	Hypertensive Heart Disease	Male	80 plus	Smoker (10 year lag)	1.578309
Direct Smoking	Ischemic Heart Disease	Female	30 to 34	Smoker (10 year lag)	6.144574
Direct Smoking	Ischemic Heart Disease	Female	35 to 39	Smoker (10 year lag)	5.46385
Direct Smoking	Ischemic Heart Disease	Female	40 to 44	Smoker (10 year lag)	4.858729
Direct Smoking	Ischemic Heart Disease	Female	45 to 49	Smoker (10 year lag)	4.320794
Direct Smoking	Ischemic Heart Disease	Female	50 to 54	Smoker (10 year lag)	3.842565
Direct Smoking	Ischemic Heart Disease	Female	55 to 59	Smoker (10 year lag)	3.417401
Direct Smoking	Ischemic Heart Disease	Female	60 to 64	Smoker (10 year lag)	3.039397
Direct Smoking	Ischemic Heart Disease	Female	65 to 69	Smoker (10 year lag)	2.70331
Direct Smoking	Ischemic Heart Disease	Female	70 to 74	Smoker (10 year lag)	2.40448
Direct Smoking	Ischemic Heart Disease	Female	75 to 79	Smoker (10 year lag)	2.138767
Direct Smoking	Ischemic Heart Disease	Female	80 plus	Smoker (10 year lag)	1.794356
Direct Smoking	Ischemic Heart Disease	Male	30 to 34	Smoker (10 year lag)	4.315977
Direct Smoking	Ischemic Heart Disease	Male	35 to 39	Smoker (10 year lag)	3.924401
Direct Smoking	Ischemic Heart Disease	Male	40 to 44	Smoker (10 year lag)	3.568728

Direct Smoking	Ischemic Heart Disease	Male	45 to 49	Smoker (10 year lag)	3.245632
Direct Smoking	Ischemic Heart Disease	Male	50 to 54	Smoker (10 year lag)	2.952099
Direct Smoking	Ischemic Heart Disease	Male	55 to 59	Smoker (10 year lag)	2.685397
Direct Smoking	Ischemic Heart Disease	Male	60 to 64	Smoker (10 year lag)	2.443047
Direct Smoking	Ischemic Heart Disease	Male	65 to 69	Smoker (10 year lag)	2.222804
Direct Smoking	Ischemic Heart Disease	Male	70 to 74	Smoker (10 year lag)	2.02263
Direct Smoking	Ischemic Heart Disease	Male	75 to 79	Smoker (10 year lag)	1.840678
Direct Smoking	Ischemic Heart Disease	Male	80 plus	Smoker (10 year lag)	1.598292
Direct Smoking	Ischemic Stroke	Female	30 to 34	Smoker (10 year lag)	6.020498
Direct Smoking	Ischemic Stroke	Female	35 to 39	Smoker (10 year lag)	5.3571
Direct Smoking	Ischemic Stroke	Female	40 to 44	Smoker (10 year lag)	4.767416
Direct Smoking	Ischemic Stroke	Female	45 to 49	Smoker (10 year lag)	4.243186
Direct Smoking	Ischemic Stroke	Female	50 to 54	Smoker (10 year lag)	3.777087
Direct Smoking	Ischemic Stroke	Female	55 to 59	Smoker (10 year lag)	3.362619
Direct Smoking	Ischemic Stroke	Female	60 to 64	Smoker (10 year lag)	2.994015
Direct Smoking	Ischemic Stroke	Female	65 to 69	Smoker (10 year lag)	2.666158
Direct Smoking	Ischemic Stroke	Female	70 to 74	Smoker (10 year lag)	2.374507
Direct Smoking	Ischemic Stroke	Female	75 to 79	Smoker (10 year lag)	2.115031
Direct Smoking	Ischemic Stroke	Female	80 plus	Smoker (10 year lag)	1.778425
Direct Smoking	Ischemic Stroke	Male	30 to 34	Smoker (10 year lag)	4.175327

Direct Smoking	Ischemic Stroke	Male	35 to 39	Smoker (10 year lag)	3.805259
Direct Smoking	Ischemic Stroke	Male	40 to 44	Smoker (10 year lag)	3.468278
Direct Smoking	Ischemic Stroke	Male	45 to 49	Smoker (10 year lag)	3.161402
Direct Smoking	Ischemic Stroke	Male	50 to 54	Smoker (10 year lag)	2.881917
Direct Smoking	Ischemic Stroke	Male	55 to 59	Smoker (10 year lag)	2.627359
Direct Smoking	Ischemic Stroke	Male	60 to 64	Smoker (10 year lag)	2.395485
Direct Smoking	Ischemic Stroke	Male	65 to 69	Smoker (10 year lag)	2.184257
Direct Smoking	Ischemic Stroke	Male	70 to 74	Smoker (10 year lag)	1.99182
Direct Smoking	Ischemic Stroke	Male	75 to 79	Smoker (10 year lag)	1.816488
Direct Smoking	Ischemic Stroke	Male	80 plus	Smoker (10 year lag)	1.582246
Direct Smoking	Other cardiovascular and circulatory diseases	Female	30 to 34	Smoker (10 year lag)	4.109559
Direct Smoking	Other cardiovascular and circulatory diseases	Female	35 to 39	Smoker (10 year lag)	3.740078
Direct Smoking	Other cardiovascular and circulatory diseases	Female	40 to 44	Smoker (10 year lag)	3.405228
Direct Smoking	Other cardiovascular and circulatory diseases	Female	45 to 49	Smoker (10 year lag)	3.101645
Direct Smoking	Other cardiovascular and circulatory diseases	Female	50 to 54	Smoker (10 year lag)	2.826302
Direct Smoking	Other cardiovascular and circulatory diseases	Female	55 to 59	Smoker (10 year lag)	2.576476
Direct Smoking	Other cardiovascular and circulatory diseases	Female	60 to 64	Smoker (10 year lag)	2.349713
Direct Smoking	Other cardiovascular and circulatory diseases	Female	65 to 69	Smoker (10 year lag)	2.143804
Direct Smoking	Other cardiovascular and circulatory diseases	Female	70 to 74	Smoker (10 year lag)	1.956758
Direct Smoking	Other cardiovascular and circulatory diseases	Female	75 to 79	Smoker (10 year lag)	1.786781

Direct Smoking	Other cardiovascular and circulatory diseases	Female	80 plus	Smoker (10 year lag)	1.560322
Direct Smoking	Other cardiovascular and circulatory diseases	Male	30 to 34	Smoker (10 year lag)	4.152827
Direct Smoking	Other cardiovascular and circulatory diseases	Male	35 to 39	Smoker (10 year lag)	3.785278
Direct Smoking	Other cardiovascular and circulatory diseases	Male	40 to 44	Smoker (10 year lag)	3.450648
Direct Smoking	Other cardiovascular and circulatory diseases	Male	45 to 49	Smoker (10 year lag)	3.145954
Direct Smoking	Other cardiovascular and circulatory diseases	Male	50 to 54	Smoker (10 year lag)	2.868487
Direct Smoking	Other cardiovascular and circulatory diseases	Male	55 to 59	Smoker (10 year lag)	2.615786
Direct Smoking	Other cardiovascular and circulatory diseases	Male	60 to 64	Smoker (10 year lag)	2.385614
Direct Smoking	Other cardiovascular and circulatory diseases	Male	65 to 69	Smoker (10 year lag)	2.175939
Direct Smoking	Other cardiovascular and circulatory diseases	Male	70 to 74	Smoker (10 year lag)	1.984915
Direct Smoking	Other cardiovascular and circulatory diseases	Male	75 to 79	Smoker (10 year lag)	1.810863
Direct Smoking	Other cardiovascular and circulatory diseases	Male	80 plus	Smoker (10 year lag)	1.578309
Direct Smoking	Peripheral Vascular Disease	Female	30 to 34	Smoker (10 year lag)	4.109559
Direct Smoking	Peripheral Vascular Disease	Female	35 to 39	Smoker (10 year lag)	3.740078
Direct Smoking	Peripheral Vascular Disease	Female	40 to 44	Smoker (10 year lag)	3.405228
Direct Smoking	Peripheral Vascular Disease	Female	45 to 49	Smoker (10 year lag)	3.101645
Direct Smoking	Peripheral Vascular Disease	Female	50 to 54	Smoker (10 year lag)	2.826302
Direct Smoking	Peripheral Vascular Disease	Female	55 to 59	Smoker (10 year lag)	2.576476
Direct Smoking	Peripheral Vascular Disease	Female	60 to 64	Smoker (10 year lag)	2.349713
Direct Smoking	Peripheral Vascular Disease	Female	65 to 69	Smoker (10 year lag)	2.143804

Direct Smoking	Peripheral Vascular Disease	Female	70 to 74	Smoker (10 year lag)	1.956758
Direct Smoking	Peripheral Vascular Disease	Female	75 to 79	Smoker (10 year lag)	1.786781
Direct Smoking	Peripheral Vascular Disease	Female	80 plus	Smoker (10 year lag)	1.560322
Direct Smoking	Peripheral Vascular Disease	Male	30 to 34	Smoker (10 year lag)	4.152827
Direct Smoking	Peripheral Vascular Disease	Male	35 to 39	Smoker (10 year lag)	3.785278
Direct Smoking	Peripheral Vascular Disease	Male	40 to 44	Smoker (10 year lag)	3.450648
Direct Smoking	Peripheral Vascular Disease	Male	45 to 49	Smoker (10 year lag)	3.145954
Direct Smoking	Peripheral Vascular Disease	Male	50 to 54	Smoker (10 year lag)	2.868487
Direct Smoking	Peripheral Vascular Disease	Male	55 to 59	Smoker (10 year lag)	2.615786
Direct Smoking	Peripheral Vascular Disease	Male	60 to 64	Smoker (10 year lag)	2.385614
Direct Smoking	Peripheral Vascular Disease	Male	65 to 69	Smoker (10 year lag)	2.175939
Direct Smoking	Peripheral Vascular Disease	Male	70 to 74	Smoker (10 year lag)	1.984915
Direct Smoking	Peripheral Vascular Disease	Male	75 to 79	Smoker (10 year lag)	1.810863
Direct Smoking	Peripheral Vascular Disease	Male	80 plus	Smoker (10 year lag)	1.578309
Fasting plasma glucose	Hemorrhagic Stroke	Both	25 to 29	µg/dL	1.612544
Fasting plasma glucose	Hemorrhagic Stroke	Both	30 to 34	µg/dL	1.446028
Fasting plasma glucose	Hemorrhagic Stroke	Both	35 to 39	µg/dL	1.270567
Fasting plasma glucose	Hemorrhagic Stroke	Both	40 to 44	µg/dL	1.182572
Fasting plasma glucose	Hemorrhagic Stroke	Both	45 to 49	µg/dL	1.182049
Fasting plasma glucose	Hemorrhagic Stroke	Both	50 to 54	µg/dL	1.173228

Fasting plasma glucose	Hemorrhagic Stroke	Both	55 to 59	μg/dL	1.156119
Fasting plasma glucose	Hemorrhagic Stroke	Both	60 to 64	μg/dL	1.140825
Fasting plasma glucose	Hemorrhagic Stroke	Both	65 to 69	μg/dL	1.127353
Fasting plasma glucose	Hemorrhagic Stroke	Both	70 to 74	μg/dL	1.114882
Fasting plasma glucose	Hemorrhagic Stroke	Both	75 to 79	μg/dL	1.103407
Fasting plasma glucose	Hemorrhagic Stroke	Both	80 plus	μg/dL	1.065899
Fasting plasma glucose	Ischemic Heart Disease	Both	25 to 29	μg/dL	1.752144
Fasting plasma glucose	Ischemic Heart Disease	Both	30 to 34	μg/dL	1.509769
Fasting plasma glucose	Ischemic Heart Disease	Both	35 to 39	μg/dL	1.282156
Fasting plasma glucose	Ischemic Heart Disease	Both	40 to 44	μg/dL	1.180077
Fasting plasma glucose	Ischemic Heart Disease	Both	45 to 49	μg/dL	1.203535
Fasting plasma glucose	Ischemic Heart Disease	Both	50 to 54	μg/dL	1.206679
Fasting plasma glucose	Ischemic Heart Disease	Both	55 to 59	μg/dL	1.189509
Fasting plasma glucose	Ischemic Heart Disease	Both	60 to 64	μg/dL	1.179229
Fasting plasma glucose	Ischemic Heart Disease	Both	65 to 69	μg/dL	1.175847
Fasting plasma glucose	Ischemic Heart Disease	Both	70 to 74	μg/dL	1.175559
Fasting plasma glucose	Ischemic Heart Disease	Both	75 to 79	μg/dL	1.178372
Fasting plasma glucose	Ischemic Heart Disease	Both	80 plus	μg/dL	1.16509
Fasting plasma glucose	Ischemic Stroke	Both	25 to 29	μg/dL	1.612544
Fasting plasma glucose	Ischemic Stroke	Both	30 to 34	μg/dL	1.446028

Fasting plasma glucose	Ischemic Stroke	Both	35 to 39	µg/dL	1.270567
Fasting plasma glucose	Ischemic Stroke	Both	40 to 44	µg/dL	1.182572
Fasting plasma glucose	Ischemic Stroke	Both	45 to 49	µg/dL	1.182049
Fasting plasma glucose	Ischemic Stroke	Both	50 to 54	µg/dL	1.173228
Fasting plasma glucose	Ischemic Stroke	Both	55 to 59	µg/dL	1.156119
Fasting plasma glucose	Ischemic Stroke	Both	60 to 64	µg/dL	1.140825
Fasting plasma glucose	Ischemic Stroke	Both	65 to 69	µg/dL	1.127353
Fasting plasma glucose	Ischemic Stroke	Both	70 to 74	µg/dL	1.114882
Fasting plasma glucose	Ischemic Stroke	Both	75 to 79	µg/dL	1.103407
Fasting plasma glucose	Ischemic Stroke	Both	80 plus	µg/dL	1.065899
Second hand smoke	Hemorrhagic Stroke	Both	25 to 29	Exposed	1.397102
Second hand smoke	Hemorrhagic Stroke	Both	30 to 34	Exposed	1.368681
Second hand smoke	Hemorrhagic Stroke	Both	35 to 39	Exposed	1.340888
Second hand smoke	Hemorrhagic Stroke	Both	40 to 44	Exposed	1.313708
Second hand smoke	Hemorrhagic Stroke	Both	45 to 49	Exposed	1.287126
Second hand smoke	Hemorrhagic Stroke	Both	50 to 54	Exposed	1.261128
Second hand smoke	Hemorrhagic Stroke	Both	55 to 59	Exposed	1.235701
Second hand smoke	Hemorrhagic Stroke	Both	60 to 64	Exposed	1.210832
Second hand smoke	Hemorrhagic Stroke	Both	65 to 69	Exposed	1.186506
Second hand smoke	Hemorrhagic Stroke	Both	70 to 74	Exposed	1.162712

Second hand smoke	Hemorrhagic Stroke	Both	75 to 79	Exposed	1.139438
Second hand smoke	Hemorrhagic Stroke	Both	80 plus	Exposed	1.105473
Second hand smoke	Ischemic Heart Disease	Both	25 to 29	Exposed	1.48144
Second hand smoke	Ischemic Heart Disease	Both	30 to 34	Exposed	1.446437
Second hand smoke	Ischemic Heart Disease	Both	35 to 39	Exposed	1.412278
Second hand smoke	Ischemic Heart Disease	Both	40 to 44	Exposed	1.378942
Second hand smoke	Ischemic Heart Disease	Both	45 to 49	Exposed	1.346409
Second hand smoke	Ischemic Heart Disease	Both	50 to 54	Exposed	1.314659
Second hand smoke	Ischemic Heart Disease	Both	55 to 59	Exposed	1.283673
Second hand smoke	Ischemic Heart Disease	Both	60 to 64	Exposed	1.253432
Second hand smoke	Ischemic Heart Disease	Both	65 to 69	Exposed	1.223919
Second hand smoke	Ischemic Heart Disease	Both	70 to 74	Exposed	1.195114
Second hand smoke	Ischemic Heart Disease	Both	75 to 79	Exposed	1.167001
Second hand smoke	Ischemic Heart Disease	Both	80 plus	Exposed	1.126092
Second hand smoke	Ischemic Stroke	Both	25 to 29	Exposed	1.397102
Second hand smoke	Ischemic Stroke	Both	30 to 34	Exposed	1.368681
Second hand smoke	Ischemic Stroke	Both	35 to 39	Exposed	1.340888
Second hand smoke	Ischemic Stroke	Both	40 to 44	Exposed	1.313708
Second hand smoke	Ischemic Stroke	Both	45 to 49	Exposed	1.287126
Second hand smoke	Ischemic Stroke	Both	50 to 54	Exposed	1.261128

Second hand smoke	Ischemic Stroke	Both	55 to 59	Exposed	1.235701
Second hand smoke	Ischemic Stroke	Both	60 to 64	Exposed	1.210832
Second hand smoke	Ischemic Stroke	Both	65 to 69	Exposed	1.186506
Second hand smoke	Ischemic Stroke	Both	70 to 74	Exposed	1.162712
Second hand smoke	Ischemic Stroke	Both	75 to 79	Exposed	1.139438
Second hand smoke	Ischemic Stroke	Both	80 plus	Exposed	1.105473
Systolic blood pressure	Aortic Aneurysm	Both	25 to 29	10 mmHg	1.832629
Systolic blood pressure	Aortic Aneurysm	Both	30 to 34	10 mmHg	1.706732
Systolic blood pressure	Aortic Aneurysm	Both	35 to 39	10 mmHg	1.580851
Systolic blood pressure	Aortic Aneurysm	Both	40 to 44	10 mmHg	1.501572
Systolic blood pressure	Aortic Aneurysm	Both	45 to 49	10 mmHg	1.468918
Systolic blood pressure	Aortic Aneurysm	Both	50 to 54	10 mmHg	1.429289
Systolic blood pressure	Aortic Aneurysm	Both	55 to 59	10 mmHg	1.382638
Systolic blood pressure	Aortic Aneurysm	Both	60 to 64	10 mmHg	1.342789
Systolic blood pressure	Aortic Aneurysm	Both	65 to 69	10 mmHg	1.309739
Systolic blood pressure	Aortic Aneurysm	Both	70 to 74	10 mmHg	1.276659
Systolic blood pressure	Aortic Aneurysm	Both	75 to 79	10 mmHg	1.243581
Systolic blood pressure	Aortic Aneurysm	Both	80 plus	10 mmHg	1.171759
Systolic blood pressure	Atrial Fibrillation	Both	25 to 29	10 mmHg	1.756771
Systolic blood pressure	Atrial Fibrillation	Both	30 to 34	10 mmHg	1.622972

Systolic blood pressure	Atrial Fibrillation	Both	35 to 39	10 mmHg	1.489201
Systolic blood pressure	Atrial Fibrillation	Both	40 to 44	10 mmHg	1.413978
Systolic blood pressure	Atrial Fibrillation	Both	45 to 49	10 mmHg	1.39721
Systolic blood pressure	Atrial Fibrillation	Both	50 to 54	10 mmHg	1.370389
Systolic blood pressure	Atrial Fibrillation	Both	55 to 59	10 mmHg	1.333502
Systolic blood pressure	Atrial Fibrillation	Both	60 to 64	10 mmHg	1.299219
Systolic blood pressure	Atrial Fibrillation	Both	65 to 69	10 mmHg	1.267529
Systolic blood pressure	Atrial Fibrillation	Both	70 to 74	10 mmHg	1.235843
Systolic blood pressure	Atrial Fibrillation	Both	75 to 79	10 mmHg	1.204159
Systolic blood pressure	Atrial Fibrillation	Both	80 plus	10 mmHg	1.139683
Systolic blood pressure	Cardiomyopathy	Both	25 to 29	10 mmHg	1.681661
Systolic blood pressure	Cardiomyopathy	Both	30 to 34	10 mmHg	1.56387
Systolic blood pressure	Cardiomyopathy	Both	35 to 39	10 mmHg	1.446109
Systolic blood pressure	Cardiomyopathy	Both	40 to 44	10 mmHg	1.379075
Systolic blood pressure	Cardiomyopathy	Both	45 to 49	10 mmHg	1.362718
Systolic blood pressure	Cardiomyopathy	Both	50 to 54	10 mmHg	1.335596
Systolic blood pressure	Cardiomyopathy	Both	55 to 59	10 mmHg	1.297691
Systolic blood pressure	Cardiomyopathy	Both	60 to 64	10 mmHg	1.26539
Systolic blood pressure	Cardiomyopathy	Both	65 to 69	10 mmHg	1.23868
Systolic blood pressure	Cardiomyopathy	Both	70 to 74	10 mmHg	1.211937

Systolic blood pressure	Cardiomyopathy	Both	75 to 79	10 mmHg	1.18523
Systolic blood pressure	Cardiomyopathy	Both	80 plus	10 mmHg	1.13872
Systolic blood pressure	Endocarditis	Both	25 to 29	10 mmHg	1.681661
Systolic blood pressure	Endocarditis	Both	30 to 34	10 mmHg	1.56387
Systolic blood pressure	Endocarditis	Both	35 to 39	10 mmHg	1.446109
Systolic blood pressure	Endocarditis	Both	40 to 44	10 mmHg	1.379075
Systolic blood pressure	Endocarditis	Both	45 to 49	10 mmHg	1.362718
Systolic blood pressure	Endocarditis	Both	50 to 54	10 mmHg	1.335596
Systolic blood pressure	Endocarditis	Both	55 to 59	10 mmHg	1.297691
Systolic blood pressure	Endocarditis	Both	60 to 64	10 mmHg	1.26539
Systolic blood pressure	Endocarditis	Both	65 to 69	10 mmHg	1.23868
Systolic blood pressure	Endocarditis	Both	70 to 74	10 mmHg	1.211937
Systolic blood pressure	Endocarditis	Both	75 to 79	10 mmHg	1.18523
Systolic blood pressure	Endocarditis	Both	80 plus	10 mmHg	1.13872
Systolic blood pressure	Hemorrhagic Stroke	Both	25 to 29	10 mmHg	2.358149
Systolic blood pressure	Hemorrhagic Stroke	Both	30 to 34	10 mmHg	2.291767
Systolic blood pressure	Hemorrhagic Stroke	Both	35 to 39	10 mmHg	2.225429
Systolic blood pressure	Hemorrhagic Stroke	Both	40 to 44	10 mmHg	2.120062
Systolic blood pressure	Hemorrhagic Stroke	Both	45 to 49	10 mmHg	1.975679
Systolic blood pressure	Hemorrhagic Stroke	Both	50 to 54	10 mmHg	1.840466

Systolic blood pressure	Hemorrhagic Stroke	Both	55 to 59	10 mmHg	1.714348
Systolic blood pressure	Hemorrhagic Stroke	Both	60 to 64	10 mmHg	1.604338
Systolic blood pressure	Hemorrhagic Stroke	Both	65 to 69	10 mmHg	1.510403
Systolic blood pressure	Hemorrhagic Stroke	Both	70 to 74	10 mmHg	1.416435
Systolic blood pressure	Hemorrhagic Stroke	Both	75 to 79	10 mmHg	1.322486
Systolic blood pressure	Hemorrhagic Stroke	Both	80 plus	10 mmHg	1.159428
Systolic blood pressure	Hypertensive Heart Disease	Both	25 to 29	10 mmHg	2.934368
Systolic blood pressure	Hypertensive Heart Disease	Both	30 to 34	10 mmHg	2.904481
Systolic blood pressure	Hypertensive Heart Disease	Both	35 to 39	10 mmHg	2.874564
Systolic blood pressure	Hypertensive Heart Disease	Both	40 to 44	10 mmHg	2.757147
Systolic blood pressure	Hypertensive Heart Disease	Both	45 to 49	10 mmHg	2.552288
Systolic blood pressure	Hypertensive Heart Disease	Both	50 to 54	10 mmHg	2.367968
Systolic blood pressure	Hypertensive Heart Disease	Both	55 to 59	10 mmHg	2.20419
Systolic blood pressure	Hypertensive Heart Disease	Both	60 to 64	10 mmHg	2.055986
Systolic blood pressure	Hypertensive Heart Disease	Both	65 to 69	10 mmHg	1.92331
Systolic blood pressure	Hypertensive Heart Disease	Both	70 to 74	10 mmHg	1.79064
Systolic blood pressure	Hypertensive Heart Disease	Both	75 to 79	10 mmHg	1.657957
Systolic blood pressure	Hypertensive Heart Disease	Both	80 plus	10 mmHg	1.420894
Systolic blood pressure	Ischemic Heart Disease	Both	25 to 29	10 mmHg	1.923912
Systolic blood pressure	Ischemic Heart Disease	Both	30 to 34	10 mmHg	1.791407

Systolic blood pressure	Ischemic Heart Disease	Both	35 to 39	10 mmHg	1.658886
Systolic blood pressure	Ischemic Heart Disease	Both	40 to 44	10 mmHg	1.579275
Systolic blood pressure	Ischemic Heart Disease	Both	45 to 49	10 mmHg	1.552538
Systolic blood pressure	Ischemic Heart Disease	Both	50 to 54	10 mmHg	1.51336
Systolic blood pressure	Ischemic Heart Disease	Both	55 to 59	10 mmHg	1.461746
Systolic blood pressure	Ischemic Heart Disease	Both	60 to 64	10 mmHg	1.413804
Systolic blood pressure	Ischemic Heart Disease	Both	65 to 69	10 mmHg	1.369509
Systolic blood pressure	Ischemic Heart Disease	Both	70 to 74	10 mmHg	1.325235
Systolic blood pressure	Ischemic Heart Disease	Both	75 to 79	10 mmHg	1.280972
Systolic blood pressure	Ischemic Heart Disease	Both	80 plus	10 mmHg	1.212442
Systolic blood pressure	Ischemic Stroke	Both	25 to 29	10 mmHg	2.270069
Systolic blood pressure	Ischemic Stroke	Both	30 to 34	10 mmHg	2.181332
Systolic blood pressure	Ischemic Stroke	Both	35 to 39	10 mmHg	2.092579
Systolic blood pressure	Ischemic Stroke	Both	40 to 44	10 mmHg	1.989029
Systolic blood pressure	Ischemic Stroke	Both	45 to 49	10 mmHg	1.870713
Systolic blood pressure	Ischemic Stroke	Both	50 to 54	10 mmHg	1.761687
Systolic blood pressure	Ischemic Stroke	Both	55 to 59	10 mmHg	1.661929
Systolic blood pressure	Ischemic Stroke	Both	60 to 64	10 mmHg	1.569279
Systolic blood pressure	Ischemic Stroke	Both	65 to 69	10 mmHg	1.483741
Systolic blood pressure	Ischemic Stroke	Both	70 to 74	10 mmHg	1.398203

Systolic blood pressure	Ischemic Stroke	Both	75 to 79	10 mmHg	1.312662
Systolic blood pressure	Ischemic Stroke	Both	80 plus	10 mmHg	1.146517
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	25 to 29	10 mmHg	1.756771
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	30 to 34	10 mmHg	1.622972
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	35 to 39	10 mmHg	1.489201
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	40 to 44	10 mmHg	1.413978
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	45 to 49	10 mmHg	1.39721
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	50 to 54	10 mmHg	1.370389
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	55 to 59	10 mmHg	1.333502
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	60 to 64	10 mmHg	1.299219
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	65 to 69	10 mmHg	1.267529
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	70 to 74	10 mmHg	1.235843
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	75 to 79	10 mmHg	1.204159
Systolic blood pressure	Other cardiovascular and circulatory diseases	Both	80 plus	10 mmHg	1.139683
Systolic blood pressure	Peripheral Vascular Disease	Both	25 to 29	10 mmHg	1.756771
Systolic blood pressure	Peripheral Vascular Disease	Both	30 to 34	10 mmHg	1.622972
Systolic blood pressure	Peripheral Vascular Disease	Both	35 to 39	10 mmHg	1.489201
Systolic blood pressure	Peripheral Vascular Disease	Both	40 to 44	10 mmHg	1.413978
Systolic blood pressure	Peripheral Vascular Disease	Both	45 to 49	10 mmHg	1.39721
Systolic blood pressure	Peripheral Vascular Disease	Both	50 to 54	10 mmHg	1.370389

Systolic blood pressure	Peripheral Vascular Disease	Both	55 to 59	10 mmHg	1.333502
Systolic blood pressure	Peripheral Vascular Disease	Both	60 to 64	10 mmHg	1.299219
Systolic blood pressure	Peripheral Vascular Disease	Both	65 to 69	10 mmHg	1.267529
Systolic blood pressure	Peripheral Vascular Disease	Both	70 to 74	10 mmHg	1.235843
Systolic blood pressure	Peripheral Vascular Disease	Both	75 to 79	10 mmHg	1.204159
Systolic blood pressure	Peripheral Vascular Disease	Both	80 plus	10 mmHg	1.139683
Systolic blood pressure	Rheumatic Heart Disease	Both	25 to 29	10 mmHg	1.574502
Systolic blood pressure	Rheumatic Heart Disease	Both	30 to 34	10 mmHg	1.442623
Systolic blood pressure	Rheumatic Heart Disease	Both	35 to 39	10 mmHg	1.310821
Systolic blood pressure	Rheumatic Heart Disease	Both	40 to 44	10 mmHg	1.23939
Systolic blood pressure	Rheumatic Heart Disease	Both	45 to 49	10 mmHg	1.228211
Systolic blood pressure	Rheumatic Heart Disease	Both	50 to 54	10 mmHg	1.212558
Systolic blood pressure	Rheumatic Heart Disease	Both	55 to 59	10 mmHg	1.192418
Systolic blood pressure	Rheumatic Heart Disease	Both	60 to 64	10 mmHg	1.175008
Systolic blood pressure	Rheumatic Heart Disease	Both	65 to 69	10 mmHg	1.160425
Systolic blood pressure	Rheumatic Heart Disease	Both	70 to 74	10 mmHg	1.145839
Systolic blood pressure	Rheumatic Heart Disease	Both	75 to 79	10 mmHg	1.131269
Systolic blood pressure	Rheumatic Heart Disease	Both	80 plus	10 mmHg	1.097913

Table 2B. Relative Risks for BMI, Adjusted for Mediation, by risk factor, cause, and age

Risk Factor	Cause	Sex	Age	Unit	Relative Risk
BMI Adjusted	Atrial Fibrillation	Both	25 to 29	5 kg/m ²	3.237258
BMI Adjusted	Atrial Fibrillation	Both	30 to 34	5 kg/m ²	3.101529
BMI Adjusted	Atrial Fibrillation	Both	35 to 39	5 kg/m ²	2.877861
BMI Adjusted	Atrial Fibrillation	Both	40 to 44	5 kg/m ²	2.655506
BMI Adjusted	Atrial Fibrillation	Both	45 to 49	5 kg/m ²	2.452094
BMI Adjusted	Atrial Fibrillation	Both	50 to 54	5 kg/m ²	2.239906
BMI Adjusted	Atrial Fibrillation	Both	55 to 59	5 kg/m ²	2.079415
BMI Adjusted	Atrial Fibrillation	Both	60 to 64	5 kg/m ²	1.914191

BMI Adjusted	Atrial Fibrillation	Both	65 to 69	5 kg/m^2	1.723921
BMI Adjusted	Atrial Fibrillation	Both	70 to 74	5 kg/m^2	1.593766
BMI Adjusted	Atrial Fibrillation	Both	75 to 79	5 kg/m^2	1.481353
BMI Adjusted	Atrial Fibrillation	Both	80 plus	5 kg/m^2	1.280846
BMI Adjusted	Cardiomyopathy	Both	25 to 29	5 kg/m^2	2.847615
BMI Adjusted	Cardiomyopathy	Both	30 to 34	5 kg/m^2	2.694811
BMI Adjusted	Cardiomyopathy	Both	35 to 39	5 kg/m^2	2.56684
BMI Adjusted	Cardiomyopathy	Both	40 to 44	5 kg/m^2	2.437232
BMI Adjusted	Cardiomyopathy	Both	45 to 49	5 kg/m^2	2.258159
BMI Adjusted	Cardiomyopathy	Both	50 to 54	5 kg/m^2	2.129418
BMI Adjusted	Cardiomyopathy	Both	55 to 59	5 kg/m^2	2.011015
BMI Adjusted	Cardiomyopathy	Both	60 to 64	5 kg/m^2	1.888184
BMI Adjusted	Cardiomyopathy	Both	65 to 69	5 kg/m^2	1.726102
BMI Adjusted	Cardiomyopathy	Both	70 to 74	5 kg/m^2	1.610588
BMI Adjusted	Cardiomyopathy	Both	75 to 79	5 kg/m^2	1.489298
BMI Adjusted	Cardiomyopathy	Both	80 plus	5 kg/m^2	1.423697
BMI Adjusted	Endocarditis	Both	25 to 29	5 kg/m^2	2.824242
BMI Adjusted	Endocarditis	Both	30 to 34	5 kg/m^2	2.736464
BMI Adjusted	Endocarditis	Both	35 to 39	5 kg/m^2	2.62903
BMI Adjusted	Endocarditis	Both	40 to 44	5 kg/m^2	2.441148
BMI Adjusted	Endocarditis	Both	45 to 49	5 kg/m^2	2.260863
BMI Adjusted	Endocarditis	Both	50 to 54	5 kg/m^2	2.117693
BMI Adjusted	Endocarditis	Both	55 to 59	5 kg/m^2	2.013955
BMI Adjusted	Endocarditis	Both	60 to 64	5 kg/m^2	1.874466
BMI Adjusted	Endocarditis	Both	65 to 69	5 kg/m^2	1.732021
BMI Adjusted	Endocarditis	Both	70 to 74	5 kg/m^2	1.61158
BMI Adjusted	Endocarditis	Both	75 to 79	5 kg/m^2	1.514891
BMI Adjusted	Endocarditis	Both	80 plus	5 kg/m^2	1.44765
BMI Adjusted	Hemorrhagic Stroke	Both	25 to 29	5 kg/m^2	1.431958
BMI Adjusted	Hemorrhagic Stroke	Both	30 to 34	5 kg/m^2	1.399832

BMI Adjusted	Hemorrhagic Stroke	Both	35 to 39	5 kg/m^2	1.333217
BMI Adjusted	Hemorrhagic Stroke	Both	40 to 44	5 kg/m^2	1.289363
BMI Adjusted	Hemorrhagic Stroke	Both	45 to 49	5 kg/m^2	1.249197
BMI Adjusted	Hemorrhagic Stroke	Both	50 to 54	5 kg/m^2	1.20644
BMI Adjusted	Hemorrhagic Stroke	Both	55 to 59	5 kg/m^2	1.166319
BMI Adjusted	Hemorrhagic Stroke	Both	60 to 64	5 kg/m^2	1.13751
BMI Adjusted	Hemorrhagic Stroke	Both	65 to 69	5 kg/m^2	1.107357
BMI Adjusted	Hemorrhagic Stroke	Both	70 to 74	5 kg/m^2	1.08311
BMI Adjusted	Hemorrhagic Stroke	Both	75 to 79	5 kg/m^2	1.059171
BMI Adjusted	Hypertensive Heart Disease	Both	25 to 29	5 kg/m^2	3.121831
BMI Adjusted	Hypertensive Heart Disease	Both	30 to 34	5 kg/m^2	2.999624
BMI Adjusted	Hypertensive Heart Disease	Both	35 to 39	5 kg/m^2	2.769397
BMI Adjusted	Hypertensive Heart Disease	Both	40 to 44	5 kg/m^2	2.572755
BMI Adjusted	Hypertensive Heart Disease	Both	45 to 49	5 kg/m^2	2.407315
BMI Adjusted	Hypertensive Heart Disease	Both	50 to 54	5 kg/m^2	2.28144
BMI Adjusted	Hypertensive Heart Disease	Both	55 to 59	5 kg/m^2	2.158819
BMI Adjusted	Hypertensive Heart Disease	Both	60 to 64	5 kg/m^2	2.035327
BMI Adjusted	Hypertensive Heart Disease	Both	65 to 69	5 kg/m^2	1.954833
BMI Adjusted	Hypertensive Heart Disease	Both	70 to 74	5 kg/m^2	1.860688
BMI Adjusted	Hypertensive Heart Disease	Both	75 to 79	5 kg/m^2	1.792366
BMI Adjusted	Hypertensive Heart Disease	Both	80 plus	5 kg/m^2	1.697644
BMI Adjusted	Ischemic Heart Disease	Both	25 to 29	5 kg/m^2	1.744266
BMI Adjusted	Ischemic Heart Disease	Both	30 to 34	5 kg/m^2	1.594986
BMI Adjusted	Ischemic Heart Disease	Both	35 to 39	5 kg/m^2	1.422245
BMI Adjusted	Ischemic Heart Disease	Both	40 to 44	5 kg/m^2	1.348247
BMI Adjusted	Ischemic Heart Disease	Both	45 to 49	5 kg/m^2	1.329584
BMI Adjusted	Ischemic Heart Disease	Both	50 to 54	5 kg/m^2	1.302389
BMI Adjusted	Ischemic Heart Disease	Both	55 to 59	5 kg/m^2	1.270794
BMI Adjusted	Ischemic Heart Disease	Both	60 to 64	5 kg/m^2	1.239762
BMI Adjusted	Ischemic Heart Disease	Both	65 to 69	5 kg/m^2	1.210894

BMI Adjusted	Ischemic Heart Disease	Both	70 to 74	5 kg/m ²	1.184042
BMI Adjusted	Ischemic Heart Disease	Both	75 to 79	5 kg/m ²	1.15745
BMI Adjusted	Ischemic Heart Disease	Both	80 plus	5 kg/m ²	1.096669
BMI Adjusted	Ischemic Stroke	Both	25 to 29	5 kg/m ²	1.316902
BMI Adjusted	Ischemic Stroke	Both	30 to 34	5 kg/m ²	1.26055
BMI Adjusted	Ischemic Stroke	Both	35 to 39	5 kg/m ²	1.207604
BMI Adjusted	Ischemic Stroke	Both	40 to 44	5 kg/m ²	1.173564
BMI Adjusted	Ischemic Stroke	Both	45 to 49	5 kg/m ²	1.153961
BMI Adjusted	Ischemic Stroke	Both	50 to 54	5 kg/m ²	1.132955
BMI Adjusted	Ischemic Stroke	Both	55 to 59	5 kg/m ²	1.113283
BMI Adjusted	Ischemic Stroke	Both	60 to 64	5 kg/m ²	1.094383
BMI Adjusted	Ischemic Stroke	Both	65 to 69	5 kg/m ²	1.078374
BMI Adjusted	Ischemic Stroke	Both	70 to 74	5 kg/m ²	1.061973
BMI Adjusted	Ischemic Stroke	Both	75 to 79	5 kg/m ²	1.045991
BMI Adjusted	Ischemic Stroke	Both	80 plus	5 kg/m ²	1.011446
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	25 to 29	5 kg/m ²	3.251731
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	30 to 34	5 kg/m ²	3.095596
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	35 to 39	5 kg/m ²	2.872879
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	40 to 44	5 kg/m ²	2.674867
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	45 to 49	5 kg/m ²	2.443571
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	50 to 54	5 kg/m ²	2.23196
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	55 to 59	5 kg/m ²	2.062165
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	60 to 64	5 kg/m ²	1.886465
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	65 to 69	5 kg/m ²	1.717182
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	70 to 74	5 kg/m ²	1.595278
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	75 to 79	5 kg/m ²	1.46264
BMI Adjusted	Other cardiovascular and circulatory diseases	Both	80 plus	5 kg/m ²	1.278977
BMI Adjusted	Peripheral Vascular Disease	Both	25 to 29	5 kg/m ²	3.230555
BMI Adjusted	Peripheral Vascular Disease	Both	30 to 34	5 kg/m ²	3.125487
BMI Adjusted	Peripheral Vascular Disease	Both	35 to 39	5 kg/m ²	2.90812

BMI Adjusted	Peripheral Vascular Disease	Both	40 to 44	5 kg/m ²	2.685932
BMI Adjusted	Peripheral Vascular Disease	Both	45 to 49	5 kg/m ²	2.448561
BMI Adjusted	Peripheral Vascular Disease	Both	50 to 54	5 kg/m ²	2.241801
BMI Adjusted	Peripheral Vascular Disease	Both	55 to 59	5 kg/m ²	2.057849
BMI Adjusted	Peripheral Vascular Disease	Both	60 to 64	5 kg/m ²	1.903941
BMI Adjusted	Peripheral Vascular Disease	Both	65 to 69	5 kg/m ²	1.719602
BMI Adjusted	Peripheral Vascular Disease	Both	70 to 74	5 kg/m ²	1.592187
BMI Adjusted	Peripheral Vascular Disease	Both	75 to 79	5 kg/m ²	1.473317
BMI Adjusted	Peripheral Vascular Disease	Both	80 plus	5 kg/m ²	1.294372

Table 3. Estimated Probability of Premature Cardiovascular Mortality with Uncertainty Interval for Years 2013 and 2025, by country, sex and scenario

Sex	Country ISO3 code	Probability of Premature CVD Death in 2013	Lower Uncertainty Limit	Upper Uncertainty Limit	Scenario	Probability of Premature CVD Death for Scenario in 2025	Lower Uncertainty Limit	Upper Uncertainty Limit
Men	AFG	0.34	0.23	0.44	BMI	0.33	0.23	0.44
Men	AFG	0.34	0.23	0.44	Baseline scenario	0.34	0.23	0.44
Men	AFG	0.34	0.23	0.44	Combined scenarios	0.29	0.20	0.39
Men	AFG	0.34	0.23	0.44	Direct Smoking	0.31	0.22	0.41
Men	AFG	0.34	0.23	0.44	Fasting plasma glucose	0.34	0.23	0.44
Men	AFG	0.34	0.23	0.44	Second hand smoke	0.34	0.23	0.44
Men	AFG	0.34	0.23	0.44	Systolic blood pressure	0.32	0.22	0.42

Women	AFG	0.38	0.27	0.49	BMI	0.38	0.28	0.50
Women	AFG	0.38	0.27	0.49	Baseline scenario	0.39	0.28	0.51
Women	AFG	0.38	0.27	0.49	Combined scenarios	0.35	0.25	0.46
Women	AFG	0.38	0.27	0.49	Direct Smoking	0.38	0.28	0.50
Women	AFG	0.38	0.27	0.49	Fasting plasma glucose	0.39	0.28	0.51
Women	AFG	0.38	0.27	0.49	Second hand smoke	0.39	0.28	0.51
Women	AFG	0.38	0.27	0.49	Systolic blood pressure	0.36	0.26	0.48
Both Sexes	AFG	0.36	0.28	0.44	BMI	0.36	0.28	0.44
Both Sexes	AFG	0.36	0.28	0.44	Baseline scenario	0.37	0.29	0.44
Both Sexes	AFG	0.36	0.28	0.44	Combined scenarios	0.32	0.25	0.39
Both Sexes	AFG	0.36	0.28	0.44	Direct Smoking	0.35	0.27	0.43
Both Sexes	AFG	0.36	0.28	0.44	Fasting plasma glucose	0.36	0.29	0.44
Both Sexes	AFG	0.36	0.28	0.44	Second hand smoke	0.37	0.29	0.45
Both Sexes	AFG	0.36	0.28	0.44	Systolic blood pressure	0.34	0.27	0.42
Men	AGO	0.16	0.12	0.24	BMI	0.14	0.10	0.21
Men	AGO	0.16	0.12	0.24	Baseline scenario	0.14	0.11	0.21
Men	AGO	0.16	0.12	0.24	Combined scenarios	0.12	0.09	0.18
Men	AGO	0.16	0.12	0.24	Direct Smoking	0.14	0.10	0.20
Men	AGO	0.16	0.12	0.24	Fasting plasma glucose	0.14	0.11	0.21
Men	AGO	0.16	0.12	0.24	Second hand smoke	0.14	0.11	0.21
Men	AGO	0.16	0.12	0.24	Systolic blood pressure	0.13	0.10	0.19
Women	AGO	0.13	0.09	0.21	BMI	0.13	0.08	0.20
Women	AGO	0.13	0.09	0.21	Baseline scenario	0.13	0.09	0.20
Women	AGO	0.13	0.09	0.21	Combined scenarios	0.11	0.07	0.17
Women	AGO	0.13	0.09	0.21	Direct Smoking	0.13	0.09	0.20
Women	AGO	0.13	0.09	0.21	Fasting plasma glucose	0.13	0.09	0.20

Women	AGO	0.13	0.09	0.21	Second hand smoke	0.13	0.09	0.20
Women	AGO	0.13	0.09	0.21	Systolic blood pressure	0.12	0.08	0.18
Both Sexes	AGO	0.15	0.11	0.22	BMI	0.13	0.09	0.20
Both Sexes	AGO	0.15	0.11	0.22	Baseline scenario	0.14	0.10	0.21
Both Sexes	AGO	0.15	0.11	0.22	Combined scenarios	0.11	0.08	0.17
Both Sexes	AGO	0.15	0.11	0.22	Direct Smoking	0.13	0.10	0.20
Both Sexes	AGO	0.15	0.11	0.22	Fasting plasma glucose	0.14	0.10	0.20
Both Sexes	AGO	0.15	0.11	0.22	Second hand smoke	0.14	0.10	0.21
Both Sexes	AGO	0.15	0.11	0.22	Systolic blood pressure	0.12	0.09	0.18
Men	ALB	0.16	0.12	0.20	BMI	0.17	0.13	0.22
Men	ALB	0.16	0.12	0.20	Baseline scenario	0.17	0.13	0.23
Men	ALB	0.16	0.12	0.20	Combined scenarios	0.14	0.10	0.18
Men	ALB	0.16	0.12	0.20	Direct Smoking	0.16	0.12	0.21
Men	ALB	0.16	0.12	0.20	Fasting plasma glucose	0.17	0.13	0.23
Men	ALB	0.16	0.12	0.20	Second hand smoke	0.17	0.13	0.23
Men	ALB	0.16	0.12	0.20	Systolic blood pressure	0.15	0.11	0.20
Women	ALB	0.08	0.06	0.10	BMI	0.07	0.05	0.10
Women	ALB	0.08	0.06	0.10	Baseline scenario	0.07	0.05	0.10
Women	ALB	0.08	0.06	0.10	Combined scenarios	0.06	0.05	0.08
Women	ALB	0.08	0.06	0.10	Direct Smoking	0.07	0.05	0.10
Women	ALB	0.08	0.06	0.10	Fasting plasma glucose	0.07	0.05	0.10
Women	ALB	0.08	0.06	0.10	Second hand smoke	0.07	0.05	0.10
Women	ALB	0.08	0.06	0.10	Systolic blood pressure	0.07	0.05	0.09
Both Sexes	ALB	0.12	0.09	0.14	BMI	0.12	0.10	0.15
Both Sexes	ALB	0.12	0.09	0.14	Baseline scenario	0.12	0.10	0.15
Both Sexes	ALB	0.12	0.09	0.14	Combined scenarios	0.10	0.08	0.12

Both Sexes	ALB	0.12	0.09	0.14	Direct Smoking	0.12	0.09	0.14
Both Sexes	ALB	0.12	0.09	0.14	Fasting plasma glucose	0.12	0.10	0.15
Both Sexes	ALB	0.12	0.09	0.14	Second hand smoke	0.12	0.10	0.15
Both Sexes	ALB	0.12	0.09	0.14	Systolic blood pressure	0.11	0.09	0.14
Men	ARE	0.13	0.09	0.17	BMI	0.11	0.08	0.15
Men	ARE	0.13	0.09	0.17	Baseline scenario	0.11	0.08	0.15
Men	ARE	0.13	0.09	0.17	Combined scenarios	0.10	0.07	0.14
Men	ARE	0.13	0.09	0.17	Direct Smoking	0.11	0.08	0.14
Men	ARE	0.13	0.09	0.17	Fasting plasma glucose	0.11	0.08	0.15
Men	ARE	0.13	0.09	0.17	Second hand smoke	0.11	0.08	0.15
Men	ARE	0.13	0.09	0.17	Systolic blood pressure	0.11	0.08	0.14
Women	ARE	0.08	0.04	0.12	BMI	0.06	0.03	0.09
Women	ARE	0.08	0.04	0.12	Baseline scenario	0.06	0.03	0.09
Women	ARE	0.08	0.04	0.12	Combined scenarios	0.05	0.03	0.08
Women	ARE	0.08	0.04	0.12	Direct Smoking	0.06	0.03	0.08
Women	ARE	0.08	0.04	0.12	Fasting plasma glucose	0.06	0.03	0.09
Women	ARE	0.08	0.04	0.12	Second hand smoke	0.06	0.03	0.09
Women	ARE	0.08	0.04	0.12	Systolic blood pressure	0.06	0.03	0.09
Both Sexes	ARE	0.12	0.09	0.15	BMI	0.09	0.07	0.12
Both Sexes	ARE	0.12	0.09	0.15	Baseline scenario	0.09	0.07	0.12
Both Sexes	ARE	0.12	0.09	0.15	Combined scenarios	0.09	0.06	0.11
Both Sexes	ARE	0.12	0.09	0.15	Direct Smoking	0.09	0.07	0.11
Both Sexes	ARE	0.12	0.09	0.15	Fasting plasma glucose	0.09	0.07	0.12
Both Sexes	ARE	0.12	0.09	0.15	Second hand smoke	0.09	0.07	0.12
Both Sexes	ARE	0.12	0.09	0.15	Systolic blood pressure	0.09	0.07	0.11

Men	ARG	0.11	0.10	0.12	BMI	0.09	0.08	0.09
Men	ARG	0.11	0.10	0.12	Baseline scenario	0.09	0.08	0.09
Men	ARG	0.11	0.10	0.12	Combined scenarios	0.07	0.07	0.08
Men	ARG	0.11	0.10	0.12	Direct Smoking	0.08	0.07	0.09
Men	ARG	0.11	0.10	0.12	Fasting plasma glucose	0.09	0.08	0.09
Men	ARG	0.11	0.10	0.12	Second hand smoke	0.09	0.08	0.09
Men	ARG	0.11	0.10	0.12	Systolic blood pressure	0.08	0.07	0.08
Women	ARG	0.05	0.04	0.06	BMI	0.04	0.04	0.05
Women	ARG	0.05	0.04	0.06	Baseline scenario	0.04	0.03	0.05
Women	ARG	0.05	0.04	0.06	Combined scenarios	0.03	0.03	0.04
Women	ARG	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.04
Women	ARG	0.05	0.04	0.06	Fasting plasma glucose	0.04	0.03	0.05
Women	ARG	0.05	0.04	0.06	Second hand smoke	0.04	0.04	0.05
Women	ARG	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.04
Both Sexes	ARG	0.08	0.07	0.08	BMI	0.06	0.06	0.07
Both Sexes	ARG	0.08	0.07	0.08	Baseline scenario	0.06	0.06	0.07
Both Sexes	ARG	0.08	0.07	0.08	Combined scenarios	0.05	0.05	0.06
Both Sexes	ARG	0.08	0.07	0.08	Direct Smoking	0.06	0.05	0.06
Both Sexes	ARG	0.08	0.07	0.08	Fasting plasma glucose	0.06	0.06	0.07
Both Sexes	ARG	0.08	0.07	0.08	Second hand smoke	0.06	0.06	0.07
Both Sexes	ARG	0.08	0.07	0.08	Systolic blood pressure	0.06	0.05	0.06
Men	ARM	0.18	0.16	0.20	BMI	0.16	0.15	0.18
Men	ARM	0.18	0.16	0.20	Baseline scenario	0.17	0.15	0.19
Men	ARM	0.18	0.16	0.20	Combined scenarios	0.12	0.10	0.13
Men	ARM	0.18	0.16	0.20	Direct Smoking	0.15	0.13	0.16
Men	ARM	0.18	0.16	0.20	Fasting plasma glucose	0.17	0.15	0.19

Men	ARM	0.18	0.16	0.20	Second hand smoke	0.17	0.15	0.19
Men	ARM	0.18	0.16	0.20	Systolic blood pressure	0.14	0.12	0.16
Women	ARM	0.08	0.07	0.09	BMI	0.06	0.05	0.07
Women	ARM	0.08	0.07	0.09	Baseline scenario	0.06	0.06	0.08
Women	ARM	0.08	0.07	0.09	Combined scenarios	0.05	0.04	0.06
Women	ARM	0.08	0.07	0.09	Direct Smoking	0.06	0.06	0.08
Women	ARM	0.08	0.07	0.09	Fasting plasma glucose	0.06	0.06	0.08
Women	ARM	0.08	0.07	0.09	Second hand smoke	0.06	0.06	0.08
Women	ARM	0.08	0.07	0.09	Systolic blood pressure	0.05	0.04	0.06
Both Sexes	ARM	0.12	0.11	0.13	BMI	0.11	0.10	0.12
Both Sexes	ARM	0.12	0.11	0.13	Baseline scenario	0.11	0.11	0.12
Both Sexes	ARM	0.12	0.11	0.13	Combined scenarios	0.08	0.07	0.09
Both Sexes	ARM	0.12	0.11	0.13	Direct Smoking	0.10	0.09	0.11
Both Sexes	ARM	0.12	0.11	0.13	Fasting plasma glucose	0.11	0.10	0.12
Both Sexes	ARM	0.12	0.11	0.13	Second hand smoke	0.11	0.11	0.13
Both Sexes	ARM	0.12	0.11	0.13	Systolic blood pressure	0.09	0.08	0.10
Men	ATG	0.12	0.09	0.16	BMI	0.10	0.07	0.13
Men	ATG	0.12	0.09	0.16	Baseline scenario	0.10	0.07	0.13
Men	ATG	0.12	0.09	0.16	Combined scenarios	0.09	0.06	0.12
Men	ATG	0.12	0.09	0.16	Direct Smoking	0.10	0.07	0.13
Men	ATG	0.12	0.09	0.16	Fasting plasma glucose	0.10	0.07	0.13
Men	ATG	0.12	0.09	0.16	Second hand smoke	0.10	0.07	0.13
Men	ATG	0.12	0.09	0.16	Systolic blood pressure	0.09	0.06	0.12
Women	ATG	0.07	0.05	0.10	BMI	0.06	0.04	0.08
Women	ATG	0.07	0.05	0.10	Baseline scenario	0.06	0.04	0.08
Women	ATG	0.07	0.05	0.10	Combined scenarios	0.05	0.03	0.07

Women	ATG	0.07	0.05	0.10	Direct Smoking	0.06	0.04	0.08
Women	ATG	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.04	0.08
Women	ATG	0.07	0.05	0.10	Second hand smoke	0.06	0.04	0.08
Women	ATG	0.07	0.05	0.10	Systolic blood pressure	0.05	0.03	0.07
Both Sexes	ATG	0.09	0.07	0.12	BMI	0.08	0.06	0.09
Both Sexes	ATG	0.09	0.07	0.12	Baseline scenario	0.08	0.06	0.09
Both Sexes	ATG	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.08
Both Sexes	ATG	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.09
Both Sexes	ATG	0.09	0.07	0.12	Fasting plasma glucose	0.08	0.06	0.09
Both Sexes	ATG	0.09	0.07	0.12	Second hand smoke	0.08	0.06	0.09
Both Sexes	ATG	0.09	0.07	0.12	Systolic blood pressure	0.07	0.05	0.08
Men	AUS	0.04	0.04	0.05	BMI	0.02	0.02	0.03
Men	AUS	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Men	AUS	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.02
Men	AUS	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Men	AUS	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Men	AUS	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Men	AUS	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Women	AUS	0.02	0.02	0.03	BMI	0.01	0.01	0.01
Women	AUS	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.02
Women	AUS	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	AUS	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	AUS	0.02	0.02	0.03	Fasting plasma glucose	0.01	0.01	0.02
Women	AUS	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.02
Women	AUS	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02

Both Sexes	AUS	0.03	0.03	0.03	BMI	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Baseline scenario	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Combined scenarios	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Direct Smoking	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Second hand smoke	0.02	0.02	0.02
Both Sexes	AUS	0.03	0.03	0.03	Systolic blood pressure	0.02	0.02	0.02
Men	AUT	0.05	0.05	0.06	BMI	0.03	0.03	0.04
Men	AUT	0.05	0.05	0.06	Baseline scenario	0.04	0.03	0.04
Men	AUT	0.05	0.05	0.06	Combined scenarios	0.03	0.02	0.03
Men	AUT	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.04
Men	AUT	0.05	0.05	0.06	Fasting plasma glucose	0.04	0.03	0.04
Men	AUT	0.05	0.05	0.06	Second hand smoke	0.04	0.03	0.04
Men	AUT	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.03
Women	AUT	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	AUT	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	AUT	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.01
Women	AUT	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	AUT	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	AUT	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	AUT	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	AUT	0.04	0.03	0.04	BMI	0.02	0.02	0.03
Both Sexes	AUT	0.04	0.03	0.04	Baseline scenario	0.03	0.02	0.03
Both Sexes	AUT	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	AUT	0.04	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	AUT	0.04	0.03	0.04	Fasting plasma glucose	0.03	0.02	0.03

Both Sexes	AUT	0.04	0.03	0.04	Second hand smoke	0.03	0.02	0.03
Both Sexes	AUT	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	AZE	0.21	0.17	0.25	BMI	0.18	0.15	0.21
Men	AZE	0.21	0.17	0.25	Baseline scenario	0.19	0.15	0.22
Men	AZE	0.21	0.17	0.25	Combined scenarios	0.14	0.11	0.17
Men	AZE	0.21	0.17	0.25	Direct Smoking	0.17	0.14	0.20
Men	AZE	0.21	0.17	0.25	Fasting plasma glucose	0.19	0.15	0.22
Men	AZE	0.21	0.17	0.25	Second hand smoke	0.19	0.15	0.22
Men	AZE	0.21	0.17	0.25	Systolic blood pressure	0.17	0.14	0.20
Women	AZE	0.11	0.09	0.13	BMI	0.09	0.08	0.11
Women	AZE	0.11	0.09	0.13	Baseline scenario	0.10	0.08	0.12
Women	AZE	0.11	0.09	0.13	Combined scenarios	0.08	0.07	0.10
Women	AZE	0.11	0.09	0.13	Direct Smoking	0.10	0.08	0.12
Women	AZE	0.11	0.09	0.13	Fasting plasma glucose	0.10	0.08	0.12
Women	AZE	0.11	0.09	0.13	Second hand smoke	0.10	0.08	0.12
Women	AZE	0.11	0.09	0.13	Systolic blood pressure	0.09	0.07	0.11
Both Sexes	AZE	0.16	0.14	0.18	BMI	0.13	0.12	0.15
Both Sexes	AZE	0.16	0.14	0.18	Baseline scenario	0.14	0.12	0.16
Both Sexes	AZE	0.16	0.14	0.18	Combined scenarios	0.11	0.10	0.13
Both Sexes	AZE	0.16	0.14	0.18	Direct Smoking	0.13	0.11	0.15
Both Sexes	AZE	0.16	0.14	0.18	Fasting plasma glucose	0.14	0.12	0.16
Both Sexes	AZE	0.16	0.14	0.18	Second hand smoke	0.14	0.12	0.16
Both Sexes	AZE	0.16	0.14	0.18	Systolic blood pressure	0.13	0.11	0.14
Men	BDI	0.16	0.13	0.19	BMI	0.12	0.10	0.15
Men	BDI	0.16	0.13	0.19	Baseline scenario	0.12	0.10	0.15
Men	BDI	0.16	0.13	0.19	Combined scenarios	0.10	0.08	0.13

Men	BDI	0.16	0.13	0.19	Direct Smoking	0.11	0.09	0.14
Men	BDI	0.16	0.13	0.19	Fasting plasma glucose	0.12	0.10	0.15
Men	BDI	0.16	0.13	0.19	Second hand smoke	0.12	0.10	0.15
Men	BDI	0.16	0.13	0.19	Systolic blood pressure	0.12	0.09	0.14
Women	BDI	0.16	0.13	0.20	BMI	0.13	0.10	0.16
Women	BDI	0.16	0.13	0.20	Baseline scenario	0.13	0.10	0.16
Women	BDI	0.16	0.13	0.20	Combined scenarios	0.11	0.09	0.14
Women	BDI	0.16	0.13	0.20	Direct Smoking	0.12	0.10	0.15
Women	BDI	0.16	0.13	0.20	Fasting plasma glucose	0.13	0.10	0.16
Women	BDI	0.16	0.13	0.20	Second hand smoke	0.13	0.10	0.16
Women	BDI	0.16	0.13	0.20	Systolic blood pressure	0.11	0.09	0.14
Both Sexes	BDI	0.16	0.14	0.18	BMI	0.12	0.11	0.15
Both Sexes	BDI	0.16	0.14	0.18	Baseline scenario	0.13	0.11	0.15
Both Sexes	BDI	0.16	0.14	0.18	Combined scenarios	0.11	0.09	0.13
Both Sexes	BDI	0.16	0.14	0.18	Direct Smoking	0.12	0.10	0.14
Both Sexes	BDI	0.16	0.14	0.18	Fasting plasma glucose	0.13	0.11	0.15
Both Sexes	BDI	0.16	0.14	0.18	Second hand smoke	0.13	0.11	0.15
Both Sexes	BDI	0.16	0.14	0.18	Systolic blood pressure	0.11	0.10	0.13
Men	BEL	0.05	0.05	0.06	BMI	0.04	0.03	0.04
Men	BEL	0.05	0.05	0.06	Baseline scenario	0.04	0.03	0.04
Men	BEL	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.03
Men	BEL	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.04
Men	BEL	0.05	0.05	0.06	Fasting plasma glucose	0.04	0.03	0.04
Men	BEL	0.05	0.05	0.06	Second hand smoke	0.04	0.03	0.04
Men	BEL	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.04

Women	BEL	0.02	0.02	0.03	BMI	0.02	0.02	0.02
Women	BEL	0.02	0.02	0.03	Baseline scenario	0.02	0.02	0.03
Women	BEL	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	BEL	0.02	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	BEL	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.02	0.03
Women	BEL	0.02	0.02	0.03	Second hand smoke	0.02	0.02	0.03
Women	BEL	0.02	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	BEL	0.04	0.03	0.04	BMI	0.03	0.02	0.03
Both Sexes	BEL	0.04	0.03	0.04	Baseline scenario	0.03	0.03	0.03
Both Sexes	BEL	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	BEL	0.04	0.03	0.04	Direct Smoking	0.03	0.02	0.03
Both Sexes	BEL	0.04	0.03	0.04	Fasting plasma glucose	0.03	0.03	0.03
Both Sexes	BEL	0.04	0.03	0.04	Second hand smoke	0.03	0.03	0.03
Both Sexes	BEL	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.03
Men	BEN	0.16	0.13	0.20	BMI	0.18	0.15	0.23
Men	BEN	0.16	0.13	0.20	Baseline scenario	0.18	0.15	0.23
Men	BEN	0.16	0.13	0.20	Combined scenarios	0.16	0.13	0.20
Men	BEN	0.16	0.13	0.20	Direct Smoking	0.18	0.14	0.23
Men	BEN	0.16	0.13	0.20	Fasting plasma glucose	0.18	0.15	0.24
Men	BEN	0.16	0.13	0.20	Second hand smoke	0.18	0.15	0.23
Men	BEN	0.16	0.13	0.20	Systolic blood pressure	0.16	0.13	0.21
Women	BEN	0.11	0.08	0.15	BMI	0.12	0.09	0.16
Women	BEN	0.11	0.08	0.15	Baseline scenario	0.13	0.09	0.17
Women	BEN	0.11	0.08	0.15	Combined scenarios	0.10	0.07	0.14
Women	BEN	0.11	0.08	0.15	Direct Smoking	0.13	0.09	0.17
Women	BEN	0.11	0.08	0.15	Fasting plasma glucose	0.13	0.09	0.17

Women	BEN	0.11	0.08	0.15	Second hand smoke	0.13	0.09	0.17
Women	BEN	0.11	0.08	0.15	Systolic blood pressure	0.11	0.08	0.15
Both Sexes	BEN	0.13	0.11	0.16	BMI	0.15	0.12	0.18
Both Sexes	BEN	0.13	0.11	0.16	Baseline scenario	0.15	0.13	0.19
Both Sexes	BEN	0.13	0.11	0.16	Combined scenarios	0.13	0.11	0.16
Both Sexes	BEN	0.13	0.11	0.16	Direct Smoking	0.15	0.12	0.18
Both Sexes	BEN	0.13	0.11	0.16	Fasting plasma glucose	0.16	0.13	0.19
Both Sexes	BEN	0.13	0.11	0.16	Second hand smoke	0.15	0.13	0.19
Both Sexes	BEN	0.13	0.11	0.16	Systolic blood pressure	0.14	0.11	0.17
Men	BFA	0.12	0.10	0.14	BMI	0.15	0.12	0.18
Men	BFA	0.12	0.10	0.14	Baseline scenario	0.15	0.12	0.18
Men	BFA	0.12	0.10	0.14	Combined scenarios	0.13	0.10	0.15
Men	BFA	0.12	0.10	0.14	Direct Smoking	0.15	0.12	0.18
Men	BFA	0.12	0.10	0.14	Fasting plasma glucose	0.15	0.12	0.18
Men	BFA	0.12	0.10	0.14	Second hand smoke	0.15	0.12	0.18
Men	BFA	0.12	0.10	0.14	Systolic blood pressure	0.14	0.11	0.16
Women	BFA	0.11	0.08	0.14	BMI	0.12	0.09	0.16
Women	BFA	0.11	0.08	0.14	Baseline scenario	0.13	0.10	0.17
Women	BFA	0.11	0.08	0.14	Combined scenarios	0.11	0.08	0.14
Women	BFA	0.11	0.08	0.14	Direct Smoking	0.13	0.10	0.16
Women	BFA	0.11	0.08	0.14	Fasting plasma glucose	0.13	0.10	0.17
Women	BFA	0.11	0.08	0.14	Second hand smoke	0.13	0.10	0.17
Women	BFA	0.11	0.08	0.14	Systolic blood pressure	0.12	0.09	0.15
Both Sexes	BFA	0.11	0.10	0.14	BMI	0.13	0.11	0.16
Both Sexes	BFA	0.11	0.10	0.14	Baseline scenario	0.14	0.12	0.16
Both Sexes	BFA	0.11	0.10	0.14	Combined scenarios	0.12	0.10	0.14

Both Sexes	BFA	0.11	0.10	0.14	Direct Smoking	0.14	0.11	0.16
Both Sexes	BFA	0.11	0.10	0.14	Fasting plasma glucose	0.14	0.12	0.16
Both Sexes	BFA	0.11	0.10	0.14	Second hand smoke	0.14	0.12	0.16
Both Sexes	BFA	0.11	0.10	0.14	Systolic blood pressure	0.13	0.11	0.15
Men	BGD	0.17	0.13	0.20	BMI	0.25	0.19	0.30
Men	BGD	0.17	0.13	0.20	Baseline scenario	0.25	0.19	0.30
Men	BGD	0.17	0.13	0.20	Combined scenarios	0.21	0.16	0.26
Men	BGD	0.17	0.13	0.20	Direct Smoking	0.22	0.17	0.27
Men	BGD	0.17	0.13	0.20	Fasting plasma glucose	0.25	0.19	0.30
Men	BGD	0.17	0.13	0.20	Second hand smoke	0.25	0.19	0.30
Men	BGD	0.17	0.13	0.20	Systolic blood pressure	0.24	0.19	0.29
Women	BGD	0.13	0.07	0.18	BMI	0.15	0.08	0.21
Women	BGD	0.13	0.07	0.18	Baseline scenario	0.16	0.08	0.22
Women	BGD	0.13	0.07	0.18	Combined scenarios	0.14	0.07	0.20
Women	BGD	0.13	0.07	0.18	Direct Smoking	0.15	0.08	0.21
Women	BGD	0.13	0.07	0.18	Fasting plasma glucose	0.16	0.08	0.22
Women	BGD	0.13	0.07	0.18	Second hand smoke	0.16	0.08	0.22
Women	BGD	0.13	0.07	0.18	Systolic blood pressure	0.15	0.08	0.21
Both Sexes	BGD	0.15	0.11	0.18	BMI	0.20	0.15	0.25
Both Sexes	BGD	0.15	0.11	0.18	Baseline scenario	0.21	0.15	0.25
Both Sexes	BGD	0.15	0.11	0.18	Combined scenarios	0.18	0.13	0.22
Both Sexes	BGD	0.15	0.11	0.18	Direct Smoking	0.19	0.14	0.23
Both Sexes	BGD	0.15	0.11	0.18	Fasting plasma glucose	0.21	0.15	0.25
Both Sexes	BGD	0.15	0.11	0.18	Second hand smoke	0.21	0.15	0.25
Both Sexes	BGD	0.15	0.11	0.18	Systolic blood pressure	0.20	0.15	0.24

Men	BGR	0.19	0.19	0.20	BMI	0.20	0.19	0.21
Men	BGR	0.19	0.19	0.20	Baseline scenario	0.19	0.18	0.20
Men	BGR	0.19	0.19	0.20	Combined scenarios	0.14	0.13	0.15
Men	BGR	0.19	0.19	0.20	Direct Smoking	0.16	0.15	0.17
Men	BGR	0.19	0.19	0.20	Fasting plasma glucose	0.19	0.18	0.20
Men	BGR	0.19	0.19	0.20	Second hand smoke	0.19	0.18	0.20
Men	BGR	0.19	0.19	0.20	Systolic blood pressure	0.16	0.15	0.18
Women	BGR	0.09	0.08	0.10	BMI	0.10	0.09	0.11
Women	BGR	0.09	0.08	0.10	Baseline scenario	0.09	0.08	0.10
Women	BGR	0.09	0.08	0.10	Combined scenarios	0.06	0.06	0.07
Women	BGR	0.09	0.08	0.10	Direct Smoking	0.07	0.07	0.08
Women	BGR	0.09	0.08	0.10	Fasting plasma glucose	0.09	0.09	0.10
Women	BGR	0.09	0.08	0.10	Second hand smoke	0.09	0.09	0.10
Women	BGR	0.09	0.08	0.10	Systolic blood pressure	0.08	0.07	0.09
Both Sexes	BGR	0.14	0.13	0.15	BMI	0.15	0.14	0.15
Both Sexes	BGR	0.14	0.13	0.15	Baseline scenario	0.14	0.14	0.15
Both Sexes	BGR	0.14	0.13	0.15	Combined scenarios	0.10	0.09	0.11
Both Sexes	BGR	0.14	0.13	0.15	Direct Smoking	0.12	0.11	0.12
Both Sexes	BGR	0.14	0.13	0.15	Fasting plasma glucose	0.14	0.14	0.15
Both Sexes	BGR	0.14	0.13	0.15	Second hand smoke	0.14	0.14	0.15
Both Sexes	BGR	0.14	0.13	0.15	Systolic blood pressure	0.12	0.11	0.13
Men	BHR	0.06	0.05	0.08	BMI	0.04	0.03	0.05
Men	BHR	0.06	0.05	0.08	Baseline scenario	0.04	0.03	0.05
Men	BHR	0.06	0.05	0.08	Combined scenarios	0.03	0.02	0.04
Men	BHR	0.06	0.05	0.08	Direct Smoking	0.04	0.03	0.05
Men	BHR	0.06	0.05	0.08	Fasting plasma glucose	0.04	0.03	0.05

Men	BHR	0.06	0.05	0.08	Second hand smoke	0.04	0.03	0.05
Men	BHR	0.06	0.05	0.08	Systolic blood pressure	0.04	0.03	0.05
Women	BHR	0.05	0.04	0.07	BMI	0.03	0.02	0.05
Women	BHR	0.05	0.04	0.07	Baseline scenario	0.03	0.02	0.05
Women	BHR	0.05	0.04	0.07	Combined scenarios	0.02	0.02	0.03
Women	BHR	0.05	0.04	0.07	Direct Smoking	0.03	0.02	0.05
Women	BHR	0.05	0.04	0.07	Fasting plasma glucose	0.03	0.02	0.05
Women	BHR	0.05	0.04	0.07	Second hand smoke	0.03	0.02	0.05
Women	BHR	0.05	0.04	0.07	Systolic blood pressure	0.02	0.02	0.03
Both Sexes	BHR	0.06	0.05	0.07	BMI	0.04	0.03	0.04
Both Sexes	BHR	0.06	0.05	0.07	Baseline scenario	0.04	0.03	0.05
Both Sexes	BHR	0.06	0.05	0.07	Combined scenarios	0.03	0.02	0.03
Both Sexes	BHR	0.06	0.05	0.07	Direct Smoking	0.04	0.03	0.04
Both Sexes	BHR	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.03	0.05
Both Sexes	BHR	0.06	0.05	0.07	Second hand smoke	0.04	0.03	0.05
Both Sexes	BHR	0.06	0.05	0.07	Systolic blood pressure	0.03	0.03	0.04
Men	BHS	0.15	0.11	0.19	BMI	0.13	0.09	0.17
Men	BHS	0.15	0.11	0.19	Baseline scenario	0.14	0.10	0.18
Men	BHS	0.15	0.11	0.19	Combined scenarios	0.11	0.08	0.15
Men	BHS	0.15	0.11	0.19	Direct Smoking	0.13	0.09	0.17
Men	BHS	0.15	0.11	0.19	Fasting plasma glucose	0.14	0.10	0.18
Men	BHS	0.15	0.11	0.19	Second hand smoke	0.14	0.10	0.18
Men	BHS	0.15	0.11	0.19	Systolic blood pressure	0.12	0.08	0.16
Women	BHS	0.09	0.06	0.12	BMI	0.07	0.05	0.10
Women	BHS	0.09	0.06	0.12	Baseline scenario	0.08	0.05	0.10
Women	BHS	0.09	0.06	0.12	Combined scenarios	0.06	0.04	0.08

Women	BHS	0.09	0.06	0.12	Direct Smoking	0.08	0.05	0.10
Women	BHS	0.09	0.06	0.12	Fasting plasma glucose	0.08	0.05	0.10
Women	BHS	0.09	0.06	0.12	Second hand smoke	0.08	0.05	0.11
Women	BHS	0.09	0.06	0.12	Systolic blood pressure	0.07	0.05	0.09
Both Sexes	BHS	0.12	0.09	0.14	BMI	0.10	0.08	0.12
Both Sexes	BHS	0.12	0.09	0.14	Baseline scenario	0.11	0.08	0.13
Both Sexes	BHS	0.12	0.09	0.14	Combined scenarios	0.09	0.07	0.10
Both Sexes	BHS	0.12	0.09	0.14	Direct Smoking	0.10	0.08	0.12
Both Sexes	BHS	0.12	0.09	0.14	Fasting plasma glucose	0.11	0.08	0.13
Both Sexes	BHS	0.12	0.09	0.14	Second hand smoke	0.11	0.08	0.13
Both Sexes	BHS	0.12	0.09	0.14	Systolic blood pressure	0.09	0.07	0.11
Men	BIH	0.12	0.11	0.13	BMI	0.10	0.09	0.11
Men	BIH	0.12	0.11	0.13	Baseline scenario	0.10	0.09	0.11
Men	BIH	0.12	0.11	0.13	Combined scenarios	0.07	0.07	0.08
Men	BIH	0.12	0.11	0.13	Direct Smoking	0.09	0.08	0.10
Men	BIH	0.12	0.11	0.13	Fasting plasma glucose	0.10	0.09	0.11
Men	BIH	0.12	0.11	0.13	Second hand smoke	0.10	0.09	0.11
Men	BIH	0.12	0.11	0.13	Systolic blood pressure	0.09	0.07	0.10
Women	BIH	0.06	0.05	0.07	BMI	0.05	0.04	0.06
Women	BIH	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.06
Women	BIH	0.06	0.05	0.07	Combined scenarios	0.03	0.03	0.04
Women	BIH	0.06	0.05	0.07	Direct Smoking	0.05	0.04	0.05
Women	BIH	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	BIH	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.06
Women	BIH	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.05

Both Sexes	BIH	0.09	0.08	0.10	BMI	0.07	0.07	0.08
Both Sexes	BIH	0.09	0.08	0.10	Baseline scenario	0.08	0.07	0.08
Both Sexes	BIH	0.09	0.08	0.10	Combined scenarios	0.05	0.05	0.06
Both Sexes	BIH	0.09	0.08	0.10	Direct Smoking	0.07	0.06	0.08
Both Sexes	BIH	0.09	0.08	0.10	Fasting plasma glucose	0.08	0.07	0.08
Both Sexes	BIH	0.09	0.08	0.10	Second hand smoke	0.08	0.07	0.08
Both Sexes	BIH	0.09	0.08	0.10	Systolic blood pressure	0.06	0.05	0.07
Men	BLR	0.33	0.30	0.35	BMI	0.37	0.35	0.40
Men	BLR	0.33	0.30	0.35	Baseline scenario	0.38	0.35	0.40
Men	BLR	0.33	0.30	0.35	Combined scenarios	0.29	0.26	0.32
Men	BLR	0.33	0.30	0.35	Direct Smoking	0.35	0.32	0.38
Men	BLR	0.33	0.30	0.35	Fasting plasma glucose	0.38	0.35	0.40
Men	BLR	0.33	0.30	0.35	Second hand smoke	0.38	0.35	0.40
Men	BLR	0.33	0.30	0.35	Systolic blood pressure	0.32	0.28	0.35
Women	BLR	0.12	0.10	0.14	BMI	0.13	0.11	0.14
Women	BLR	0.12	0.10	0.14	Baseline scenario	0.13	0.11	0.14
Women	BLR	0.12	0.10	0.14	Combined scenarios	0.11	0.08	0.12
Women	BLR	0.12	0.10	0.14	Direct Smoking	0.12	0.10	0.14
Women	BLR	0.12	0.10	0.14	Fasting plasma glucose	0.13	0.11	0.14
Women	BLR	0.12	0.10	0.14	Second hand smoke	0.13	0.11	0.14
Women	BLR	0.12	0.10	0.14	Systolic blood pressure	0.11	0.09	0.12
Both Sexes	BLR	0.22	0.20	0.23	BMI	0.24	0.22	0.26
Both Sexes	BLR	0.22	0.20	0.23	Baseline scenario	0.24	0.23	0.26
Both Sexes	BLR	0.22	0.20	0.23	Combined scenarios	0.19	0.17	0.21
Both Sexes	BLR	0.22	0.20	0.23	Direct Smoking	0.23	0.21	0.24
Both Sexes	BLR	0.22	0.20	0.23	Fasting plasma glucose	0.24	0.23	0.26

Both Sexes	BLR	0.22	0.20	0.23	Second hand smoke	0.24	0.23	0.26
Both Sexes	BLR	0.22	0.20	0.23	Systolic blood pressure	0.20	0.18	0.22
Men	BLZ	0.15	0.12	0.19	BMI	0.17	0.13	0.20
Men	BLZ	0.15	0.12	0.19	Baseline scenario	0.17	0.13	0.21
Men	BLZ	0.15	0.12	0.19	Combined scenarios	0.15	0.11	0.18
Men	BLZ	0.15	0.12	0.19	Direct Smoking	0.16	0.13	0.20
Men	BLZ	0.15	0.12	0.19	Fasting plasma glucose	0.17	0.13	0.21
Men	BLZ	0.15	0.12	0.19	Second hand smoke	0.17	0.13	0.21
Men	BLZ	0.15	0.12	0.19	Systolic blood pressure	0.15	0.12	0.19
Women	BLZ	0.11	0.09	0.15	BMI	0.13	0.09	0.17
Women	BLZ	0.11	0.09	0.15	Baseline scenario	0.13	0.09	0.17
Women	BLZ	0.11	0.09	0.15	Combined scenarios	0.12	0.09	0.16
Women	BLZ	0.11	0.09	0.15	Direct Smoking	0.13	0.09	0.17
Women	BLZ	0.11	0.09	0.15	Fasting plasma glucose	0.13	0.09	0.17
Women	BLZ	0.11	0.09	0.15	Second hand smoke	0.13	0.09	0.17
Women	BLZ	0.11	0.09	0.15	Systolic blood pressure	0.12	0.09	0.16
Both Sexes	BLZ	0.13	0.11	0.16	BMI	0.15	0.12	0.17
Both Sexes	BLZ	0.13	0.11	0.16	Baseline scenario	0.15	0.12	0.17
Both Sexes	BLZ	0.13	0.11	0.16	Combined scenarios	0.13	0.11	0.16
Both Sexes	BLZ	0.13	0.11	0.16	Direct Smoking	0.14	0.12	0.17
Both Sexes	BLZ	0.13	0.11	0.16	Fasting plasma glucose	0.15	0.12	0.17
Both Sexes	BLZ	0.13	0.11	0.16	Second hand smoke	0.15	0.12	0.17
Both Sexes	BLZ	0.13	0.11	0.16	Systolic blood pressure	0.14	0.11	0.16
Men	BOL	0.07	0.05	0.10	BMI	0.06	0.05	0.09
Men	BOL	0.07	0.05	0.10	Baseline scenario	0.06	0.05	0.09
Men	BOL	0.07	0.05	0.10	Combined scenarios	0.05	0.04	0.07

Men	BOL	0.07	0.05	0.10	Direct Smoking	0.06	0.04	0.08
Men	BOL	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.05	0.09
Men	BOL	0.07	0.05	0.10	Second hand smoke	0.06	0.05	0.09
Men	BOL	0.07	0.05	0.10	Systolic blood pressure	0.06	0.04	0.08
Women	BOL	0.07	0.05	0.10	BMI	0.06	0.04	0.08
Women	BOL	0.07	0.05	0.10	Baseline scenario	0.06	0.04	0.09
Women	BOL	0.07	0.05	0.10	Combined scenarios	0.05	0.03	0.08
Women	BOL	0.07	0.05	0.10	Direct Smoking	0.06	0.04	0.09
Women	BOL	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.04	0.09
Women	BOL	0.07	0.05	0.10	Second hand smoke	0.06	0.04	0.09
Women	BOL	0.07	0.05	0.10	Systolic blood pressure	0.06	0.04	0.08
Both Sexes	BOL	0.07	0.05	0.09	BMI	0.06	0.05	0.08
Both Sexes	BOL	0.07	0.05	0.09	Baseline scenario	0.06	0.05	0.08
Both Sexes	BOL	0.07	0.05	0.09	Combined scenarios	0.05	0.04	0.07
Both Sexes	BOL	0.07	0.05	0.09	Direct Smoking	0.06	0.05	0.08
Both Sexes	BOL	0.07	0.05	0.09	Fasting plasma glucose	0.06	0.05	0.08
Both Sexes	BOL	0.07	0.05	0.09	Second hand smoke	0.06	0.05	0.08
Both Sexes	BOL	0.07	0.05	0.09	Systolic blood pressure	0.06	0.04	0.07
Men	BRA	0.11	0.10	0.12	BMI	0.09	0.08	0.10
Men	BRA	0.11	0.10	0.12	Baseline scenario	0.09	0.08	0.10
Men	BRA	0.11	0.10	0.12	Combined scenarios	0.08	0.07	0.08
Men	BRA	0.11	0.10	0.12	Direct Smoking	0.09	0.08	0.10
Men	BRA	0.11	0.10	0.12	Fasting plasma glucose	0.09	0.08	0.10
Men	BRA	0.11	0.10	0.12	Second hand smoke	0.09	0.08	0.10
Men	BRA	0.11	0.10	0.12	Systolic blood pressure	0.08	0.08	0.09

Women	BRA	0.07	0.06	0.08	BMI	0.05	0.05	0.06
Women	BRA	0.07	0.06	0.08	Baseline scenario	0.06	0.05	0.07
Women	BRA	0.07	0.06	0.08	Combined scenarios	0.05	0.04	0.06
Women	BRA	0.07	0.06	0.08	Direct Smoking	0.06	0.05	0.07
Women	BRA	0.07	0.06	0.08	Fasting plasma glucose	0.06	0.05	0.07
Women	BRA	0.07	0.06	0.08	Second hand smoke	0.06	0.05	0.07
Women	BRA	0.07	0.06	0.08	Systolic blood pressure	0.06	0.05	0.07
Both Sexes	BRA	0.09	0.08	0.10	BMI	0.07	0.06	0.07
Both Sexes	BRA	0.09	0.08	0.10	Baseline scenario	0.07	0.07	0.08
Both Sexes	BRA	0.09	0.08	0.10	Combined scenarios	0.06	0.06	0.07
Both Sexes	BRA	0.09	0.08	0.10	Direct Smoking	0.07	0.07	0.08
Both Sexes	BRA	0.09	0.08	0.10	Fasting plasma glucose	0.07	0.07	0.08
Both Sexes	BRA	0.09	0.08	0.10	Second hand smoke	0.07	0.07	0.08
Both Sexes	BRA	0.09	0.08	0.10	Systolic blood pressure	0.07	0.06	0.08
Men	BRB	0.09	0.07	0.12	BMI	0.08	0.06	0.10
Men	BRB	0.09	0.07	0.12	Baseline scenario	0.08	0.06	0.10
Men	BRB	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.09
Men	BRB	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.10
Men	BRB	0.09	0.07	0.12	Fasting plasma glucose	0.08	0.06	0.10
Men	BRB	0.09	0.07	0.12	Second hand smoke	0.08	0.06	0.10
Men	BRB	0.09	0.07	0.12	Systolic blood pressure	0.07	0.05	0.09
Women	BRB	0.07	0.05	0.09	BMI	0.06	0.04	0.08
Women	BRB	0.07	0.05	0.09	Baseline scenario	0.06	0.04	0.08
Women	BRB	0.07	0.05	0.09	Combined scenarios	0.05	0.03	0.06
Women	BRB	0.07	0.05	0.09	Direct Smoking	0.06	0.04	0.08
Women	BRB	0.07	0.05	0.09	Fasting plasma glucose	0.06	0.04	0.08

Women	BRB	0.07	0.05	0.09	Second hand smoke	0.06	0.04	0.08
Women	BRB	0.07	0.05	0.09	Systolic blood pressure	0.05	0.04	0.07
Both Sexes	BRB	0.08	0.07	0.09	BMI	0.07	0.06	0.08
Both Sexes	BRB	0.08	0.07	0.09	Baseline scenario	0.07	0.06	0.08
Both Sexes	BRB	0.08	0.07	0.09	Combined scenarios	0.06	0.05	0.07
Both Sexes	BRB	0.08	0.07	0.09	Direct Smoking	0.07	0.06	0.08
Both Sexes	BRB	0.08	0.07	0.09	Fasting plasma glucose	0.07	0.06	0.08
Both Sexes	BRB	0.08	0.07	0.09	Second hand smoke	0.07	0.06	0.08
Both Sexes	BRB	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07
Men	BRN	0.08	0.06	0.10	BMI	0.06	0.05	0.07
Men	BRN	0.08	0.06	0.10	Baseline scenario	0.06	0.05	0.08
Men	BRN	0.08	0.06	0.10	Combined scenarios	0.05	0.04	0.06
Men	BRN	0.08	0.06	0.10	Direct Smoking	0.06	0.04	0.07
Men	BRN	0.08	0.06	0.10	Fasting plasma glucose	0.06	0.05	0.08
Men	BRN	0.08	0.06	0.10	Second hand smoke	0.06	0.05	0.08
Men	BRN	0.08	0.06	0.10	Systolic blood pressure	0.05	0.04	0.07
Women	BRN	0.05	0.04	0.07	BMI	0.04	0.03	0.05
Women	BRN	0.05	0.04	0.07	Baseline scenario	0.04	0.03	0.05
Women	BRN	0.05	0.04	0.07	Combined scenarios	0.03	0.02	0.04
Women	BRN	0.05	0.04	0.07	Direct Smoking	0.04	0.03	0.05
Women	BRN	0.05	0.04	0.07	Fasting plasma glucose	0.04	0.03	0.05
Women	BRN	0.05	0.04	0.07	Second hand smoke	0.04	0.03	0.05
Women	BRN	0.05	0.04	0.07	Systolic blood pressure	0.03	0.02	0.05
Both Sexes	BRN	0.07	0.05	0.08	BMI	0.05	0.04	0.06
Both Sexes	BRN	0.07	0.05	0.08	Baseline scenario	0.05	0.04	0.06
Both Sexes	BRN	0.07	0.05	0.08	Combined scenarios	0.04	0.03	0.05

Both Sexes	BRN	0.07	0.05	0.08	Direct Smoking	0.05	0.04	0.06
Both Sexes	BRN	0.07	0.05	0.08	Fasting plasma glucose	0.05	0.04	0.06
Both Sexes	BRN	0.07	0.05	0.08	Second hand smoke	0.05	0.04	0.06
Both Sexes	BRN	0.07	0.05	0.08	Systolic blood pressure	0.04	0.04	0.05
Men	BTN	0.15	0.09	0.23	BMI	0.15	0.09	0.24
Men	BTN	0.15	0.09	0.23	Baseline scenario	0.16	0.10	0.24
Men	BTN	0.15	0.09	0.23	Combined scenarios	0.13	0.08	0.20
Men	BTN	0.15	0.09	0.23	Direct Smoking	0.15	0.09	0.23
Men	BTN	0.15	0.09	0.23	Fasting plasma glucose	0.16	0.09	0.24
Men	BTN	0.15	0.09	0.23	Second hand smoke	0.16	0.10	0.24
Men	BTN	0.15	0.09	0.23	Systolic blood pressure	0.14	0.08	0.21
Women	BTN	0.11	0.06	0.19	BMI	0.11	0.06	0.18
Women	BTN	0.11	0.06	0.19	Baseline scenario	0.11	0.06	0.18
Women	BTN	0.11	0.06	0.19	Combined scenarios	0.10	0.05	0.16
Women	BTN	0.11	0.06	0.19	Direct Smoking	0.11	0.06	0.18
Women	BTN	0.11	0.06	0.19	Fasting plasma glucose	0.11	0.06	0.18
Women	BTN	0.11	0.06	0.19	Second hand smoke	0.11	0.06	0.18
Women	BTN	0.11	0.06	0.19	Systolic blood pressure	0.10	0.05	0.16
Both Sexes	BTN	0.13	0.08	0.21	BMI	0.13	0.08	0.21
Both Sexes	BTN	0.13	0.08	0.21	Baseline scenario	0.14	0.08	0.21
Both Sexes	BTN	0.13	0.08	0.21	Combined scenarios	0.11	0.07	0.18
Both Sexes	BTN	0.13	0.08	0.21	Direct Smoking	0.13	0.08	0.21
Both Sexes	BTN	0.13	0.08	0.21	Fasting plasma glucose	0.14	0.08	0.21
Both Sexes	BTN	0.13	0.08	0.21	Second hand smoke	0.14	0.08	0.21
Both Sexes	BTN	0.13	0.08	0.21	Systolic blood pressure	0.12	0.07	0.19

Men	BWA	0.08	0.05	0.12	BMI	0.07	0.04	0.11
Men	BWA	0.08	0.05	0.12	Baseline scenario	0.07	0.04	0.11
Men	BWA	0.08	0.05	0.12	Combined scenarios	0.05	0.04	0.09
Men	BWA	0.08	0.05	0.12	Direct Smoking	0.06	0.04	0.10
Men	BWA	0.08	0.05	0.12	Fasting plasma glucose	0.07	0.04	0.11
Men	BWA	0.08	0.05	0.12	Second hand smoke	0.07	0.04	0.11
Men	BWA	0.08	0.05	0.12	Systolic blood pressure	0.06	0.04	0.09
Women	BWA	0.02	0.01	0.07	BMI	0.02	0.01	0.04
Women	BWA	0.02	0.01	0.07	Baseline scenario	0.02	0.01	0.04
Women	BWA	0.02	0.01	0.07	Combined scenarios	0.01	0.01	0.03
Women	BWA	0.02	0.01	0.07	Direct Smoking	0.02	0.01	0.04
Women	BWA	0.02	0.01	0.07	Fasting plasma glucose	0.02	0.01	0.04
Women	BWA	0.02	0.01	0.07	Second hand smoke	0.02	0.01	0.04
Women	BWA	0.02	0.01	0.07	Systolic blood pressure	0.01	0.01	0.03
Both Sexes	BWA	0.05	0.03	0.08	BMI	0.04	0.03	0.06
Both Sexes	BWA	0.05	0.03	0.08	Baseline scenario	0.04	0.03	0.06
Both Sexes	BWA	0.05	0.03	0.08	Combined scenarios	0.03	0.02	0.05
Both Sexes	BWA	0.05	0.03	0.08	Direct Smoking	0.04	0.03	0.06
Both Sexes	BWA	0.05	0.03	0.08	Fasting plasma glucose	0.04	0.03	0.06
Both Sexes	BWA	0.05	0.03	0.08	Second hand smoke	0.04	0.03	0.06
Both Sexes	BWA	0.05	0.03	0.08	Systolic blood pressure	0.03	0.02	0.05
Men	CAF	0.17	0.13	0.22	BMI	0.16	0.12	0.21
Men	CAF	0.17	0.13	0.22	Baseline scenario	0.16	0.13	0.21
Men	CAF	0.17	0.13	0.22	Combined scenarios	0.15	0.11	0.19
Men	CAF	0.17	0.13	0.22	Direct Smoking	0.16	0.12	0.20
Men	CAF	0.17	0.13	0.22	Fasting plasma glucose	0.16	0.13	0.21

Men	CAF	0.17	0.13	0.22	Second hand smoke	0.16	0.13	0.21
Men	CAF	0.17	0.13	0.22	Systolic blood pressure	0.15	0.12	0.20
Women	CAF	0.15	0.10	0.21	BMI	0.14	0.10	0.21
Women	CAF	0.15	0.10	0.21	Baseline scenario	0.14	0.10	0.21
Women	CAF	0.15	0.10	0.21	Combined scenarios	0.13	0.09	0.19
Women	CAF	0.15	0.10	0.21	Direct Smoking	0.14	0.10	0.21
Women	CAF	0.15	0.10	0.21	Fasting plasma glucose	0.14	0.10	0.21
Women	CAF	0.15	0.10	0.21	Second hand smoke	0.14	0.10	0.21
Women	CAF	0.15	0.10	0.21	Systolic blood pressure	0.13	0.09	0.19
Both Sexes	CAF	0.16	0.13	0.20	BMI	0.15	0.12	0.19
Both Sexes	CAF	0.16	0.13	0.20	Baseline scenario	0.15	0.12	0.19
Both Sexes	CAF	0.16	0.13	0.20	Combined scenarios	0.14	0.11	0.17
Both Sexes	CAF	0.16	0.13	0.20	Direct Smoking	0.15	0.12	0.19
Both Sexes	CAF	0.16	0.13	0.20	Fasting plasma glucose	0.15	0.12	0.19
Both Sexes	CAF	0.16	0.13	0.20	Second hand smoke	0.15	0.12	0.19
Both Sexes	CAF	0.16	0.13	0.20	Systolic blood pressure	0.14	0.11	0.18
Men	CAN	0.05	0.04	0.05	BMI	0.03	0.03	0.03
Men	CAN	0.05	0.04	0.05	Baseline scenario	0.03	0.03	0.04
Men	CAN	0.05	0.04	0.05	Combined scenarios	0.03	0.03	0.04
Men	CAN	0.05	0.04	0.05	Direct Smoking	0.03	0.03	0.04
Men	CAN	0.05	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Men	CAN	0.05	0.04	0.05	Second hand smoke	0.03	0.03	0.04
Men	CAN	0.05	0.04	0.05	Systolic blood pressure	0.03	0.03	0.04
Women	CAN	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	CAN	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	CAN	0.02	0.02	0.03	Combined scenarios	0.02	0.01	0.02

Women	CAN	0.02	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	CAN	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	CAN	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	CAN	0.02	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	CAN	0.03	0.03	0.04	BMI	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	CAN	0.03	0.03	0.04	Systolic blood pressure	0.03	0.02	0.03
Men	CHE	0.04	0.03	0.04	BMI	0.02	0.02	0.02
Men	CHE	0.04	0.03	0.04	Baseline scenario	0.02	0.02	0.02
Men	CHE	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Men	CHE	0.04	0.03	0.04	Direct Smoking	0.02	0.02	0.02
Men	CHE	0.04	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.02
Men	CHE	0.04	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Men	CHE	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Women	CHE	0.01	0.01	0.02	BMI	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Baseline scenario	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Combined scenarios	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Direct Smoking	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Fasting plasma glucose	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Second hand smoke	0.01	0.01	0.01
Women	CHE	0.01	0.01	0.02	Systolic blood pressure	0.01	0.01	0.01

Both Sexes	CHE	0.03	0.02	0.03	BMI	0.02	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Both Sexes	CHE	0.03	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Men	CHL	0.07	0.06	0.07	BMI	0.05	0.04	0.06
Men	CHL	0.07	0.06	0.07	Baseline scenario	0.05	0.04	0.06
Men	CHL	0.07	0.06	0.07	Combined scenarios	0.04	0.03	0.05
Men	CHL	0.07	0.06	0.07	Direct Smoking	0.05	0.04	0.05
Men	CHL	0.07	0.06	0.07	Fasting plasma glucose	0.05	0.04	0.06
Men	CHL	0.07	0.06	0.07	Second hand smoke	0.05	0.04	0.06
Men	CHL	0.07	0.06	0.07	Systolic blood pressure	0.04	0.04	0.05
Women	CHL	0.03	0.03	0.04	BMI	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Women	CHL	0.03	0.03	0.04	Systolic blood pressure	0.02	0.02	0.03
Both Sexes	CHL	0.05	0.04	0.05	BMI	0.04	0.03	0.04
Both Sexes	CHL	0.05	0.04	0.05	Baseline scenario	0.04	0.03	0.04
Both Sexes	CHL	0.05	0.04	0.05	Combined scenarios	0.03	0.03	0.03
Both Sexes	CHL	0.05	0.04	0.05	Direct Smoking	0.03	0.03	0.04
Both Sexes	CHL	0.05	0.04	0.05	Fasting plasma glucose	0.04	0.03	0.04

Both Sexes	CHL	0.05	0.04	0.05	Second hand smoke	0.04	0.03	0.04
Both Sexes	CHL	0.05	0.04	0.05	Systolic blood pressure	0.03	0.03	0.04
Men	CHN	0.11	0.09	0.12	BMI	0.11	0.09	0.12
Men	CHN	0.11	0.09	0.12	Baseline scenario	0.11	0.09	0.12
Men	CHN	0.11	0.09	0.12	Combined scenarios	0.05	0.04	0.06
Men	CHN	0.11	0.09	0.12	Direct Smoking	0.10	0.08	0.11
Men	CHN	0.11	0.09	0.12	Fasting plasma glucose	0.11	0.09	0.12
Men	CHN	0.11	0.09	0.12	Second hand smoke	0.11	0.09	0.12
Men	CHN	0.11	0.09	0.12	Systolic blood pressure	0.06	0.05	0.07
Women	CHN	0.06	0.05	0.07	BMI	0.05	0.04	0.06
Women	CHN	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.06
Women	CHN	0.06	0.05	0.07	Combined scenarios	0.03	0.02	0.03
Women	CHN	0.06	0.05	0.07	Direct Smoking	0.05	0.04	0.06
Women	CHN	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	CHN	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.06
Women	CHN	0.06	0.05	0.07	Systolic blood pressure	0.03	0.02	0.03
Both Sexes	CHN	0.09	0.07	0.10	BMI	0.08	0.07	0.09
Both Sexes	CHN	0.09	0.07	0.10	Baseline scenario	0.08	0.07	0.09
Both Sexes	CHN	0.09	0.07	0.10	Combined scenarios	0.04	0.03	0.05
Both Sexes	CHN	0.09	0.07	0.10	Direct Smoking	0.08	0.07	0.09
Both Sexes	CHN	0.09	0.07	0.10	Fasting plasma glucose	0.08	0.07	0.09
Both Sexes	CHN	0.09	0.07	0.10	Second hand smoke	0.08	0.07	0.09
Both Sexes	CHN	0.09	0.07	0.10	Systolic blood pressure	0.04	0.04	0.05
Men	CIV	0.16	0.13	0.19	BMI	0.16	0.13	0.20
Men	CIV	0.16	0.13	0.19	Baseline scenario	0.17	0.14	0.21
Men	CIV	0.16	0.13	0.19	Combined scenarios	0.12	0.10	0.16

Men	CIV	0.16	0.13	0.19	Direct Smoking	0.16	0.13	0.20
Men	CIV	0.16	0.13	0.19	Fasting plasma glucose	0.17	0.14	0.21
Men	CIV	0.16	0.13	0.19	Second hand smoke	0.17	0.14	0.21
Men	CIV	0.16	0.13	0.19	Systolic blood pressure	0.14	0.11	0.18
Women	CIV	0.12	0.09	0.16	BMI	0.12	0.09	0.16
Women	CIV	0.12	0.09	0.16	Baseline scenario	0.14	0.10	0.18
Women	CIV	0.12	0.09	0.16	Combined scenarios	0.10	0.07	0.14
Women	CIV	0.12	0.09	0.16	Direct Smoking	0.14	0.10	0.18
Women	CIV	0.12	0.09	0.16	Fasting plasma glucose	0.14	0.10	0.18
Women	CIV	0.12	0.09	0.16	Second hand smoke	0.14	0.10	0.18
Women	CIV	0.12	0.09	0.16	Systolic blood pressure	0.12	0.08	0.16
Both Sexes	CIV	0.14	0.12	0.17	BMI	0.14	0.12	0.17
Both Sexes	CIV	0.14	0.12	0.17	Baseline scenario	0.16	0.13	0.19
Both Sexes	CIV	0.14	0.12	0.17	Combined scenarios	0.11	0.09	0.14
Both Sexes	CIV	0.14	0.12	0.17	Direct Smoking	0.15	0.13	0.18
Both Sexes	CIV	0.14	0.12	0.17	Fasting plasma glucose	0.16	0.13	0.19
Both Sexes	CIV	0.14	0.12	0.17	Second hand smoke	0.16	0.13	0.19
Both Sexes	CIV	0.14	0.12	0.17	Systolic blood pressure	0.13	0.11	0.16
Men	CMR	0.14	0.11	0.17	BMI	0.15	0.13	0.19
Men	CMR	0.14	0.11	0.17	Baseline scenario	0.16	0.13	0.20
Men	CMR	0.14	0.11	0.17	Combined scenarios	0.12	0.10	0.16
Men	CMR	0.14	0.11	0.17	Direct Smoking	0.15	0.13	0.19
Men	CMR	0.14	0.11	0.17	Fasting plasma glucose	0.16	0.13	0.20
Men	CMR	0.14	0.11	0.17	Second hand smoke	0.16	0.13	0.20
Men	CMR	0.14	0.11	0.17	Systolic blood pressure	0.14	0.12	0.17

Women	CMR	0.11	0.07	0.15	BMI	0.11	0.07	0.14
Women	CMR	0.11	0.07	0.15	Baseline scenario	0.11	0.07	0.15
Women	CMR	0.11	0.07	0.15	Combined scenarios	0.09	0.06	0.12
Women	CMR	0.11	0.07	0.15	Direct Smoking	0.11	0.07	0.15
Women	CMR	0.11	0.07	0.15	Fasting plasma glucose	0.11	0.07	0.15
Women	CMR	0.11	0.07	0.15	Second hand smoke	0.11	0.07	0.15
Women	CMR	0.11	0.07	0.15	Systolic blood pressure	0.10	0.06	0.13
Both Sexes	CMR	0.12	0.10	0.15	BMI	0.13	0.10	0.15
Both Sexes	CMR	0.12	0.10	0.15	Baseline scenario	0.14	0.11	0.17
Both Sexes	CMR	0.12	0.10	0.15	Combined scenarios	0.11	0.09	0.13
Both Sexes	CMR	0.12	0.10	0.15	Direct Smoking	0.13	0.11	0.16
Both Sexes	CMR	0.12	0.10	0.15	Fasting plasma glucose	0.13	0.11	0.16
Both Sexes	CMR	0.12	0.10	0.15	Second hand smoke	0.14	0.11	0.17
Both Sexes	CMR	0.12	0.10	0.15	Systolic blood pressure	0.12	0.10	0.14
Men	COD	0.17	0.13	0.21	BMI	0.19	0.15	0.23
Men	COD	0.17	0.13	0.21	Baseline scenario	0.19	0.15	0.24
Men	COD	0.17	0.13	0.21	Combined scenarios	0.19	0.15	0.24
Men	COD	0.17	0.13	0.21	Direct Smoking	0.18	0.14	0.23
Men	COD	0.17	0.13	0.21	Fasting plasma glucose	0.19	0.15	0.24
Men	COD	0.17	0.13	0.21	Second hand smoke	0.19	0.15	0.24
Men	COD	0.17	0.13	0.21	Systolic blood pressure	0.20	0.16	0.25
Women	COD	0.14	0.10	0.18	BMI	0.13	0.10	0.17
Women	COD	0.14	0.10	0.18	Baseline scenario	0.13	0.10	0.17
Women	COD	0.14	0.10	0.18	Combined scenarios	0.13	0.10	0.17
Women	COD	0.14	0.10	0.18	Direct Smoking	0.13	0.10	0.17
Women	COD	0.14	0.10	0.18	Fasting plasma glucose	0.13	0.10	0.17

Women	COD	0.14	0.10	0.18	Second hand smoke	0.13	0.10	0.17
Women	COD	0.14	0.10	0.18	Systolic blood pressure	0.13	0.10	0.18
Both Sexes	COD	0.15	0.13	0.18	BMI	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Baseline scenario	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Combined scenarios	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Direct Smoking	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Fasting plasma glucose	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Second hand smoke	0.16	0.13	0.19
Both Sexes	COD	0.15	0.13	0.18	Systolic blood pressure	0.17	0.14	0.20
Men	COG	0.19	0.15	0.24	BMI	0.18	0.13	0.22
Men	COG	0.19	0.15	0.24	Baseline scenario	0.17	0.13	0.21
Men	COG	0.19	0.15	0.24	Combined scenarios	0.14	0.11	0.18
Men	COG	0.19	0.15	0.24	Direct Smoking	0.17	0.13	0.20
Men	COG	0.19	0.15	0.24	Fasting plasma glucose	0.18	0.13	0.21
Men	COG	0.19	0.15	0.24	Second hand smoke	0.17	0.13	0.21
Men	COG	0.19	0.15	0.24	Systolic blood pressure	0.15	0.11	0.18
Women	COG	0.15	0.11	0.18	BMI	0.13	0.10	0.16
Women	COG	0.15	0.11	0.18	Baseline scenario	0.13	0.10	0.16
Women	COG	0.15	0.11	0.18	Combined scenarios	0.10	0.07	0.13
Women	COG	0.15	0.11	0.18	Direct Smoking	0.13	0.10	0.16
Women	COG	0.15	0.11	0.18	Fasting plasma glucose	0.13	0.10	0.16
Women	COG	0.15	0.11	0.18	Second hand smoke	0.13	0.10	0.16
Women	COG	0.15	0.11	0.18	Systolic blood pressure	0.10	0.07	0.13
Both Sexes	COG	0.17	0.14	0.20	BMI	0.15	0.13	0.18
Both Sexes	COG	0.17	0.14	0.20	Baseline scenario	0.15	0.13	0.18
Both Sexes	COG	0.17	0.14	0.20	Combined scenarios	0.12	0.10	0.15

Both Sexes	COG	0.17	0.14	0.20	Direct Smoking	0.15	0.12	0.17
Both Sexes	COG	0.17	0.14	0.20	Fasting plasma glucose	0.15	0.13	0.18
Both Sexes	COG	0.17	0.14	0.20	Second hand smoke	0.15	0.13	0.18
Both Sexes	COG	0.17	0.14	0.20	Systolic blood pressure	0.12	0.10	0.15
Men	COL	0.09	0.07	0.11	BMI	0.07	0.06	0.08
Men	COL	0.09	0.07	0.11	Baseline scenario	0.07	0.06	0.09
Men	COL	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.07
Men	COL	0.09	0.07	0.11	Direct Smoking	0.07	0.06	0.08
Men	COL	0.09	0.07	0.11	Fasting plasma glucose	0.07	0.06	0.09
Men	COL	0.09	0.07	0.11	Second hand smoke	0.07	0.06	0.09
Men	COL	0.09	0.07	0.11	Systolic blood pressure	0.06	0.05	0.07
Women	COL	0.05	0.04	0.07	BMI	0.04	0.03	0.05
Women	COL	0.05	0.04	0.07	Baseline scenario	0.04	0.03	0.05
Women	COL	0.05	0.04	0.07	Combined scenarios	0.04	0.03	0.04
Women	COL	0.05	0.04	0.07	Direct Smoking	0.04	0.03	0.05
Women	COL	0.05	0.04	0.07	Fasting plasma glucose	0.04	0.03	0.05
Women	COL	0.05	0.04	0.07	Second hand smoke	0.04	0.03	0.05
Women	COL	0.05	0.04	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	COL	0.07	0.06	0.08	BMI	0.05	0.04	0.06
Both Sexes	COL	0.07	0.06	0.08	Baseline scenario	0.06	0.05	0.06
Both Sexes	COL	0.07	0.06	0.08	Combined scenarios	0.05	0.04	0.05
Both Sexes	COL	0.07	0.06	0.08	Direct Smoking	0.05	0.05	0.06
Both Sexes	COL	0.07	0.06	0.08	Fasting plasma glucose	0.06	0.05	0.07
Both Sexes	COL	0.07	0.06	0.08	Second hand smoke	0.06	0.05	0.06
Both Sexes	COL	0.07	0.06	0.08	Systolic blood pressure	0.05	0.04	0.06

Men	COM	0.19	0.12	0.26	BMI	0.17	0.11	0.24
Men	COM	0.19	0.12	0.26	Baseline scenario	0.17	0.11	0.24
Men	COM	0.19	0.12	0.26	Combined scenarios	0.15	0.10	0.21
Men	COM	0.19	0.12	0.26	Direct Smoking	0.16	0.11	0.23
Men	COM	0.19	0.12	0.26	Fasting plasma glucose	0.17	0.11	0.24
Men	COM	0.19	0.12	0.26	Second hand smoke	0.17	0.11	0.24
Men	COM	0.19	0.12	0.26	Systolic blood pressure	0.16	0.10	0.22
Women	COM	0.15	0.09	0.21	BMI	0.13	0.08	0.18
Women	COM	0.15	0.09	0.21	Baseline scenario	0.14	0.09	0.20
Women	COM	0.15	0.09	0.21	Combined scenarios	0.11	0.07	0.16
Women	COM	0.15	0.09	0.21	Direct Smoking	0.14	0.09	0.20
Women	COM	0.15	0.09	0.21	Fasting plasma glucose	0.14	0.09	0.20
Women	COM	0.15	0.09	0.21	Second hand smoke	0.14	0.09	0.20
Women	COM	0.15	0.09	0.21	Systolic blood pressure	0.12	0.07	0.18
Both Sexes	COM	0.17	0.12	0.21	BMI	0.15	0.11	0.19
Both Sexes	COM	0.17	0.12	0.21	Baseline scenario	0.16	0.12	0.20
Both Sexes	COM	0.17	0.12	0.21	Combined scenarios	0.13	0.10	0.17
Both Sexes	COM	0.17	0.12	0.21	Direct Smoking	0.15	0.11	0.19
Both Sexes	COM	0.17	0.12	0.21	Fasting plasma glucose	0.16	0.12	0.20
Both Sexes	COM	0.17	0.12	0.21	Second hand smoke	0.16	0.12	0.20
Both Sexes	COM	0.17	0.12	0.21	Systolic blood pressure	0.14	0.10	0.18
Men	CPV	0.14	0.09	0.20	BMI	0.13	0.09	0.19
Men	CPV	0.14	0.09	0.20	Baseline scenario	0.14	0.09	0.19
Men	CPV	0.14	0.09	0.20	Combined scenarios	0.10	0.06	0.14
Men	CPV	0.14	0.09	0.20	Direct Smoking	0.13	0.09	0.18
Men	CPV	0.14	0.09	0.20	Fasting plasma glucose	0.14	0.09	0.19

Men	CPV	0.14	0.09	0.20	Second hand smoke	0.14	0.09	0.19
Men	CPV	0.14	0.09	0.20	Systolic blood pressure	0.11	0.07	0.15
Women	CPV	0.05	0.03	0.09	BMI	0.04	0.02	0.06
Women	CPV	0.05	0.03	0.09	Baseline scenario	0.04	0.03	0.06
Women	CPV	0.05	0.03	0.09	Combined scenarios	0.03	0.02	0.05
Women	CPV	0.05	0.03	0.09	Direct Smoking	0.04	0.02	0.06
Women	CPV	0.05	0.03	0.09	Fasting plasma glucose	0.04	0.03	0.06
Women	CPV	0.05	0.03	0.09	Second hand smoke	0.04	0.03	0.06
Women	CPV	0.05	0.03	0.09	Systolic blood pressure	0.03	0.02	0.05
Both Sexes	CPV	0.09	0.06	0.12	BMI	0.08	0.06	0.11
Both Sexes	CPV	0.09	0.06	0.12	Baseline scenario	0.09	0.06	0.12
Both Sexes	CPV	0.09	0.06	0.12	Combined scenarios	0.06	0.04	0.09
Both Sexes	CPV	0.09	0.06	0.12	Direct Smoking	0.08	0.06	0.11
Both Sexes	CPV	0.09	0.06	0.12	Fasting plasma glucose	0.09	0.06	0.12
Both Sexes	CPV	0.09	0.06	0.12	Second hand smoke	0.09	0.06	0.12
Both Sexes	CPV	0.09	0.06	0.12	Systolic blood pressure	0.07	0.05	0.09
Men	CRI	0.06	0.06	0.07	BMI	0.05	0.05	0.06
Men	CRI	0.06	0.06	0.07	Baseline scenario	0.05	0.05	0.06
Men	CRI	0.06	0.06	0.07	Combined scenarios	0.04	0.04	0.05
Men	CRI	0.06	0.06	0.07	Direct Smoking	0.05	0.05	0.05
Men	CRI	0.06	0.06	0.07	Fasting plasma glucose	0.05	0.05	0.06
Men	CRI	0.06	0.06	0.07	Second hand smoke	0.05	0.05	0.06
Men	CRI	0.06	0.06	0.07	Systolic blood pressure	0.05	0.04	0.05
Women	CRI	0.03	0.03	0.04	BMI	0.03	0.02	0.03
Women	CRI	0.03	0.03	0.04	Baseline scenario	0.03	0.02	0.03
Women	CRI	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.03

Women	CRI	0.03	0.03	0.04	Direct Smoking	0.03	0.02	0.03
Women	CRI	0.03	0.03	0.04	Fasting plasma glucose	0.03	0.02	0.03
Women	CRI	0.03	0.03	0.04	Second hand smoke	0.03	0.02	0.03
Women	CRI	0.03	0.03	0.04	Systolic blood pressure	0.03	0.02	0.03
Both Sexes	CRI	0.05	0.04	0.05	BMI	0.04	0.04	0.04
Both Sexes	CRI	0.05	0.04	0.05	Baseline scenario	0.04	0.04	0.04
Both Sexes	CRI	0.05	0.04	0.05	Combined scenarios	0.03	0.03	0.04
Both Sexes	CRI	0.05	0.04	0.05	Direct Smoking	0.04	0.04	0.04
Both Sexes	CRI	0.05	0.04	0.05	Fasting plasma glucose	0.04	0.04	0.04
Both Sexes	CRI	0.05	0.04	0.05	Second hand smoke	0.04	0.04	0.04
Both Sexes	CRI	0.05	0.04	0.05	Systolic blood pressure	0.04	0.03	0.04
Men	CUB	0.09	0.09	0.10	BMI	0.08	0.07	0.09
Men	CUB	0.09	0.09	0.10	Baseline scenario	0.08	0.07	0.09
Men	CUB	0.09	0.09	0.10	Combined scenarios	0.07	0.06	0.07
Men	CUB	0.09	0.09	0.10	Direct Smoking	0.08	0.07	0.09
Men	CUB	0.09	0.09	0.10	Fasting plasma glucose	0.08	0.07	0.09
Men	CUB	0.09	0.09	0.10	Second hand smoke	0.08	0.07	0.09
Men	CUB	0.09	0.09	0.10	Systolic blood pressure	0.07	0.06	0.08
Women	CUB	0.06	0.05	0.07	BMI	0.05	0.04	0.05
Women	CUB	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.05
Women	CUB	0.06	0.05	0.07	Combined scenarios	0.04	0.03	0.04
Women	CUB	0.06	0.05	0.07	Direct Smoking	0.04	0.04	0.05
Women	CUB	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.05
Women	CUB	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.05
Women	CUB	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.05

Both Sexes	CUB	0.08	0.07	0.08	BMI	0.06	0.06	0.07
Both Sexes	CUB	0.08	0.07	0.08	Baseline scenario	0.06	0.06	0.07
Both Sexes	CUB	0.08	0.07	0.08	Combined scenarios	0.05	0.05	0.06
Both Sexes	CUB	0.08	0.07	0.08	Direct Smoking	0.06	0.06	0.07
Both Sexes	CUB	0.08	0.07	0.08	Fasting plasma glucose	0.06	0.06	0.07
Both Sexes	CUB	0.08	0.07	0.08	Second hand smoke	0.06	0.06	0.07
Both Sexes	CUB	0.08	0.07	0.08	Systolic blood pressure	0.06	0.05	0.06
Men	CYP	0.06	0.06	0.07	BMI	0.04	0.04	0.05
Men	CYP	0.06	0.06	0.07	Baseline scenario	0.04	0.04	0.05
Men	CYP	0.06	0.06	0.07	Combined scenarios	0.03	0.03	0.04
Men	CYP	0.06	0.06	0.07	Direct Smoking	0.04	0.03	0.05
Men	CYP	0.06	0.06	0.07	Fasting plasma glucose	0.04	0.04	0.05
Men	CYP	0.06	0.06	0.07	Second hand smoke	0.04	0.04	0.05
Men	CYP	0.06	0.06	0.07	Systolic blood pressure	0.04	0.03	0.05
Women	CYP	0.02	0.02	0.03	BMI	0.01	0.01	0.02
Women	CYP	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.02
Women	CYP	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.01
Women	CYP	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	CYP	0.02	0.02	0.03	Fasting plasma glucose	0.01	0.01	0.02
Women	CYP	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.02
Women	CYP	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	CYP	0.04	0.04	0.05	BMI	0.03	0.03	0.03
Both Sexes	CYP	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Both Sexes	CYP	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	CYP	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	CYP	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03

Both Sexes	CYP	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Both Sexes	CYP	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Men	CZE	0.10	0.10	0.11	BMI	0.06	0.06	0.07
Men	CZE	0.10	0.10	0.11	Baseline scenario	0.06	0.06	0.07
Men	CZE	0.10	0.10	0.11	Combined scenarios	0.05	0.05	0.06
Men	CZE	0.10	0.10	0.11	Direct Smoking	0.06	0.05	0.06
Men	CZE	0.10	0.10	0.11	Fasting plasma glucose	0.06	0.06	0.07
Men	CZE	0.10	0.10	0.11	Second hand smoke	0.06	0.06	0.07
Men	CZE	0.10	0.10	0.11	Systolic blood pressure	0.06	0.06	0.07
Women	CZE	0.04	0.04	0.05	BMI	0.03	0.03	0.03
Women	CZE	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Women	CZE	0.04	0.04	0.05	Combined scenarios	0.03	0.02	0.03
Women	CZE	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Women	CZE	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Women	CZE	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Women	CZE	0.04	0.04	0.05	Systolic blood pressure	0.03	0.03	0.04
Both Sexes	CZE	0.07	0.07	0.08	BMI	0.05	0.04	0.05
Both Sexes	CZE	0.07	0.07	0.08	Baseline scenario	0.05	0.04	0.05
Both Sexes	CZE	0.07	0.07	0.08	Combined scenarios	0.04	0.04	0.04
Both Sexes	CZE	0.07	0.07	0.08	Direct Smoking	0.04	0.04	0.05
Both Sexes	CZE	0.07	0.07	0.08	Fasting plasma glucose	0.05	0.04	0.05
Both Sexes	CZE	0.07	0.07	0.08	Second hand smoke	0.05	0.04	0.05
Both Sexes	CZE	0.07	0.07	0.08	Systolic blood pressure	0.05	0.04	0.05
Men	DEU	0.06	0.06	0.06	BMI	0.04	0.04	0.04
Men	DEU	0.06	0.06	0.06	Baseline scenario	0.04	0.04	0.04
Men	DEU	0.06	0.06	0.06	Combined scenarios	0.03	0.03	0.04

Men	DEU	0.06	0.06	0.06	Direct Smoking	0.04	0.04	0.04
Men	DEU	0.06	0.06	0.06	Fasting plasma glucose	0.04	0.04	0.04
Men	DEU	0.06	0.06	0.06	Second hand smoke	0.04	0.04	0.04
Men	DEU	0.06	0.06	0.06	Systolic blood pressure	0.03	0.03	0.04
Women	DEU	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	DEU	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	DEU	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	DEU	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	DEU	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	DEU	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	DEU	0.02	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	DEU	0.04	0.04	0.05	BMI	0.03	0.03	0.03
Both Sexes	DEU	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Both Sexes	DEU	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	DEU	0.04	0.04	0.05	Direct Smoking	0.03	0.03	0.03
Both Sexes	DEU	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Both Sexes	DEU	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Both Sexes	DEU	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Men	DJI	0.15	0.11	0.23	BMI	0.14	0.10	0.22
Men	DJI	0.15	0.11	0.23	Baseline scenario	0.15	0.11	0.23
Men	DJI	0.15	0.11	0.23	Combined scenarios	0.11	0.08	0.18
Men	DJI	0.15	0.11	0.23	Direct Smoking	0.13	0.10	0.21
Men	DJI	0.15	0.11	0.23	Fasting plasma glucose	0.15	0.11	0.23
Men	DJI	0.15	0.11	0.23	Second hand smoke	0.15	0.11	0.23
Men	DJI	0.15	0.11	0.23	Systolic blood pressure	0.13	0.09	0.21

Women	DJI	0.14	0.09	0.21	BMI	0.12	0.08	0.18
Women	DJI	0.14	0.09	0.21	Baseline scenario	0.13	0.08	0.20
Women	DJI	0.14	0.09	0.21	Combined scenarios	0.10	0.06	0.15
Women	DJI	0.14	0.09	0.21	Direct Smoking	0.12	0.08	0.19
Women	DJI	0.14	0.09	0.21	Fasting plasma glucose	0.13	0.08	0.20
Women	DJI	0.14	0.09	0.21	Second hand smoke	0.13	0.08	0.20
Women	DJI	0.14	0.09	0.21	Systolic blood pressure	0.11	0.07	0.17
Both Sexes	DJI	0.14	0.10	0.22	BMI	0.13	0.09	0.20
Both Sexes	DJI	0.14	0.10	0.22	Baseline scenario	0.14	0.10	0.21
Both Sexes	DJI	0.14	0.10	0.22	Combined scenarios	0.10	0.07	0.16
Both Sexes	DJI	0.14	0.10	0.22	Direct Smoking	0.13	0.09	0.20
Both Sexes	DJI	0.14	0.10	0.22	Fasting plasma glucose	0.14	0.10	0.21
Both Sexes	DJI	0.14	0.10	0.22	Second hand smoke	0.14	0.10	0.21
Both Sexes	DJI	0.14	0.10	0.22	Systolic blood pressure	0.12	0.08	0.19
Men	DNK	0.05	0.05	0.06	BMI	0.03	0.03	0.04
Men	DNK	0.05	0.05	0.06	Baseline scenario	0.03	0.03	0.04
Men	DNK	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.03
Men	DNK	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.04
Men	DNK	0.05	0.05	0.06	Fasting plasma glucose	0.03	0.03	0.04
Men	DNK	0.05	0.05	0.06	Second hand smoke	0.03	0.03	0.04
Men	DNK	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.03
Women	DNK	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	DNK	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	DNK	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	DNK	0.02	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	DNK	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02

Women	DNK	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	DNK	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	DNK	0.04	0.04	0.04	BMI	0.02	0.02	0.03
Both Sexes	DNK	0.04	0.04	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	DNK	0.04	0.04	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	DNK	0.04	0.04	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	DNK	0.04	0.04	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	DNK	0.04	0.04	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	DNK	0.04	0.04	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	DOM	0.14	0.11	0.18	BMI	0.15	0.12	0.20
Men	DOM	0.14	0.11	0.18	Baseline scenario	0.16	0.12	0.21
Men	DOM	0.14	0.11	0.18	Combined scenarios	0.13	0.10	0.17
Men	DOM	0.14	0.11	0.18	Direct Smoking	0.15	0.12	0.20
Men	DOM	0.14	0.11	0.18	Fasting plasma glucose	0.16	0.12	0.21
Men	DOM	0.14	0.11	0.18	Second hand smoke	0.16	0.12	0.21
Men	DOM	0.14	0.11	0.18	Systolic blood pressure	0.14	0.11	0.19
Women	DOM	0.09	0.07	0.12	BMI	0.09	0.07	0.12
Women	DOM	0.09	0.07	0.12	Baseline scenario	0.09	0.07	0.12
Women	DOM	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.10
Women	DOM	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.11
Women	DOM	0.09	0.07	0.12	Fasting plasma glucose	0.09	0.07	0.12
Women	DOM	0.09	0.07	0.12	Second hand smoke	0.09	0.07	0.12
Women	DOM	0.09	0.07	0.12	Systolic blood pressure	0.08	0.06	0.11
Both Sexes	DOM	0.11	0.09	0.14	BMI	0.12	0.10	0.15
Both Sexes	DOM	0.11	0.09	0.14	Baseline scenario	0.12	0.10	0.16
Both Sexes	DOM	0.11	0.09	0.14	Combined scenarios	0.10	0.08	0.13

Both Sexes	DOM	0.11	0.09	0.14	Direct Smoking	0.12	0.09	0.15
Both Sexes	DOM	0.11	0.09	0.14	Fasting plasma glucose	0.12	0.10	0.16
Both Sexes	DOM	0.11	0.09	0.14	Second hand smoke	0.12	0.10	0.16
Both Sexes	DOM	0.11	0.09	0.14	Systolic blood pressure	0.11	0.09	0.14
Men	DZA	0.10	0.08	0.11	BMI	0.08	0.07	0.10
Men	DZA	0.10	0.08	0.11	Baseline scenario	0.09	0.07	0.10
Men	DZA	0.10	0.08	0.11	Combined scenarios	0.08	0.06	0.09
Men	DZA	0.10	0.08	0.11	Direct Smoking	0.08	0.07	0.10
Men	DZA	0.10	0.08	0.11	Fasting plasma glucose	0.09	0.07	0.10
Men	DZA	0.10	0.08	0.11	Second hand smoke	0.09	0.07	0.10
Men	DZA	0.10	0.08	0.11	Systolic blood pressure	0.08	0.07	0.09
Women	DZA	0.09	0.07	0.11	BMI	0.08	0.06	0.09
Women	DZA	0.09	0.07	0.11	Baseline scenario	0.08	0.07	0.10
Women	DZA	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.08
Women	DZA	0.09	0.07	0.11	Direct Smoking	0.08	0.07	0.10
Women	DZA	0.09	0.07	0.11	Fasting plasma glucose	0.08	0.07	0.10
Women	DZA	0.09	0.07	0.11	Second hand smoke	0.08	0.07	0.10
Women	DZA	0.09	0.07	0.11	Systolic blood pressure	0.07	0.05	0.08
Both Sexes	DZA	0.09	0.08	0.11	BMI	0.08	0.07	0.09
Both Sexes	DZA	0.09	0.08	0.11	Baseline scenario	0.08	0.07	0.09
Both Sexes	DZA	0.09	0.08	0.11	Combined scenarios	0.07	0.06	0.08
Both Sexes	DZA	0.09	0.08	0.11	Direct Smoking	0.08	0.07	0.09
Both Sexes	DZA	0.09	0.08	0.11	Fasting plasma glucose	0.08	0.07	0.09
Both Sexes	DZA	0.09	0.08	0.11	Second hand smoke	0.08	0.07	0.09
Both Sexes	DZA	0.09	0.08	0.11	Systolic blood pressure	0.07	0.06	0.08

Men	ECU	0.07	0.06	0.09	BMI	0.07	0.06	0.09
Men	ECU	0.07	0.06	0.09	Baseline scenario	0.07	0.06	0.09
Men	ECU	0.07	0.06	0.09	Combined scenarios	0.06	0.05	0.08
Men	ECU	0.07	0.06	0.09	Direct Smoking	0.07	0.06	0.09
Men	ECU	0.07	0.06	0.09	Fasting plasma glucose	0.07	0.06	0.09
Men	ECU	0.07	0.06	0.09	Second hand smoke	0.07	0.06	0.09
Men	ECU	0.07	0.06	0.09	Systolic blood pressure	0.06	0.05	0.08
Women	ECU	0.05	0.03	0.06	BMI	0.04	0.03	0.05
Women	ECU	0.05	0.03	0.06	Baseline scenario	0.04	0.03	0.06
Women	ECU	0.05	0.03	0.06	Combined scenarios	0.04	0.03	0.05
Women	ECU	0.05	0.03	0.06	Direct Smoking	0.04	0.03	0.05
Women	ECU	0.05	0.03	0.06	Fasting plasma glucose	0.04	0.03	0.06
Women	ECU	0.05	0.03	0.06	Second hand smoke	0.04	0.03	0.06
Women	ECU	0.05	0.03	0.06	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	ECU	0.06	0.05	0.07	BMI	0.05	0.05	0.06
Both Sexes	ECU	0.06	0.05	0.07	Baseline scenario	0.06	0.05	0.07
Both Sexes	ECU	0.06	0.05	0.07	Combined scenarios	0.05	0.04	0.06
Both Sexes	ECU	0.06	0.05	0.07	Direct Smoking	0.05	0.05	0.06
Both Sexes	ECU	0.06	0.05	0.07	Fasting plasma glucose	0.06	0.05	0.07
Both Sexes	ECU	0.06	0.05	0.07	Second hand smoke	0.06	0.05	0.07
Both Sexes	ECU	0.06	0.05	0.07	Systolic blood pressure	0.05	0.04	0.06
Men	EGY	0.20	0.17	0.22	BMI	0.18	0.16	0.21
Men	EGY	0.20	0.17	0.22	Baseline scenario	0.19	0.17	0.21
Men	EGY	0.20	0.17	0.22	Combined scenarios	0.16	0.14	0.19
Men	EGY	0.20	0.17	0.22	Direct Smoking	0.17	0.15	0.19
Men	EGY	0.20	0.17	0.22	Fasting plasma glucose	0.19	0.17	0.22

Men	EGY	0.20	0.17	0.22	Second hand smoke	0.19	0.17	0.21
Men	EGY	0.20	0.17	0.22	Systolic blood pressure	0.18	0.15	0.20
Women	EGY	0.14	0.12	0.16	BMI	0.12	0.11	0.14
Women	EGY	0.14	0.12	0.16	Baseline scenario	0.13	0.11	0.15
Women	EGY	0.14	0.12	0.16	Combined scenarios	0.11	0.10	0.13
Women	EGY	0.14	0.12	0.16	Direct Smoking	0.13	0.11	0.15
Women	EGY	0.14	0.12	0.16	Fasting plasma glucose	0.13	0.11	0.15
Women	EGY	0.14	0.12	0.16	Second hand smoke	0.13	0.11	0.15
Women	EGY	0.14	0.12	0.16	Systolic blood pressure	0.12	0.10	0.14
Both Sexes	EGY	0.17	0.15	0.18	BMI	0.15	0.14	0.17
Both Sexes	EGY	0.17	0.15	0.18	Baseline scenario	0.16	0.14	0.17
Both Sexes	EGY	0.17	0.15	0.18	Combined scenarios	0.14	0.12	0.15
Both Sexes	EGY	0.17	0.15	0.18	Direct Smoking	0.15	0.14	0.16
Both Sexes	EGY	0.17	0.15	0.18	Fasting plasma glucose	0.16	0.15	0.18
Both Sexes	EGY	0.17	0.15	0.18	Second hand smoke	0.16	0.14	0.17
Both Sexes	EGY	0.17	0.15	0.18	Systolic blood pressure	0.15	0.13	0.16
Men	ERI	0.17	0.13	0.22	BMI	0.16	0.12	0.20
Men	ERI	0.17	0.13	0.22	Baseline scenario	0.16	0.12	0.20
Men	ERI	0.17	0.13	0.22	Combined scenarios	0.14	0.10	0.18
Men	ERI	0.17	0.13	0.22	Direct Smoking	0.16	0.11	0.20
Men	ERI	0.17	0.13	0.22	Fasting plasma glucose	0.16	0.12	0.20
Men	ERI	0.17	0.13	0.22	Second hand smoke	0.16	0.12	0.20
Men	ERI	0.17	0.13	0.22	Systolic blood pressure	0.15	0.11	0.18
Women	ERI	0.15	0.11	0.21	BMI	0.14	0.10	0.21
Women	ERI	0.15	0.11	0.21	Baseline scenario	0.14	0.11	0.21
Women	ERI	0.15	0.11	0.21	Combined scenarios	0.13	0.09	0.19

Women	ERI	0.15	0.11	0.21	Direct Smoking	0.14	0.11	0.21
Women	ERI	0.15	0.11	0.21	Fasting plasma glucose	0.14	0.11	0.21
Women	ERI	0.15	0.11	0.21	Second hand smoke	0.14	0.11	0.21
Women	ERI	0.15	0.11	0.21	Systolic blood pressure	0.13	0.10	0.20
Both Sexes	ERI	0.16	0.13	0.20	BMI	0.15	0.12	0.19
Both Sexes	ERI	0.16	0.13	0.20	Baseline scenario	0.15	0.12	0.19
Both Sexes	ERI	0.16	0.13	0.20	Combined scenarios	0.14	0.11	0.17
Both Sexes	ERI	0.16	0.13	0.20	Direct Smoking	0.15	0.12	0.19
Both Sexes	ERI	0.16	0.13	0.20	Fasting plasma glucose	0.15	0.12	0.19
Both Sexes	ERI	0.16	0.13	0.20	Second hand smoke	0.15	0.12	0.19
Both Sexes	ERI	0.16	0.13	0.20	Systolic blood pressure	0.14	0.11	0.18
Men	ESP	0.05	0.04	0.05	BMI	0.03	0.03	0.04
Men	ESP	0.05	0.04	0.05	Baseline scenario	0.03	0.03	0.04
Men	ESP	0.05	0.04	0.05	Combined scenarios	0.03	0.03	0.03
Men	ESP	0.05	0.04	0.05	Direct Smoking	0.03	0.03	0.04
Men	ESP	0.05	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.04
Men	ESP	0.05	0.04	0.05	Second hand smoke	0.03	0.03	0.04
Men	ESP	0.05	0.04	0.05	Systolic blood pressure	0.03	0.03	0.03
Women	ESP	0.02	0.02	0.02	BMI	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Baseline scenario	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Combined scenarios	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Direct Smoking	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Fasting plasma glucose	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Second hand smoke	0.01	0.01	0.02
Women	ESP	0.02	0.02	0.02	Systolic blood pressure	0.01	0.01	0.02

Both Sexes	ESP	0.03	0.03	0.03	BMI	0.02	0.02	0.03
Both Sexes	ESP	0.03	0.03	0.03	Baseline scenario	0.02	0.02	0.03
Both Sexes	ESP	0.03	0.03	0.03	Combined scenarios	0.02	0.02	0.02
Both Sexes	ESP	0.03	0.03	0.03	Direct Smoking	0.02	0.02	0.02
Both Sexes	ESP	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	ESP	0.03	0.03	0.03	Second hand smoke	0.02	0.02	0.03
Both Sexes	ESP	0.03	0.03	0.03	Systolic blood pressure	0.02	0.02	0.02
Men	EST	0.17	0.16	0.18	BMI	0.14	0.13	0.16
Men	EST	0.17	0.16	0.18	Baseline scenario	0.15	0.13	0.16
Men	EST	0.17	0.16	0.18	Combined scenarios	0.11	0.10	0.13
Men	EST	0.17	0.16	0.18	Direct Smoking	0.13	0.12	0.15
Men	EST	0.17	0.16	0.18	Fasting plasma glucose	0.15	0.13	0.16
Men	EST	0.17	0.16	0.18	Second hand smoke	0.15	0.13	0.16
Men	EST	0.17	0.16	0.18	Systolic blood pressure	0.13	0.11	0.14
Women	EST	0.05	0.04	0.06	BMI	0.04	0.04	0.05
Women	EST	0.05	0.04	0.06	Baseline scenario	0.04	0.04	0.05
Women	EST	0.05	0.04	0.06	Combined scenarios	0.03	0.03	0.04
Women	EST	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.04
Women	EST	0.05	0.04	0.06	Fasting plasma glucose	0.04	0.04	0.05
Women	EST	0.05	0.04	0.06	Second hand smoke	0.04	0.04	0.05
Women	EST	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	EST	0.10	0.10	0.11	BMI	0.09	0.08	0.09
Both Sexes	EST	0.10	0.10	0.11	Baseline scenario	0.09	0.08	0.10
Both Sexes	EST	0.10	0.10	0.11	Combined scenarios	0.07	0.06	0.08
Both Sexes	EST	0.10	0.10	0.11	Direct Smoking	0.08	0.07	0.09
Both Sexes	EST	0.10	0.10	0.11	Fasting plasma glucose	0.09	0.08	0.10

Both Sexes	EST	0.10	0.10	0.11	Second hand smoke	0.09	0.08	0.10
Both Sexes	EST	0.10	0.10	0.11	Systolic blood pressure	0.08	0.07	0.09
Men	ETH	0.14	0.12	0.17	BMI	0.13	0.11	0.15
Men	ETH	0.14	0.12	0.17	Baseline scenario	0.13	0.11	0.15
Men	ETH	0.14	0.12	0.17	Combined scenarios	0.08	0.07	0.10
Men	ETH	0.14	0.12	0.17	Direct Smoking	0.12	0.11	0.15
Men	ETH	0.14	0.12	0.17	Fasting plasma glucose	0.13	0.11	0.15
Men	ETH	0.14	0.12	0.17	Second hand smoke	0.13	0.11	0.15
Men	ETH	0.14	0.12	0.17	Systolic blood pressure	0.09	0.07	0.10
Women	ETH	0.13	0.11	0.16	BMI	0.13	0.10	0.15
Women	ETH	0.13	0.11	0.16	Baseline scenario	0.13	0.10	0.16
Women	ETH	0.13	0.11	0.16	Combined scenarios	0.09	0.07	0.11
Women	ETH	0.13	0.11	0.16	Direct Smoking	0.13	0.10	0.15
Women	ETH	0.13	0.11	0.16	Fasting plasma glucose	0.13	0.10	0.16
Women	ETH	0.13	0.11	0.16	Second hand smoke	0.13	0.10	0.16
Women	ETH	0.13	0.11	0.16	Systolic blood pressure	0.09	0.07	0.12
Both Sexes	ETH	0.14	0.12	0.16	BMI	0.13	0.11	0.14
Both Sexes	ETH	0.14	0.12	0.16	Baseline scenario	0.13	0.11	0.15
Both Sexes	ETH	0.14	0.12	0.16	Combined scenarios	0.09	0.08	0.10
Both Sexes	ETH	0.14	0.12	0.16	Direct Smoking	0.13	0.11	0.14
Both Sexes	ETH	0.14	0.12	0.16	Fasting plasma glucose	0.13	0.11	0.15
Both Sexes	ETH	0.14	0.12	0.16	Second hand smoke	0.13	0.11	0.15
Both Sexes	ETH	0.14	0.12	0.16	Systolic blood pressure	0.09	0.08	0.10
Men	FIN	0.08	0.07	0.09	BMI	0.05	0.05	0.06
Men	FIN	0.08	0.07	0.09	Baseline scenario	0.05	0.05	0.06
Men	FIN	0.08	0.07	0.09	Combined scenarios	0.04	0.04	0.05

Men	FIN	0.08	0.07	0.09	Direct Smoking	0.05	0.05	0.06
Men	FIN	0.08	0.07	0.09	Fasting plasma glucose	0.05	0.05	0.06
Men	FIN	0.08	0.07	0.09	Second hand smoke	0.05	0.05	0.06
Men	FIN	0.08	0.07	0.09	Systolic blood pressure	0.05	0.04	0.05
Women	FIN	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	FIN	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	FIN	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	FIN	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	FIN	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	FIN	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	FIN	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	FIN	0.05	0.05	0.06	BMI	0.03	0.03	0.04
Both Sexes	FIN	0.05	0.05	0.06	Baseline scenario	0.03	0.03	0.04
Both Sexes	FIN	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.03
Both Sexes	FIN	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.03
Both Sexes	FIN	0.05	0.05	0.06	Fasting plasma glucose	0.03	0.03	0.04
Both Sexes	FIN	0.05	0.05	0.06	Second hand smoke	0.03	0.03	0.04
Both Sexes	FIN	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.03
Men	FJI	0.26	0.20	0.32	BMI	0.23	0.18	0.28
Men	FJI	0.26	0.20	0.32	Baseline scenario	0.22	0.17	0.28
Men	FJI	0.26	0.20	0.32	Combined scenarios	0.19	0.15	0.24
Men	FJI	0.26	0.20	0.32	Direct Smoking	0.21	0.16	0.26
Men	FJI	0.26	0.20	0.32	Fasting plasma glucose	0.22	0.17	0.27
Men	FJI	0.26	0.20	0.32	Second hand smoke	0.22	0.17	0.28
Men	FJI	0.26	0.20	0.32	Systolic blood pressure	0.20	0.15	0.25

Women	FJI	0.15	0.12	0.20	BMI	0.14	0.11	0.18
Women	FJI	0.15	0.12	0.20	Baseline scenario	0.15	0.12	0.19
Women	FJI	0.15	0.12	0.20	Combined scenarios	0.11	0.09	0.15
Women	FJI	0.15	0.12	0.20	Direct Smoking	0.15	0.12	0.19
Women	FJI	0.15	0.12	0.20	Fasting plasma glucose	0.15	0.11	0.19
Women	FJI	0.15	0.12	0.20	Second hand smoke	0.15	0.12	0.19
Women	FJI	0.15	0.12	0.20	Systolic blood pressure	0.13	0.10	0.17
Both Sexes	FJI	0.21	0.17	0.24	BMI	0.18	0.15	0.21
Both Sexes	FJI	0.21	0.17	0.24	Baseline scenario	0.19	0.16	0.22
Both Sexes	FJI	0.21	0.17	0.24	Combined scenarios	0.15	0.13	0.18
Both Sexes	FJI	0.21	0.17	0.24	Direct Smoking	0.18	0.15	0.21
Both Sexes	FJI	0.21	0.17	0.24	Fasting plasma glucose	0.18	0.15	0.21
Both Sexes	FJI	0.21	0.17	0.24	Second hand smoke	0.19	0.16	0.22
Both Sexes	FJI	0.21	0.17	0.24	Systolic blood pressure	0.16	0.13	0.19
Men	FRA	0.04	0.04	0.05	BMI	0.03	0.03	0.03
Men	FRA	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Men	FRA	0.04	0.04	0.05	Combined scenarios	0.03	0.02	0.03
Men	FRA	0.04	0.04	0.05	Direct Smoking	0.03	0.03	0.03
Men	FRA	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Men	FRA	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Men	FRA	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Women	FRA	0.02	0.01	0.02	BMI	0.01	0.01	0.02
Women	FRA	0.02	0.01	0.02	Baseline scenario	0.01	0.01	0.02
Women	FRA	0.02	0.01	0.02	Combined scenarios	0.01	0.01	0.01
Women	FRA	0.02	0.01	0.02	Direct Smoking	0.01	0.01	0.01
Women	FRA	0.02	0.01	0.02	Fasting plasma glucose	0.01	0.01	0.02

Women	FRA	0.02	0.01	0.02	Second hand smoke	0.01	0.01	0.02
Women	FRA	0.02	0.01	0.02	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	FRA	0.03	0.03	0.03	BMI	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Baseline scenario	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Combined scenarios	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Direct Smoking	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Second hand smoke	0.02	0.02	0.02
Both Sexes	FRA	0.03	0.03	0.03	Systolic blood pressure	0.02	0.02	0.02
Men	FSM	0.28	0.19	0.40	BMI	0.27	0.18	0.39
Men	FSM	0.28	0.19	0.40	Baseline scenario	0.28	0.19	0.40
Men	FSM	0.28	0.19	0.40	Combined scenarios	0.24	0.16	0.35
Men	FSM	0.28	0.19	0.40	Direct Smoking	0.26	0.18	0.38
Men	FSM	0.28	0.19	0.40	Fasting plasma glucose	0.28	0.19	0.40
Men	FSM	0.28	0.19	0.40	Second hand smoke	0.28	0.19	0.40
Men	FSM	0.28	0.19	0.40	Systolic blood pressure	0.26	0.18	0.38
Women	FSM	0.13	0.08	0.21	BMI	0.12	0.07	0.19
Women	FSM	0.13	0.08	0.21	Baseline scenario	0.13	0.08	0.20
Women	FSM	0.13	0.08	0.21	Combined scenarios	0.11	0.07	0.18
Women	FSM	0.13	0.08	0.21	Direct Smoking	0.12	0.07	0.19
Women	FSM	0.13	0.08	0.21	Fasting plasma glucose	0.13	0.08	0.20
Women	FSM	0.13	0.08	0.21	Second hand smoke	0.13	0.08	0.20
Women	FSM	0.13	0.08	0.21	Systolic blood pressure	0.12	0.07	0.19
Both Sexes	FSM	0.21	0.13	0.30	BMI	0.20	0.13	0.29
Both Sexes	FSM	0.21	0.13	0.30	Baseline scenario	0.20	0.13	0.30
Both Sexes	FSM	0.21	0.13	0.30	Combined scenarios	0.17	0.11	0.26

Both Sexes	FSM	0.21	0.13	0.30	Direct Smoking	0.19	0.12	0.28
Both Sexes	FSM	0.21	0.13	0.30	Fasting plasma glucose	0.20	0.13	0.30
Both Sexes	FSM	0.21	0.13	0.30	Second hand smoke	0.20	0.13	0.30
Both Sexes	FSM	0.21	0.13	0.30	Systolic blood pressure	0.19	0.12	0.28
Men	GAB	0.22	0.17	0.27	BMI	0.22	0.17	0.27
Men	GAB	0.22	0.17	0.27	Baseline scenario	0.22	0.17	0.27
Men	GAB	0.22	0.17	0.27	Combined scenarios	0.18	0.14	0.22
Men	GAB	0.22	0.17	0.27	Direct Smoking	0.21	0.16	0.26
Men	GAB	0.22	0.17	0.27	Fasting plasma glucose	0.22	0.17	0.27
Men	GAB	0.22	0.17	0.27	Second hand smoke	0.22	0.17	0.27
Men	GAB	0.22	0.17	0.27	Systolic blood pressure	0.20	0.15	0.24
Women	GAB	0.13	0.09	0.18	BMI	0.13	0.08	0.17
Women	GAB	0.13	0.09	0.18	Baseline scenario	0.13	0.09	0.18
Women	GAB	0.13	0.09	0.18	Combined scenarios	0.11	0.07	0.14
Women	GAB	0.13	0.09	0.18	Direct Smoking	0.13	0.09	0.18
Women	GAB	0.13	0.09	0.18	Fasting plasma glucose	0.13	0.09	0.18
Women	GAB	0.13	0.09	0.18	Second hand smoke	0.13	0.09	0.18
Women	GAB	0.13	0.09	0.18	Systolic blood pressure	0.12	0.08	0.16
Both Sexes	GAB	0.18	0.15	0.21	BMI	0.17	0.14	0.21
Both Sexes	GAB	0.18	0.15	0.21	Baseline scenario	0.18	0.15	0.21
Both Sexes	GAB	0.18	0.15	0.21	Combined scenarios	0.14	0.12	0.17
Both Sexes	GAB	0.18	0.15	0.21	Direct Smoking	0.17	0.14	0.20
Both Sexes	GAB	0.18	0.15	0.21	Fasting plasma glucose	0.18	0.15	0.21
Both Sexes	GAB	0.18	0.15	0.21	Second hand smoke	0.18	0.15	0.21
Both Sexes	GAB	0.18	0.15	0.21	Systolic blood pressure	0.16	0.13	0.19

Men	GBR	0.05	0.05	0.06	BMI	0.03	0.03	0.03
Men	GBR	0.05	0.05	0.06	Baseline scenario	0.03	0.03	0.03
Men	GBR	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.04
Men	GBR	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.03
Men	GBR	0.05	0.05	0.06	Fasting plasma glucose	0.03	0.03	0.04
Men	GBR	0.05	0.05	0.06	Second hand smoke	0.03	0.03	0.03
Men	GBR	0.05	0.05	0.06	Systolic blood pressure	0.04	0.03	0.04
Women	GBR	0.02	0.02	0.03	BMI	0.01	0.01	0.02
Women	GBR	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.02
Women	GBR	0.02	0.02	0.03	Combined scenarios	0.02	0.01	0.02
Women	GBR	0.02	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	GBR	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	GBR	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.02
Women	GBR	0.02	0.02	0.03	Systolic blood pressure	0.02	0.02	0.02
Both Sexes	GBR	0.04	0.04	0.04	BMI	0.02	0.02	0.02
Both Sexes	GBR	0.04	0.04	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	GBR	0.04	0.04	0.04	Combined scenarios	0.03	0.02	0.03
Both Sexes	GBR	0.04	0.04	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	GBR	0.04	0.04	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	GBR	0.04	0.04	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	GBR	0.04	0.04	0.04	Systolic blood pressure	0.03	0.02	0.03
Men	GEO	0.24	0.22	0.27	BMI	0.26	0.23	0.29
Men	GEO	0.24	0.22	0.27	Baseline scenario	0.29	0.25	0.32
Men	GEO	0.24	0.22	0.27	Combined scenarios	0.20	0.17	0.23
Men	GEO	0.24	0.22	0.27	Direct Smoking	0.26	0.22	0.29
Men	GEO	0.24	0.22	0.27	Fasting plasma glucose	0.29	0.25	0.32

Men	GEO	0.24	0.22	0.27	Second hand smoke	0.29	0.25	0.32
Men	GEO	0.24	0.22	0.27	Systolic blood pressure	0.25	0.20	0.28
Women	GEO	0.10	0.09	0.12	BMI	0.13	0.08	0.16
Women	GEO	0.10	0.09	0.12	Baseline scenario	0.15	0.09	0.18
Women	GEO	0.10	0.09	0.12	Combined scenarios	0.11	0.06	0.14
Women	GEO	0.10	0.09	0.12	Direct Smoking	0.14	0.08	0.18
Women	GEO	0.10	0.09	0.12	Fasting plasma glucose	0.15	0.09	0.18
Women	GEO	0.10	0.09	0.12	Second hand smoke	0.15	0.09	0.18
Women	GEO	0.10	0.09	0.12	Systolic blood pressure	0.12	0.07	0.15
Both Sexes	GEO	0.17	0.15	0.19	BMI	0.19	0.16	0.21
Both Sexes	GEO	0.17	0.15	0.19	Baseline scenario	0.21	0.17	0.24
Both Sexes	GEO	0.17	0.15	0.19	Combined scenarios	0.15	0.12	0.17
Both Sexes	GEO	0.17	0.15	0.19	Direct Smoking	0.20	0.15	0.22
Both Sexes	GEO	0.17	0.15	0.19	Fasting plasma glucose	0.21	0.17	0.24
Both Sexes	GEO	0.17	0.15	0.19	Second hand smoke	0.21	0.17	0.24
Both Sexes	GEO	0.17	0.15	0.19	Systolic blood pressure	0.18	0.13	0.20
Men	GHA	0.15	0.12	0.17	BMI	0.19	0.16	0.23
Men	GHA	0.15	0.12	0.17	Baseline scenario	0.20	0.17	0.24
Men	GHA	0.15	0.12	0.17	Combined scenarios	0.19	0.15	0.22
Men	GHA	0.15	0.12	0.17	Direct Smoking	0.20	0.16	0.24
Men	GHA	0.15	0.12	0.17	Fasting plasma glucose	0.20	0.17	0.24
Men	GHA	0.15	0.12	0.17	Second hand smoke	0.20	0.17	0.24
Men	GHA	0.15	0.12	0.17	Systolic blood pressure	0.20	0.17	0.24
Women	GHA	0.12	0.07	0.16	BMI	0.15	0.09	0.20
Women	GHA	0.12	0.07	0.16	Baseline scenario	0.17	0.10	0.22
Women	GHA	0.12	0.07	0.16	Combined scenarios	0.14	0.09	0.19

Women	GHA	0.12	0.07	0.16	Direct Smoking	0.16	0.10	0.22
Women	GHA	0.12	0.07	0.16	Fasting plasma glucose	0.16	0.10	0.22
Women	GHA	0.12	0.07	0.16	Second hand smoke	0.17	0.10	0.22
Women	GHA	0.12	0.07	0.16	Systolic blood pressure	0.16	0.10	0.22
Both Sexes	GHA	0.13	0.11	0.16	BMI	0.17	0.14	0.20
Both Sexes	GHA	0.13	0.11	0.16	Baseline scenario	0.18	0.15	0.22
Both Sexes	GHA	0.13	0.11	0.16	Combined scenarios	0.16	0.13	0.19
Both Sexes	GHA	0.13	0.11	0.16	Direct Smoking	0.18	0.15	0.21
Both Sexes	GHA	0.13	0.11	0.16	Fasting plasma glucose	0.18	0.15	0.22
Both Sexes	GHA	0.13	0.11	0.16	Second hand smoke	0.18	0.15	0.22
Both Sexes	GHA	0.13	0.11	0.16	Systolic blood pressure	0.18	0.15	0.21
Men	GIN	0.13	0.10	0.15	BMI	0.15	0.12	0.19
Men	GIN	0.13	0.10	0.15	Baseline scenario	0.15	0.12	0.19
Men	GIN	0.13	0.10	0.15	Combined scenarios	0.13	0.10	0.16
Men	GIN	0.13	0.10	0.15	Direct Smoking	0.15	0.11	0.18
Men	GIN	0.13	0.10	0.15	Fasting plasma glucose	0.15	0.12	0.19
Men	GIN	0.13	0.10	0.15	Second hand smoke	0.15	0.12	0.19
Men	GIN	0.13	0.10	0.15	Systolic blood pressure	0.14	0.11	0.17
Women	GIN	0.13	0.08	0.17	BMI	0.14	0.08	0.19
Women	GIN	0.13	0.08	0.17	Baseline scenario	0.14	0.09	0.20
Women	GIN	0.13	0.08	0.17	Combined scenarios	0.12	0.07	0.17
Women	GIN	0.13	0.08	0.17	Direct Smoking	0.14	0.09	0.19
Women	GIN	0.13	0.08	0.17	Fasting plasma glucose	0.14	0.09	0.20
Women	GIN	0.13	0.08	0.17	Second hand smoke	0.14	0.09	0.20
Women	GIN	0.13	0.08	0.17	Systolic blood pressure	0.13	0.08	0.18

Both Sexes	GIN	0.13	0.10	0.15	BMI	0.14	0.11	0.17
Both Sexes	GIN	0.13	0.10	0.15	Baseline scenario	0.15	0.12	0.18
Both Sexes	GIN	0.13	0.10	0.15	Combined scenarios	0.13	0.10	0.16
Both Sexes	GIN	0.13	0.10	0.15	Direct Smoking	0.15	0.11	0.18
Both Sexes	GIN	0.13	0.10	0.15	Fasting plasma glucose	0.15	0.12	0.18
Both Sexes	GIN	0.13	0.10	0.15	Second hand smoke	0.15	0.12	0.18
Both Sexes	GIN	0.13	0.10	0.15	Systolic blood pressure	0.14	0.11	0.16
Men	GMB	0.14	0.09	0.22	BMI	0.15	0.10	0.24
Men	GMB	0.14	0.09	0.22	Baseline scenario	0.16	0.10	0.25
Men	GMB	0.14	0.09	0.22	Combined scenarios	0.13	0.08	0.21
Men	GMB	0.14	0.09	0.22	Direct Smoking	0.16	0.10	0.24
Men	GMB	0.14	0.09	0.22	Fasting plasma glucose	0.16	0.10	0.25
Men	GMB	0.14	0.09	0.22	Second hand smoke	0.16	0.10	0.25
Men	GMB	0.14	0.09	0.22	Systolic blood pressure	0.15	0.09	0.23
Women	GMB	0.12	0.07	0.20	BMI	0.12	0.07	0.20
Women	GMB	0.12	0.07	0.20	Baseline scenario	0.14	0.08	0.22
Women	GMB	0.12	0.07	0.20	Combined scenarios	0.11	0.06	0.17
Women	GMB	0.12	0.07	0.20	Direct Smoking	0.14	0.08	0.22
Women	GMB	0.12	0.07	0.20	Fasting plasma glucose	0.14	0.08	0.22
Women	GMB	0.12	0.07	0.20	Second hand smoke	0.14	0.08	0.22
Women	GMB	0.12	0.07	0.20	Systolic blood pressure	0.12	0.07	0.19
Both Sexes	GMB	0.13	0.08	0.22	BMI	0.14	0.09	0.22
Both Sexes	GMB	0.13	0.08	0.22	Baseline scenario	0.15	0.09	0.23
Both Sexes	GMB	0.13	0.08	0.22	Combined scenarios	0.12	0.07	0.19
Both Sexes	GMB	0.13	0.08	0.22	Direct Smoking	0.15	0.09	0.23
Both Sexes	GMB	0.13	0.08	0.22	Fasting plasma glucose	0.15	0.09	0.23

Both Sexes	GMB	0.13	0.08	0.22	Second hand smoke	0.15	0.09	0.24
Both Sexes	GMB	0.13	0.08	0.22	Systolic blood pressure	0.13	0.08	0.21
Men	GNB	0.19	0.13	0.27	BMI	0.21	0.15	0.30
Men	GNB	0.19	0.13	0.27	Baseline scenario	0.22	0.16	0.32
Men	GNB	0.19	0.13	0.27	Combined scenarios	0.18	0.13	0.27
Men	GNB	0.19	0.13	0.27	Direct Smoking	0.21	0.15	0.31
Men	GNB	0.19	0.13	0.27	Fasting plasma glucose	0.22	0.16	0.32
Men	GNB	0.19	0.13	0.27	Second hand smoke	0.22	0.16	0.32
Men	GNB	0.19	0.13	0.27	Systolic blood pressure	0.21	0.15	0.30
Women	GNB	0.18	0.11	0.28	BMI	0.18	0.12	0.29
Women	GNB	0.18	0.11	0.28	Baseline scenario	0.20	0.13	0.32
Women	GNB	0.18	0.11	0.28	Combined scenarios	0.16	0.10	0.26
Women	GNB	0.18	0.11	0.28	Direct Smoking	0.20	0.13	0.31
Women	GNB	0.18	0.11	0.28	Fasting plasma glucose	0.20	0.13	0.32
Women	GNB	0.18	0.11	0.28	Second hand smoke	0.20	0.13	0.32
Women	GNB	0.18	0.11	0.28	Systolic blood pressure	0.19	0.12	0.29
Both Sexes	GNB	0.18	0.12	0.27	BMI	0.20	0.14	0.28
Both Sexes	GNB	0.18	0.12	0.27	Baseline scenario	0.21	0.15	0.31
Both Sexes	GNB	0.18	0.12	0.27	Combined scenarios	0.17	0.12	0.26
Both Sexes	GNB	0.18	0.12	0.27	Direct Smoking	0.21	0.14	0.30
Both Sexes	GNB	0.18	0.12	0.27	Fasting plasma glucose	0.21	0.15	0.31
Both Sexes	GNB	0.18	0.12	0.27	Second hand smoke	0.21	0.15	0.31
Both Sexes	GNB	0.18	0.12	0.27	Systolic blood pressure	0.20	0.14	0.29
Men	GNQ	0.15	0.10	0.22	BMI	0.11	0.08	0.18
Men	GNQ	0.15	0.10	0.22	Baseline scenario	0.12	0.08	0.18
Men	GNQ	0.15	0.10	0.22	Combined scenarios	0.08	0.06	0.13

Men	GNQ	0.15	0.10	0.22	Direct Smoking	0.11	0.07	0.17
Men	GNQ	0.15	0.10	0.22	Fasting plasma glucose	0.11	0.08	0.18
Men	GNQ	0.15	0.10	0.22	Second hand smoke	0.12	0.08	0.18
Men	GNQ	0.15	0.10	0.22	Systolic blood pressure	0.09	0.06	0.14
Women	GNQ	0.11	0.07	0.19	BMI	0.08	0.05	0.15
Women	GNQ	0.11	0.07	0.19	Baseline scenario	0.08	0.05	0.15
Women	GNQ	0.11	0.07	0.19	Combined scenarios	0.07	0.04	0.13
Women	GNQ	0.11	0.07	0.19	Direct Smoking	0.08	0.05	0.15
Women	GNQ	0.11	0.07	0.19	Fasting plasma glucose	0.08	0.05	0.15
Women	GNQ	0.11	0.07	0.19	Second hand smoke	0.08	0.05	0.15
Women	GNQ	0.11	0.07	0.19	Systolic blood pressure	0.07	0.04	0.13
Both Sexes	GNQ	0.13	0.09	0.20	BMI	0.10	0.07	0.16
Both Sexes	GNQ	0.13	0.09	0.20	Baseline scenario	0.10	0.07	0.16
Both Sexes	GNQ	0.13	0.09	0.20	Combined scenarios	0.08	0.05	0.13
Both Sexes	GNQ	0.13	0.09	0.20	Direct Smoking	0.10	0.07	0.16
Both Sexes	GNQ	0.13	0.09	0.20	Fasting plasma glucose	0.10	0.07	0.16
Both Sexes	GNQ	0.13	0.09	0.20	Second hand smoke	0.10	0.07	0.16
Both Sexes	GNQ	0.13	0.09	0.20	Systolic blood pressure	0.08	0.05	0.13
Men	GRC	0.08	0.08	0.09	BMI	0.07	0.06	0.07
Men	GRC	0.08	0.08	0.09	Baseline scenario	0.07	0.06	0.08
Men	GRC	0.08	0.08	0.09	Combined scenarios	0.06	0.05	0.06
Men	GRC	0.08	0.08	0.09	Direct Smoking	0.06	0.06	0.07
Men	GRC	0.08	0.08	0.09	Fasting plasma glucose	0.07	0.06	0.08
Men	GRC	0.08	0.08	0.09	Second hand smoke	0.07	0.06	0.08
Men	GRC	0.08	0.08	0.09	Systolic blood pressure	0.06	0.06	0.07

Women	GRC	0.03	0.03	0.04	BMI	0.02	0.02	0.03
Women	GRC	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Women	GRC	0.03	0.03	0.04	Combined scenarios	0.02	0.01	0.02
Women	GRC	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.02
Women	GRC	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Women	GRC	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Women	GRC	0.03	0.03	0.04	Systolic blood pressure	0.02	0.02	0.03
Both Sexes	GRC	0.06	0.05	0.06	BMI	0.05	0.04	0.05
Both Sexes	GRC	0.06	0.05	0.06	Baseline scenario	0.05	0.04	0.05
Both Sexes	GRC	0.06	0.05	0.06	Combined scenarios	0.04	0.03	0.04
Both Sexes	GRC	0.06	0.05	0.06	Direct Smoking	0.04	0.04	0.04
Both Sexes	GRC	0.06	0.05	0.06	Fasting plasma glucose	0.05	0.04	0.05
Both Sexes	GRC	0.06	0.05	0.06	Second hand smoke	0.05	0.04	0.05
Both Sexes	GRC	0.06	0.05	0.06	Systolic blood pressure	0.04	0.04	0.04
Men	GRD	0.16	0.13	0.18	BMI	0.15	0.12	0.17
Men	GRD	0.16	0.13	0.18	Baseline scenario	0.15	0.12	0.17
Men	GRD	0.16	0.13	0.18	Combined scenarios	0.12	0.10	0.14
Men	GRD	0.16	0.13	0.18	Direct Smoking	0.14	0.12	0.17
Men	GRD	0.16	0.13	0.18	Fasting plasma glucose	0.15	0.12	0.17
Men	GRD	0.16	0.13	0.18	Second hand smoke	0.15	0.12	0.17
Men	GRD	0.16	0.13	0.18	Systolic blood pressure	0.13	0.10	0.15
Women	GRD	0.11	0.09	0.13	BMI	0.09	0.08	0.11
Women	GRD	0.11	0.09	0.13	Baseline scenario	0.09	0.08	0.12
Women	GRD	0.11	0.09	0.13	Combined scenarios	0.08	0.06	0.10
Women	GRD	0.11	0.09	0.13	Direct Smoking	0.09	0.07	0.11
Women	GRD	0.11	0.09	0.13	Fasting plasma glucose	0.09	0.08	0.12

Women	GRD	0.11	0.09	0.13	Second hand smoke	0.09	0.08	0.12
Women	GRD	0.11	0.09	0.13	Systolic blood pressure	0.08	0.07	0.10
Both Sexes	GRD	0.13	0.11	0.15	BMI	0.12	0.10	0.13
Both Sexes	GRD	0.13	0.11	0.15	Baseline scenario	0.12	0.10	0.14
Both Sexes	GRD	0.13	0.11	0.15	Combined scenarios	0.10	0.09	0.11
Both Sexes	GRD	0.13	0.11	0.15	Direct Smoking	0.12	0.10	0.13
Both Sexes	GRD	0.13	0.11	0.15	Fasting plasma glucose	0.12	0.10	0.14
Both Sexes	GRD	0.13	0.11	0.15	Second hand smoke	0.12	0.10	0.14
Both Sexes	GRD	0.13	0.11	0.15	Systolic blood pressure	0.10	0.09	0.12
Men	GTM	0.05	0.05	0.06	BMI	0.05	0.04	0.06
Men	GTM	0.05	0.05	0.06	Baseline scenario	0.05	0.04	0.06
Men	GTM	0.05	0.05	0.06	Combined scenarios	0.04	0.04	0.05
Men	GTM	0.05	0.05	0.06	Direct Smoking	0.05	0.04	0.06
Men	GTM	0.05	0.05	0.06	Fasting plasma glucose	0.05	0.04	0.06
Men	GTM	0.05	0.05	0.06	Second hand smoke	0.05	0.04	0.06
Men	GTM	0.05	0.05	0.06	Systolic blood pressure	0.05	0.04	0.05
Women	GTM	0.05	0.04	0.06	BMI	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Baseline scenario	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Combined scenarios	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Fasting plasma glucose	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Second hand smoke	0.04	0.03	0.05
Women	GTM	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	GTM	0.05	0.04	0.05	BMI	0.05	0.04	0.05
Both Sexes	GTM	0.05	0.04	0.05	Baseline scenario	0.05	0.04	0.05
Both Sexes	GTM	0.05	0.04	0.05	Combined scenarios	0.04	0.04	0.05

Both Sexes	GTM	0.05	0.04	0.05	Direct Smoking	0.05	0.04	0.05
Both Sexes	GTM	0.05	0.04	0.05	Fasting plasma glucose	0.05	0.04	0.05
Both Sexes	GTM	0.05	0.04	0.05	Second hand smoke	0.05	0.04	0.05
Both Sexes	GTM	0.05	0.04	0.05	Systolic blood pressure	0.04	0.04	0.05
Men	GUY	0.27	0.21	0.34	BMI	0.27	0.21	0.34
Men	GUY	0.27	0.21	0.34	Baseline scenario	0.28	0.21	0.34
Men	GUY	0.27	0.21	0.34	Combined scenarios	0.21	0.16	0.26
Men	GUY	0.27	0.21	0.34	Direct Smoking	0.25	0.19	0.31
Men	GUY	0.27	0.21	0.34	Fasting plasma glucose	0.28	0.21	0.34
Men	GUY	0.27	0.21	0.34	Second hand smoke	0.28	0.21	0.34
Men	GUY	0.27	0.21	0.34	Systolic blood pressure	0.24	0.18	0.30
Women	GUY	0.19	0.14	0.25	BMI	0.19	0.14	0.25
Women	GUY	0.19	0.14	0.25	Baseline scenario	0.20	0.14	0.26
Women	GUY	0.19	0.14	0.25	Combined scenarios	0.15	0.11	0.21
Women	GUY	0.19	0.14	0.25	Direct Smoking	0.19	0.14	0.25
Women	GUY	0.19	0.14	0.25	Fasting plasma glucose	0.20	0.14	0.25
Women	GUY	0.19	0.14	0.25	Second hand smoke	0.20	0.14	0.26
Women	GUY	0.19	0.14	0.25	Systolic blood pressure	0.16	0.11	0.22
Both Sexes	GUY	0.23	0.19	0.27	BMI	0.23	0.19	0.28
Both Sexes	GUY	0.23	0.19	0.27	Baseline scenario	0.24	0.19	0.28
Both Sexes	GUY	0.23	0.19	0.27	Combined scenarios	0.18	0.15	0.22
Both Sexes	GUY	0.23	0.19	0.27	Direct Smoking	0.22	0.18	0.26
Both Sexes	GUY	0.23	0.19	0.27	Fasting plasma glucose	0.24	0.19	0.28
Both Sexes	GUY	0.23	0.19	0.27	Second hand smoke	0.24	0.19	0.28
Both Sexes	GUY	0.23	0.19	0.27	Systolic blood pressure	0.20	0.16	0.24

Men	HND	0.13	0.09	0.18	BMI	0.13	0.09	0.18
Men	HND	0.13	0.09	0.18	Baseline scenario	0.14	0.09	0.18
Men	HND	0.13	0.09	0.18	Combined scenarios	0.12	0.08	0.16
Men	HND	0.13	0.09	0.18	Direct Smoking	0.13	0.09	0.18
Men	HND	0.13	0.09	0.18	Fasting plasma glucose	0.14	0.09	0.18
Men	HND	0.13	0.09	0.18	Second hand smoke	0.14	0.09	0.18
Men	HND	0.13	0.09	0.18	Systolic blood pressure	0.13	0.09	0.17
Women	HND	0.10	0.06	0.14	BMI	0.09	0.05	0.12
Women	HND	0.10	0.06	0.14	Baseline scenario	0.10	0.06	0.14
Women	HND	0.10	0.06	0.14	Combined scenarios	0.08	0.05	0.11
Women	HND	0.10	0.06	0.14	Direct Smoking	0.10	0.06	0.14
Women	HND	0.10	0.06	0.14	Fasting plasma glucose	0.10	0.06	0.14
Women	HND	0.10	0.06	0.14	Second hand smoke	0.10	0.06	0.14
Women	HND	0.10	0.06	0.14	Systolic blood pressure	0.09	0.05	0.13
Both Sexes	HND	0.11	0.09	0.15	BMI	0.11	0.08	0.14
Both Sexes	HND	0.11	0.09	0.15	Baseline scenario	0.12	0.09	0.15
Both Sexes	HND	0.11	0.09	0.15	Combined scenarios	0.10	0.07	0.13
Both Sexes	HND	0.11	0.09	0.15	Direct Smoking	0.11	0.09	0.15
Both Sexes	HND	0.11	0.09	0.15	Fasting plasma glucose	0.12	0.09	0.15
Both Sexes	HND	0.11	0.09	0.15	Second hand smoke	0.12	0.09	0.15
Both Sexes	HND	0.11	0.09	0.15	Systolic blood pressure	0.11	0.08	0.14
Men	HRV	0.11	0.10	0.11	BMI	0.09	0.08	0.09
Men	HRV	0.11	0.10	0.11	Baseline scenario	0.09	0.08	0.10
Men	HRV	0.11	0.10	0.11	Combined scenarios	0.07	0.06	0.07
Men	HRV	0.11	0.10	0.11	Direct Smoking	0.08	0.07	0.09
Men	HRV	0.11	0.10	0.11	Fasting plasma glucose	0.09	0.08	0.10

Men	HRV	0.11	0.10	0.11	Second hand smoke	0.09	0.08	0.10
Men	HRV	0.11	0.10	0.11	Systolic blood pressure	0.08	0.07	0.09
Women	HRV	0.04	0.04	0.05	BMI	0.03	0.03	0.04
Women	HRV	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.04
Women	HRV	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Women	HRV	0.04	0.04	0.05	Direct Smoking	0.03	0.03	0.04
Women	HRV	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.04
Women	HRV	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.04
Women	HRV	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Both Sexes	HRV	0.07	0.07	0.08	BMI	0.06	0.05	0.06
Both Sexes	HRV	0.07	0.07	0.08	Baseline scenario	0.06	0.06	0.06
Both Sexes	HRV	0.07	0.07	0.08	Combined scenarios	0.04	0.04	0.05
Both Sexes	HRV	0.07	0.07	0.08	Direct Smoking	0.05	0.05	0.06
Both Sexes	HRV	0.07	0.07	0.08	Fasting plasma glucose	0.06	0.06	0.06
Both Sexes	HRV	0.07	0.07	0.08	Second hand smoke	0.06	0.06	0.06
Both Sexes	HRV	0.07	0.07	0.08	Systolic blood pressure	0.05	0.05	0.06
Men	HTI	0.15	0.12	0.17	BMI	0.15	0.12	0.17
Men	HTI	0.15	0.12	0.17	Baseline scenario	0.15	0.12	0.17
Men	HTI	0.15	0.12	0.17	Combined scenarios	0.13	0.11	0.15
Men	HTI	0.15	0.12	0.17	Direct Smoking	0.15	0.12	0.17
Men	HTI	0.15	0.12	0.17	Fasting plasma glucose	0.15	0.12	0.17
Men	HTI	0.15	0.12	0.17	Second hand smoke	0.15	0.12	0.17
Men	HTI	0.15	0.12	0.17	Systolic blood pressure	0.14	0.11	0.16
Women	HTI	0.16	0.12	0.20	BMI	0.14	0.10	0.18
Women	HTI	0.16	0.12	0.20	Baseline scenario	0.15	0.11	0.18
Women	HTI	0.16	0.12	0.20	Combined scenarios	0.12	0.09	0.15

Women	HTI	0.16	0.12	0.20	Direct Smoking	0.15	0.11	0.18
Women	HTI	0.16	0.12	0.20	Fasting plasma glucose	0.15	0.11	0.18
Women	HTI	0.16	0.12	0.20	Second hand smoke	0.15	0.11	0.18
Women	HTI	0.16	0.12	0.20	Systolic blood pressure	0.13	0.10	0.16
Both Sexes	HTI	0.16	0.13	0.18	BMI	0.14	0.12	0.16
Both Sexes	HTI	0.16	0.13	0.18	Baseline scenario	0.15	0.13	0.17
Both Sexes	HTI	0.16	0.13	0.18	Combined scenarios	0.13	0.11	0.15
Both Sexes	HTI	0.16	0.13	0.18	Direct Smoking	0.15	0.12	0.17
Both Sexes	HTI	0.16	0.13	0.18	Fasting plasma glucose	0.15	0.13	0.17
Both Sexes	HTI	0.16	0.13	0.18	Second hand smoke	0.15	0.13	0.17
Both Sexes	HTI	0.16	0.13	0.18	Systolic blood pressure	0.13	0.11	0.16
Men	HUN	0.15	0.14	0.15	BMI	0.11	0.10	0.12
Men	HUN	0.15	0.14	0.15	Baseline scenario	0.11	0.10	0.12
Men	HUN	0.15	0.14	0.15	Combined scenarios	0.08	0.07	0.09
Men	HUN	0.15	0.14	0.15	Direct Smoking	0.10	0.10	0.11
Men	HUN	0.15	0.14	0.15	Fasting plasma glucose	0.11	0.10	0.12
Men	HUN	0.15	0.14	0.15	Second hand smoke	0.11	0.10	0.12
Men	HUN	0.15	0.14	0.15	Systolic blood pressure	0.09	0.08	0.09
Women	HUN	0.06	0.05	0.07	BMI	0.04	0.04	0.05
Women	HUN	0.06	0.05	0.07	Baseline scenario	0.04	0.04	0.05
Women	HUN	0.06	0.05	0.07	Combined scenarios	0.03	0.03	0.04
Women	HUN	0.06	0.05	0.07	Direct Smoking	0.04	0.03	0.05
Women	HUN	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.04	0.05
Women	HUN	0.06	0.05	0.07	Second hand smoke	0.04	0.04	0.05
Women	HUN	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.04

Both Sexes	HUN	0.10	0.09	0.11	BMI	0.08	0.07	0.08
Both Sexes	HUN	0.10	0.09	0.11	Baseline scenario	0.07	0.07	0.08
Both Sexes	HUN	0.10	0.09	0.11	Combined scenarios	0.05	0.05	0.06
Both Sexes	HUN	0.10	0.09	0.11	Direct Smoking	0.07	0.06	0.07
Both Sexes	HUN	0.10	0.09	0.11	Fasting plasma glucose	0.07	0.07	0.08
Both Sexes	HUN	0.10	0.09	0.11	Second hand smoke	0.08	0.07	0.08
Both Sexes	HUN	0.10	0.09	0.11	Systolic blood pressure	0.06	0.05	0.06
Men	IDN	0.16	0.14	0.18	BMI	0.16	0.14	0.19
Men	IDN	0.16	0.14	0.18	Baseline scenario	0.17	0.14	0.19
Men	IDN	0.16	0.14	0.18	Combined scenarios	0.13	0.11	0.15
Men	IDN	0.16	0.14	0.18	Direct Smoking	0.15	0.13	0.17
Men	IDN	0.16	0.14	0.18	Fasting plasma glucose	0.17	0.15	0.19
Men	IDN	0.16	0.14	0.18	Second hand smoke	0.17	0.14	0.19
Men	IDN	0.16	0.14	0.18	Systolic blood pressure	0.15	0.13	0.17
Women	IDN	0.12	0.10	0.15	BMI	0.12	0.10	0.15
Women	IDN	0.12	0.10	0.15	Baseline scenario	0.13	0.11	0.15
Women	IDN	0.12	0.10	0.15	Combined scenarios	0.11	0.09	0.13
Women	IDN	0.12	0.10	0.15	Direct Smoking	0.13	0.11	0.15
Women	IDN	0.12	0.10	0.15	Fasting plasma glucose	0.13	0.11	0.15
Women	IDN	0.12	0.10	0.15	Second hand smoke	0.13	0.11	0.15
Women	IDN	0.12	0.10	0.15	Systolic blood pressure	0.12	0.10	0.14
Both Sexes	IDN	0.14	0.13	0.16	BMI	0.14	0.13	0.16
Both Sexes	IDN	0.14	0.13	0.16	Baseline scenario	0.15	0.13	0.17
Both Sexes	IDN	0.14	0.13	0.16	Combined scenarios	0.12	0.10	0.14
Both Sexes	IDN	0.14	0.13	0.16	Direct Smoking	0.14	0.12	0.16
Both Sexes	IDN	0.14	0.13	0.16	Fasting plasma glucose	0.15	0.13	0.17

Both Sexes	IDN	0.14	0.13	0.16	Second hand smoke	0.15	0.13	0.17
Both Sexes	IDN	0.14	0.13	0.16	Systolic blood pressure	0.13	0.12	0.15
Men	IND	0.19	0.16	0.23	BMI	0.19	0.16	0.23
Men	IND	0.19	0.16	0.23	Baseline scenario	0.20	0.16	0.24
Men	IND	0.19	0.16	0.23	Combined scenarios	0.15	0.12	0.18
Men	IND	0.19	0.16	0.23	Direct Smoking	0.19	0.16	0.23
Men	IND	0.19	0.16	0.23	Fasting plasma glucose	0.19	0.15	0.23
Men	IND	0.19	0.16	0.23	Second hand smoke	0.20	0.16	0.24
Men	IND	0.19	0.16	0.23	Systolic blood pressure	0.16	0.13	0.20
Women	IND	0.11	0.09	0.14	BMI	0.11	0.08	0.13
Women	IND	0.11	0.09	0.14	Baseline scenario	0.11	0.08	0.14
Women	IND	0.11	0.09	0.14	Combined scenarios	0.09	0.07	0.11
Women	IND	0.11	0.09	0.14	Direct Smoking	0.11	0.08	0.13
Women	IND	0.11	0.09	0.14	Fasting plasma glucose	0.11	0.08	0.13
Women	IND	0.11	0.09	0.14	Second hand smoke	0.11	0.08	0.14
Women	IND	0.11	0.09	0.14	Systolic blood pressure	0.10	0.07	0.12
Both Sexes	IND	0.15	0.13	0.18	BMI	0.15	0.13	0.18
Both Sexes	IND	0.15	0.13	0.18	Baseline scenario	0.15	0.13	0.18
Both Sexes	IND	0.15	0.13	0.18	Combined scenarios	0.12	0.10	0.14
Both Sexes	IND	0.15	0.13	0.18	Direct Smoking	0.15	0.13	0.17
Both Sexes	IND	0.15	0.13	0.18	Fasting plasma glucose	0.15	0.13	0.17
Both Sexes	IND	0.15	0.13	0.18	Second hand smoke	0.16	0.13	0.18
Both Sexes	IND	0.15	0.13	0.18	Systolic blood pressure	0.13	0.11	0.15
Men	IRL	0.06	0.05	0.07	BMI	0.04	0.03	0.04
Men	IRL	0.06	0.05	0.07	Baseline scenario	0.04	0.03	0.04
Men	IRL	0.06	0.05	0.07	Combined scenarios	0.03	0.02	0.03

Men	IRL	0.06	0.05	0.07	Direct Smoking	0.04	0.03	0.04
Men	IRL	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.03	0.04
Men	IRL	0.06	0.05	0.07	Second hand smoke	0.04	0.03	0.04
Men	IRL	0.06	0.05	0.07	Systolic blood pressure	0.03	0.02	0.04
Women	IRL	0.03	0.02	0.03	BMI	0.01	0.01	0.02
Women	IRL	0.03	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	IRL	0.03	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	IRL	0.03	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	IRL	0.03	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	IRL	0.03	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	IRL	0.03	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	IRL	0.04	0.04	0.05	BMI	0.02	0.02	0.03
Both Sexes	IRL	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Both Sexes	IRL	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.02
Both Sexes	IRL	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	IRL	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	IRL	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Both Sexes	IRL	0.04	0.04	0.05	Systolic blood pressure	0.02	0.02	0.03
Men	IRN	0.12	0.09	0.14	BMI	0.09	0.07	0.11
Men	IRN	0.12	0.09	0.14	Baseline scenario	0.09	0.07	0.11
Men	IRN	0.12	0.09	0.14	Combined scenarios	0.08	0.06	0.09
Men	IRN	0.12	0.09	0.14	Direct Smoking	0.09	0.07	0.10
Men	IRN	0.12	0.09	0.14	Fasting plasma glucose	0.09	0.07	0.11
Men	IRN	0.12	0.09	0.14	Second hand smoke	0.09	0.07	0.11
Men	IRN	0.12	0.09	0.14	Systolic blood pressure	0.08	0.07	0.10

Women	IRN	0.06	0.05	0.08	BMI	0.05	0.04	0.06
Women	IRN	0.06	0.05	0.08	Baseline scenario	0.05	0.04	0.06
Women	IRN	0.06	0.05	0.08	Combined scenarios	0.04	0.03	0.05
Women	IRN	0.06	0.05	0.08	Direct Smoking	0.05	0.04	0.06
Women	IRN	0.06	0.05	0.08	Fasting plasma glucose	0.05	0.04	0.06
Women	IRN	0.06	0.05	0.08	Second hand smoke	0.05	0.04	0.06
Women	IRN	0.06	0.05	0.08	Systolic blood pressure	0.05	0.04	0.06
Both Sexes	IRN	0.09	0.08	0.10	BMI	0.07	0.06	0.08
Both Sexes	IRN	0.09	0.08	0.10	Baseline scenario	0.07	0.06	0.08
Both Sexes	IRN	0.09	0.08	0.10	Combined scenarios	0.06	0.05	0.07
Both Sexes	IRN	0.09	0.08	0.10	Direct Smoking	0.07	0.06	0.08
Both Sexes	IRN	0.09	0.08	0.10	Fasting plasma glucose	0.07	0.06	0.08
Both Sexes	IRN	0.09	0.08	0.10	Second hand smoke	0.07	0.06	0.08
Both Sexes	IRN	0.09	0.08	0.10	Systolic blood pressure	0.06	0.05	0.07
Men	IRQ	0.17	0.12	0.24	BMI	0.17	0.12	0.23
Men	IRQ	0.17	0.12	0.24	Baseline scenario	0.17	0.12	0.24
Men	IRQ	0.17	0.12	0.24	Combined scenarios	0.14	0.10	0.20
Men	IRQ	0.17	0.12	0.24	Direct Smoking	0.16	0.11	0.22
Men	IRQ	0.17	0.12	0.24	Fasting plasma glucose	0.17	0.12	0.24
Men	IRQ	0.17	0.12	0.24	Second hand smoke	0.17	0.12	0.24
Men	IRQ	0.17	0.12	0.24	Systolic blood pressure	0.16	0.11	0.23
Women	IRQ	0.16	0.11	0.21	BMI	0.16	0.11	0.21
Women	IRQ	0.16	0.11	0.21	Baseline scenario	0.17	0.12	0.22
Women	IRQ	0.16	0.11	0.21	Combined scenarios	0.13	0.09	0.18
Women	IRQ	0.16	0.11	0.21	Direct Smoking	0.16	0.11	0.21
Women	IRQ	0.16	0.11	0.21	Fasting plasma glucose	0.16	0.12	0.22

Women	IRQ	0.16	0.11	0.21	Second hand smoke	0.17	0.12	0.22
Women	IRQ	0.16	0.11	0.21	Systolic blood pressure	0.14	0.10	0.19
Both Sexes	IRQ	0.17	0.13	0.21	BMI	0.16	0.13	0.20
Both Sexes	IRQ	0.17	0.13	0.21	Baseline scenario	0.17	0.13	0.21
Both Sexes	IRQ	0.17	0.13	0.21	Combined scenarios	0.14	0.10	0.17
Both Sexes	IRQ	0.17	0.13	0.21	Direct Smoking	0.16	0.12	0.20
Both Sexes	IRQ	0.17	0.13	0.21	Fasting plasma glucose	0.17	0.13	0.21
Both Sexes	IRQ	0.17	0.13	0.21	Second hand smoke	0.17	0.13	0.21
Both Sexes	IRQ	0.17	0.13	0.21	Systolic blood pressure	0.15	0.11	0.19
Men	ISL	0.05	0.04	0.06	BMI	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Baseline scenario	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Combined scenarios	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Direct Smoking	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Fasting plasma glucose	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Second hand smoke	0.03	0.03	0.04
Men	ISL	0.05	0.04	0.06	Systolic blood pressure	0.03	0.03	0.04
Women	ISL	0.02	0.01	0.02	BMI	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Baseline scenario	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Combined scenarios	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Direct Smoking	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Fasting plasma glucose	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Second hand smoke	0.01	0.01	0.01
Women	ISL	0.02	0.01	0.02	Systolic blood pressure	0.01	0.01	0.01
Both Sexes	ISL	0.03	0.03	0.04	BMI	0.02	0.02	0.02
Both Sexes	ISL	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	ISL	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.02

Both Sexes	ISL	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	ISL	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	ISL	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	ISL	0.03	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	BMI	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Baseline scenario	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Combined scenarios	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Direct Smoking	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Fasting plasma glucose	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Second hand smoke	0.02	0.02	0.02
Men	ISR	0.04	0.04	0.04	Systolic blood pressure	0.02	0.02	0.02
Women	ISR	0.02	0.01	0.03	BMI	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Baseline scenario	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Combined scenarios	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Direct Smoking	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Fasting plasma glucose	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Second hand smoke	0.01	0.01	0.01
Women	ISR	0.02	0.01	0.03	Systolic blood pressure	0.01	0.01	0.01
Both Sexes	ISR	0.03	0.03	0.03	BMI	0.02	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Baseline scenario	0.02	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Combined scenarios	0.01	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Direct Smoking	0.01	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Second hand smoke	0.02	0.01	0.02
Both Sexes	ISR	0.03	0.03	0.03	Systolic blood pressure	0.01	0.01	0.02

Men	ITA	0.04	0.04	0.05	BMI	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Combined scenarios	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Men	ITA	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Women	ITA	0.02	0.01	0.02	BMI	0.01	0.01	0.02
Women	ITA	0.02	0.01	0.02	Baseline scenario	0.01	0.01	0.02
Women	ITA	0.02	0.01	0.02	Combined scenarios	0.01	0.01	0.01
Women	ITA	0.02	0.01	0.02	Direct Smoking	0.01	0.01	0.01
Women	ITA	0.02	0.01	0.02	Fasting plasma glucose	0.01	0.01	0.02
Women	ITA	0.02	0.01	0.02	Second hand smoke	0.01	0.01	0.02
Women	ITA	0.02	0.01	0.02	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	ITA	0.03	0.03	0.03	BMI	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Baseline scenario	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Combined scenarios	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Direct Smoking	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Second hand smoke	0.02	0.02	0.02
Both Sexes	ITA	0.03	0.03	0.03	Systolic blood pressure	0.02	0.02	0.02
Men	JAM	0.08	0.06	0.10	BMI	0.07	0.05	0.09
Men	JAM	0.08	0.06	0.10	Baseline scenario	0.07	0.05	0.09
Men	JAM	0.08	0.06	0.10	Combined scenarios	0.05	0.04	0.07
Men	JAM	0.08	0.06	0.10	Direct Smoking	0.06	0.05	0.08
Men	JAM	0.08	0.06	0.10	Fasting plasma glucose	0.07	0.05	0.09

Men	JAM	0.08	0.06	0.10	Second hand smoke	0.07	0.05	0.09
Men	JAM	0.08	0.06	0.10	Systolic blood pressure	0.06	0.05	0.08
Women	JAM	0.07	0.05	0.09	BMI	0.06	0.04	0.08
Women	JAM	0.07	0.05	0.09	Baseline scenario	0.06	0.04	0.08
Women	JAM	0.07	0.05	0.09	Combined scenarios	0.05	0.03	0.07
Women	JAM	0.07	0.05	0.09	Direct Smoking	0.06	0.04	0.08
Women	JAM	0.07	0.05	0.09	Fasting plasma glucose	0.06	0.04	0.08
Women	JAM	0.07	0.05	0.09	Second hand smoke	0.06	0.04	0.08
Women	JAM	0.07	0.05	0.09	Systolic blood pressure	0.05	0.04	0.07
Both Sexes	JAM	0.07	0.06	0.09	BMI	0.06	0.05	0.08
Both Sexes	JAM	0.07	0.06	0.09	Baseline scenario	0.06	0.05	0.08
Both Sexes	JAM	0.07	0.06	0.09	Combined scenarios	0.05	0.04	0.06
Both Sexes	JAM	0.07	0.06	0.09	Direct Smoking	0.06	0.05	0.08
Both Sexes	JAM	0.07	0.06	0.09	Fasting plasma glucose	0.06	0.05	0.08
Both Sexes	JAM	0.07	0.06	0.09	Second hand smoke	0.06	0.05	0.08
Both Sexes	JAM	0.07	0.06	0.09	Systolic blood pressure	0.06	0.04	0.07
Men	JOR	0.10	0.08	0.12	BMI	0.07	0.06	0.09
Men	JOR	0.10	0.08	0.12	Baseline scenario	0.07	0.06	0.09
Men	JOR	0.10	0.08	0.12	Combined scenarios	0.06	0.05	0.07
Men	JOR	0.10	0.08	0.12	Direct Smoking	0.07	0.05	0.08
Men	JOR	0.10	0.08	0.12	Fasting plasma glucose	0.07	0.06	0.09
Men	JOR	0.10	0.08	0.12	Second hand smoke	0.07	0.06	0.09
Men	JOR	0.10	0.08	0.12	Systolic blood pressure	0.07	0.05	0.08
Women	JOR	0.06	0.04	0.07	BMI	0.04	0.03	0.05
Women	JOR	0.06	0.04	0.07	Baseline scenario	0.04	0.03	0.05
Women	JOR	0.06	0.04	0.07	Combined scenarios	0.04	0.03	0.05

Women	JOR	0.06	0.04	0.07	Direct Smoking	0.04	0.03	0.05
Women	JOR	0.06	0.04	0.07	Fasting plasma glucose	0.04	0.03	0.05
Women	JOR	0.06	0.04	0.07	Second hand smoke	0.04	0.03	0.05
Women	JOR	0.06	0.04	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	JOR	0.08	0.07	0.09	BMI	0.06	0.05	0.07
Both Sexes	JOR	0.08	0.07	0.09	Baseline scenario	0.06	0.05	0.07
Both Sexes	JOR	0.08	0.07	0.09	Combined scenarios	0.05	0.04	0.06
Both Sexes	JOR	0.08	0.07	0.09	Direct Smoking	0.05	0.04	0.06
Both Sexes	JOR	0.08	0.07	0.09	Fasting plasma glucose	0.06	0.05	0.07
Both Sexes	JOR	0.08	0.07	0.09	Second hand smoke	0.06	0.05	0.07
Both Sexes	JOR	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07
Men	JPN	0.04	0.03	0.05	BMI	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Baseline scenario	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Combined scenarios	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Direct Smoking	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Fasting plasma glucose	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Second hand smoke	0.03	0.03	0.04
Men	JPN	0.04	0.03	0.05	Systolic blood pressure	0.03	0.03	0.04
Women	JPN	0.02	0.01	0.02	BMI	0.01	0.01	0.02
Women	JPN	0.02	0.01	0.02	Baseline scenario	0.01	0.01	0.02
Women	JPN	0.02	0.01	0.02	Combined scenarios	0.01	0.01	0.02
Women	JPN	0.02	0.01	0.02	Direct Smoking	0.01	0.01	0.01
Women	JPN	0.02	0.01	0.02	Fasting plasma glucose	0.01	0.01	0.02
Women	JPN	0.02	0.01	0.02	Second hand smoke	0.01	0.01	0.02
Women	JPN	0.02	0.01	0.02	Systolic blood pressure	0.01	0.01	0.02

Both Sexes	JPN	0.03	0.02	0.03	BMI	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Baseline scenario	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Combined scenarios	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Direct Smoking	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Fasting plasma glucose	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Second hand smoke	0.02	0.02	0.02
Both Sexes	JPN	0.03	0.02	0.03	Systolic blood pressure	0.02	0.02	0.02
Men	KAZ	0.32	0.29	0.37	BMI	0.35	0.31	0.39
Men	KAZ	0.32	0.29	0.37	Baseline scenario	0.36	0.32	0.41
Men	KAZ	0.32	0.29	0.37	Combined scenarios	0.25	0.21	0.28
Men	KAZ	0.32	0.29	0.37	Direct Smoking	0.30	0.26	0.34
Men	KAZ	0.32	0.29	0.37	Fasting plasma glucose	0.36	0.32	0.41
Men	KAZ	0.32	0.29	0.37	Second hand smoke	0.36	0.32	0.41
Men	KAZ	0.32	0.29	0.37	Systolic blood pressure	0.32	0.28	0.36
Women	KAZ	0.15	0.12	0.17	BMI	0.16	0.13	0.18
Women	KAZ	0.15	0.12	0.17	Baseline scenario	0.16	0.13	0.18
Women	KAZ	0.15	0.12	0.17	Combined scenarios	0.13	0.10	0.16
Women	KAZ	0.15	0.12	0.17	Direct Smoking	0.16	0.13	0.19
Women	KAZ	0.15	0.12	0.17	Fasting plasma glucose	0.16	0.13	0.19
Women	KAZ	0.15	0.12	0.17	Second hand smoke	0.16	0.13	0.18
Women	KAZ	0.15	0.12	0.17	Systolic blood pressure	0.13	0.10	0.16
Both Sexes	KAZ	0.23	0.21	0.26	BMI	0.25	0.22	0.27
Both Sexes	KAZ	0.23	0.21	0.26	Baseline scenario	0.25	0.23	0.28
Both Sexes	KAZ	0.23	0.21	0.26	Combined scenarios	0.18	0.16	0.21
Both Sexes	KAZ	0.23	0.21	0.26	Direct Smoking	0.22	0.20	0.25
Both Sexes	KAZ	0.23	0.21	0.26	Fasting plasma glucose	0.25	0.23	0.28

Both Sexes	KAZ	0.23	0.21	0.26	Second hand smoke	0.25	0.23	0.28
Both Sexes	KAZ	0.23	0.21	0.26	Systolic blood pressure	0.22	0.19	0.24
Men	KEN	0.08	0.07	0.10	BMI	0.09	0.07	0.11
Men	KEN	0.08	0.07	0.10	Baseline scenario	0.08	0.07	0.11
Men	KEN	0.08	0.07	0.10	Combined scenarios	0.09	0.07	0.11
Men	KEN	0.08	0.07	0.10	Direct Smoking	0.08	0.06	0.10
Men	KEN	0.08	0.07	0.10	Fasting plasma glucose	0.09	0.07	0.11
Men	KEN	0.08	0.07	0.10	Second hand smoke	0.08	0.07	0.11
Men	KEN	0.08	0.07	0.10	Systolic blood pressure	0.09	0.07	0.11
Women	KEN	0.05	0.04	0.07	BMI	0.04	0.03	0.05
Women	KEN	0.05	0.04	0.07	Baseline scenario	0.04	0.03	0.06
Women	KEN	0.05	0.04	0.07	Combined scenarios	0.04	0.03	0.06
Women	KEN	0.05	0.04	0.07	Direct Smoking	0.04	0.03	0.06
Women	KEN	0.05	0.04	0.07	Fasting plasma glucose	0.04	0.03	0.06
Women	KEN	0.05	0.04	0.07	Second hand smoke	0.04	0.03	0.06
Women	KEN	0.05	0.04	0.07	Systolic blood pressure	0.05	0.04	0.07
Both Sexes	KEN	0.07	0.05	0.08	BMI	0.06	0.05	0.07
Both Sexes	KEN	0.07	0.05	0.08	Baseline scenario	0.06	0.05	0.08
Both Sexes	KEN	0.07	0.05	0.08	Combined scenarios	0.06	0.05	0.08
Both Sexes	KEN	0.07	0.05	0.08	Direct Smoking	0.06	0.05	0.07
Both Sexes	KEN	0.07	0.05	0.08	Fasting plasma glucose	0.06	0.05	0.08
Both Sexes	KEN	0.07	0.05	0.08	Second hand smoke	0.06	0.05	0.08
Both Sexes	KEN	0.07	0.05	0.08	Systolic blood pressure	0.07	0.06	0.08
Men	KGZ	0.30	0.26	0.33	BMI	0.33	0.29	0.37
Men	KGZ	0.30	0.26	0.33	Baseline scenario	0.33	0.30	0.37
Men	KGZ	0.30	0.26	0.33	Combined scenarios	0.27	0.23	0.30

Men	KGZ	0.30	0.26	0.33	Direct Smoking	0.30	0.26	0.33
Men	KGZ	0.30	0.26	0.33	Fasting plasma glucose	0.33	0.30	0.37
Men	KGZ	0.30	0.26	0.33	Second hand smoke	0.33	0.30	0.37
Men	KGZ	0.30	0.26	0.33	Systolic blood pressure	0.30	0.26	0.33
Women	KGZ	0.16	0.13	0.18	BMI	0.16	0.14	0.18
Women	KGZ	0.16	0.13	0.18	Baseline scenario	0.16	0.14	0.19
Women	KGZ	0.16	0.13	0.18	Combined scenarios	0.13	0.11	0.15
Women	KGZ	0.16	0.13	0.18	Direct Smoking	0.16	0.14	0.18
Women	KGZ	0.16	0.13	0.18	Fasting plasma glucose	0.16	0.14	0.19
Women	KGZ	0.16	0.13	0.18	Second hand smoke	0.16	0.14	0.19
Women	KGZ	0.16	0.13	0.18	Systolic blood pressure	0.14	0.11	0.16
Both Sexes	KGZ	0.22	0.20	0.24	BMI	0.24	0.22	0.26
Both Sexes	KGZ	0.22	0.20	0.24	Baseline scenario	0.24	0.22	0.26
Both Sexes	KGZ	0.22	0.20	0.24	Combined scenarios	0.19	0.17	0.21
Both Sexes	KGZ	0.22	0.20	0.24	Direct Smoking	0.22	0.20	0.24
Both Sexes	KGZ	0.22	0.20	0.24	Fasting plasma glucose	0.24	0.22	0.26
Both Sexes	KGZ	0.22	0.20	0.24	Second hand smoke	0.24	0.22	0.27
Both Sexes	KGZ	0.22	0.20	0.24	Systolic blood pressure	0.21	0.19	0.23
Men	KHM	0.20	0.17	0.24	BMI	0.20	0.17	0.24
Men	KHM	0.20	0.17	0.24	Baseline scenario	0.20	0.17	0.24
Men	KHM	0.20	0.17	0.24	Combined scenarios	0.17	0.14	0.20
Men	KHM	0.20	0.17	0.24	Direct Smoking	0.18	0.15	0.22
Men	KHM	0.20	0.17	0.24	Fasting plasma glucose	0.20	0.17	0.24
Men	KHM	0.20	0.17	0.24	Second hand smoke	0.20	0.17	0.24
Men	KHM	0.20	0.17	0.24	Systolic blood pressure	0.19	0.16	0.23

Women	KHM	0.14	0.11	0.18	BMI	0.14	0.10	0.17
Women	KHM	0.14	0.11	0.18	Baseline scenario	0.14	0.11	0.17
Women	KHM	0.14	0.11	0.18	Combined scenarios	0.13	0.10	0.17
Women	KHM	0.14	0.11	0.18	Direct Smoking	0.14	0.10	0.17
Women	KHM	0.14	0.11	0.18	Fasting plasma glucose	0.14	0.11	0.17
Women	KHM	0.14	0.11	0.18	Second hand smoke	0.14	0.11	0.17
Women	KHM	0.14	0.11	0.18	Systolic blood pressure	0.14	0.10	0.17
Both Sexes	KHM	0.17	0.14	0.20	BMI	0.16	0.14	0.19
Both Sexes	KHM	0.17	0.14	0.20	Baseline scenario	0.17	0.14	0.19
Both Sexes	KHM	0.17	0.14	0.20	Combined scenarios	0.15	0.13	0.17
Both Sexes	KHM	0.17	0.14	0.20	Direct Smoking	0.16	0.13	0.18
Both Sexes	KHM	0.17	0.14	0.20	Fasting plasma glucose	0.17	0.14	0.19
Both Sexes	KHM	0.17	0.14	0.20	Second hand smoke	0.17	0.14	0.19
Both Sexes	KHM	0.17	0.14	0.20	Systolic blood pressure	0.16	0.14	0.18
Men	KIR	0.32	0.22	0.41	BMI	0.33	0.23	0.43
Men	KIR	0.32	0.22	0.41	Baseline scenario	0.35	0.25	0.45
Men	KIR	0.32	0.22	0.41	Combined scenarios	0.25	0.17	0.33
Men	KIR	0.32	0.22	0.41	Direct Smoking	0.31	0.22	0.40
Men	KIR	0.32	0.22	0.41	Fasting plasma glucose	0.33	0.23	0.43
Men	KIR	0.32	0.22	0.41	Second hand smoke	0.35	0.25	0.45
Men	KIR	0.32	0.22	0.41	Systolic blood pressure	0.32	0.22	0.42
Women	KIR	0.14	0.08	0.20	BMI	0.13	0.07	0.19
Women	KIR	0.14	0.08	0.20	Baseline scenario	0.14	0.08	0.21
Women	KIR	0.14	0.08	0.20	Combined scenarios	0.10	0.06	0.15
Women	KIR	0.14	0.08	0.20	Direct Smoking	0.13	0.07	0.18
Women	KIR	0.14	0.08	0.20	Fasting plasma glucose	0.14	0.08	0.20

Women	KIR	0.14	0.08	0.20	Second hand smoke	0.14	0.09	0.21
Women	KIR	0.14	0.08	0.20	Systolic blood pressure	0.13	0.08	0.19
Both Sexes	KIR	0.23	0.17	0.29	BMI	0.23	0.17	0.29
Both Sexes	KIR	0.23	0.17	0.29	Baseline scenario	0.25	0.19	0.32
Both Sexes	KIR	0.23	0.17	0.29	Combined scenarios	0.18	0.13	0.23
Both Sexes	KIR	0.23	0.17	0.29	Direct Smoking	0.22	0.16	0.28
Both Sexes	KIR	0.23	0.17	0.29	Fasting plasma glucose	0.24	0.18	0.30
Both Sexes	KIR	0.23	0.17	0.29	Second hand smoke	0.25	0.19	0.32
Both Sexes	KIR	0.23	0.17	0.29	Systolic blood pressure	0.23	0.17	0.29
Men	KOR	0.04	0.04	0.05	BMI	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Baseline scenario	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Direct Smoking	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Fasting plasma glucose	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Second hand smoke	0.02	0.02	0.02
Men	KOR	0.04	0.04	0.05	Systolic blood pressure	0.02	0.02	0.02
Women	KOR	0.02	0.02	0.03	BMI	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Fasting plasma glucose	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.01
Women	KOR	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.01
Both Sexes	KOR	0.03	0.03	0.03	BMI	0.01	0.01	0.02
Both Sexes	KOR	0.03	0.03	0.03	Baseline scenario	0.01	0.01	0.02
Both Sexes	KOR	0.03	0.03	0.03	Combined scenarios	0.01	0.01	0.02

Both Sexes	KOR	0.03	0.03	0.03	Direct Smoking	0.02	0.01	0.02
Both Sexes	KOR	0.03	0.03	0.03	Fasting plasma glucose	0.02	0.01	0.02
Both Sexes	KOR	0.03	0.03	0.03	Second hand smoke	0.01	0.01	0.02
Both Sexes	KOR	0.03	0.03	0.03	Systolic blood pressure	0.01	0.01	0.02
Men	KWT	0.09	0.09	0.10	BMI	0.08	0.08	0.09
Men	KWT	0.09	0.09	0.10	Baseline scenario	0.09	0.08	0.10
Men	KWT	0.09	0.09	0.10	Combined scenarios	0.07	0.06	0.08
Men	KWT	0.09	0.09	0.10	Direct Smoking	0.08	0.08	0.09
Men	KWT	0.09	0.09	0.10	Fasting plasma glucose	0.09	0.08	0.10
Men	KWT	0.09	0.09	0.10	Second hand smoke	0.09	0.08	0.10
Men	KWT	0.09	0.09	0.10	Systolic blood pressure	0.08	0.07	0.09
Women	KWT	0.05	0.04	0.06	BMI	0.04	0.03	0.04
Women	KWT	0.05	0.04	0.06	Baseline scenario	0.04	0.03	0.05
Women	KWT	0.05	0.04	0.06	Combined scenarios	0.03	0.03	0.04
Women	KWT	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.04
Women	KWT	0.05	0.04	0.06	Fasting plasma glucose	0.04	0.03	0.04
Women	KWT	0.05	0.04	0.06	Second hand smoke	0.04	0.03	0.05
Women	KWT	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.04
Both Sexes	KWT	0.08	0.07	0.08	BMI	0.06	0.06	0.07
Both Sexes	KWT	0.08	0.07	0.08	Baseline scenario	0.07	0.06	0.07
Both Sexes	KWT	0.08	0.07	0.08	Combined scenarios	0.06	0.05	0.06
Both Sexes	KWT	0.08	0.07	0.08	Direct Smoking	0.06	0.06	0.07
Both Sexes	KWT	0.08	0.07	0.08	Fasting plasma glucose	0.07	0.06	0.07
Both Sexes	KWT	0.08	0.07	0.08	Second hand smoke	0.07	0.06	0.07
Both Sexes	KWT	0.08	0.07	0.08	Systolic blood pressure	0.06	0.06	0.07

Men	LAO	0.19	0.12	0.29	BMI	0.19	0.12	0.29
Men	LAO	0.19	0.12	0.29	Baseline scenario	0.19	0.12	0.29
Men	LAO	0.19	0.12	0.29	Combined scenarios	0.14	0.09	0.22
Men	LAO	0.19	0.12	0.29	Direct Smoking	0.17	0.11	0.26
Men	LAO	0.19	0.12	0.29	Fasting plasma glucose	0.19	0.12	0.29
Men	LAO	0.19	0.12	0.29	Second hand smoke	0.19	0.12	0.29
Men	LAO	0.19	0.12	0.29	Systolic blood pressure	0.16	0.10	0.26
Women	LAO	0.15	0.08	0.23	BMI	0.14	0.08	0.22
Women	LAO	0.15	0.08	0.23	Baseline scenario	0.14	0.08	0.22
Women	LAO	0.15	0.08	0.23	Combined scenarios	0.12	0.07	0.19
Women	LAO	0.15	0.08	0.23	Direct Smoking	0.13	0.07	0.21
Women	LAO	0.15	0.08	0.23	Fasting plasma glucose	0.14	0.08	0.22
Women	LAO	0.15	0.08	0.23	Second hand smoke	0.14	0.08	0.22
Women	LAO	0.15	0.08	0.23	Systolic blood pressure	0.13	0.07	0.20
Both Sexes	LAO	0.17	0.10	0.26	BMI	0.16	0.10	0.25
Both Sexes	LAO	0.17	0.10	0.26	Baseline scenario	0.16	0.10	0.25
Both Sexes	LAO	0.17	0.10	0.26	Combined scenarios	0.13	0.08	0.20
Both Sexes	LAO	0.17	0.10	0.26	Direct Smoking	0.15	0.09	0.23
Both Sexes	LAO	0.17	0.10	0.26	Fasting plasma glucose	0.16	0.10	0.25
Both Sexes	LAO	0.17	0.10	0.26	Second hand smoke	0.16	0.10	0.25
Both Sexes	LAO	0.17	0.10	0.26	Systolic blood pressure	0.14	0.09	0.23
Men	LBN	0.10	0.07	0.13	BMI	0.07	0.06	0.10
Men	LBN	0.10	0.07	0.13	Baseline scenario	0.08	0.06	0.10
Men	LBN	0.10	0.07	0.13	Combined scenarios	0.07	0.05	0.09
Men	LBN	0.10	0.07	0.13	Direct Smoking	0.08	0.06	0.10
Men	LBN	0.10	0.07	0.13	Fasting plasma glucose	0.08	0.06	0.10

Men	LBN	0.10	0.07	0.13	Second hand smoke	0.08	0.06	0.10
Men	LBN	0.10	0.07	0.13	Systolic blood pressure	0.07	0.05	0.09
Women	LBN	0.06	0.04	0.09	BMI	0.04	0.03	0.06
Women	LBN	0.06	0.04	0.09	Baseline scenario	0.04	0.03	0.06
Women	LBN	0.06	0.04	0.09	Combined scenarios	0.04	0.03	0.05
Women	LBN	0.06	0.04	0.09	Direct Smoking	0.04	0.03	0.06
Women	LBN	0.06	0.04	0.09	Fasting plasma glucose	0.04	0.03	0.06
Women	LBN	0.06	0.04	0.09	Second hand smoke	0.04	0.03	0.06
Women	LBN	0.06	0.04	0.09	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	LBN	0.08	0.07	0.10	BMI	0.06	0.05	0.08
Both Sexes	LBN	0.08	0.07	0.10	Baseline scenario	0.06	0.05	0.08
Both Sexes	LBN	0.08	0.07	0.10	Combined scenarios	0.05	0.04	0.07
Both Sexes	LBN	0.08	0.07	0.10	Direct Smoking	0.06	0.05	0.08
Both Sexes	LBN	0.08	0.07	0.10	Fasting plasma glucose	0.06	0.05	0.08
Both Sexes	LBN	0.08	0.07	0.10	Second hand smoke	0.06	0.05	0.08
Both Sexes	LBN	0.08	0.07	0.10	Systolic blood pressure	0.05	0.04	0.07
Men	LBR	0.13	0.10	0.15	BMI	0.15	0.12	0.17
Men	LBR	0.13	0.10	0.15	Baseline scenario	0.15	0.12	0.18
Men	LBR	0.13	0.10	0.15	Combined scenarios	0.13	0.11	0.16
Men	LBR	0.13	0.10	0.15	Direct Smoking	0.14	0.11	0.17
Men	LBR	0.13	0.10	0.15	Fasting plasma glucose	0.15	0.12	0.18
Men	LBR	0.13	0.10	0.15	Second hand smoke	0.15	0.12	0.18
Men	LBR	0.13	0.10	0.15	Systolic blood pressure	0.14	0.11	0.17
Women	LBR	0.14	0.10	0.18	BMI	0.15	0.11	0.20
Women	LBR	0.14	0.10	0.18	Baseline scenario	0.16	0.12	0.21
Women	LBR	0.14	0.10	0.18	Combined scenarios	0.13	0.09	0.18

Women	LBR	0.14	0.10	0.18	Direct Smoking	0.16	0.11	0.21
Women	LBR	0.14	0.10	0.18	Fasting plasma glucose	0.16	0.12	0.21
Women	LBR	0.14	0.10	0.18	Second hand smoke	0.16	0.12	0.21
Women	LBR	0.14	0.10	0.18	Systolic blood pressure	0.14	0.10	0.19
Both Sexes	LBR	0.13	0.11	0.16	BMI	0.15	0.12	0.18
Both Sexes	LBR	0.13	0.11	0.16	Baseline scenario	0.15	0.13	0.18
Both Sexes	LBR	0.13	0.11	0.16	Combined scenarios	0.13	0.11	0.16
Both Sexes	LBR	0.13	0.11	0.16	Direct Smoking	0.15	0.12	0.18
Both Sexes	LBR	0.13	0.11	0.16	Fasting plasma glucose	0.15	0.13	0.18
Both Sexes	LBR	0.13	0.11	0.16	Second hand smoke	0.15	0.13	0.18
Both Sexes	LBR	0.13	0.11	0.16	Systolic blood pressure	0.14	0.12	0.17
Men	LBV	0.13	0.10	0.16	BMI	0.14	0.10	0.17
Men	LBV	0.13	0.10	0.16	Baseline scenario	0.14	0.10	0.17
Men	LBV	0.13	0.10	0.16	Combined scenarios	0.09	0.07	0.11
Men	LBV	0.13	0.10	0.16	Direct Smoking	0.12	0.09	0.15
Men	LBV	0.13	0.10	0.16	Fasting plasma glucose	0.13	0.10	0.16
Men	LBV	0.13	0.10	0.16	Second hand smoke	0.14	0.10	0.17
Men	LBV	0.13	0.10	0.16	Systolic blood pressure	0.11	0.08	0.14
Women	LBV	0.10	0.07	0.12	BMI	0.09	0.07	0.12
Women	LBV	0.10	0.07	0.12	Baseline scenario	0.09	0.07	0.12
Women	LBV	0.10	0.07	0.12	Combined scenarios	0.06	0.04	0.08
Women	LBV	0.10	0.07	0.12	Direct Smoking	0.09	0.07	0.12
Women	LBV	0.10	0.07	0.12	Fasting plasma glucose	0.09	0.07	0.11
Women	LBV	0.10	0.07	0.12	Second hand smoke	0.09	0.07	0.12
Women	LBV	0.10	0.07	0.12	Systolic blood pressure	0.06	0.05	0.08

Both Sexes	LBY	0.11	0.09	0.13	BMI	0.11	0.09	0.13
Both Sexes	LBY	0.11	0.09	0.13	Baseline scenario	0.11	0.09	0.13
Both Sexes	LBY	0.11	0.09	0.13	Combined scenarios	0.08	0.06	0.09
Both Sexes	LBY	0.11	0.09	0.13	Direct Smoking	0.11	0.09	0.13
Both Sexes	LBY	0.11	0.09	0.13	Fasting plasma glucose	0.11	0.09	0.13
Both Sexes	LBY	0.11	0.09	0.13	Second hand smoke	0.11	0.09	0.13
Both Sexes	LBY	0.11	0.09	0.13	Systolic blood pressure	0.09	0.07	0.10
Men	LCA	0.11	0.08	0.14	BMI	0.09	0.07	0.12
Men	LCA	0.11	0.08	0.14	Baseline scenario	0.09	0.07	0.12
Men	LCA	0.11	0.08	0.14	Combined scenarios	0.07	0.05	0.09
Men	LCA	0.11	0.08	0.14	Direct Smoking	0.09	0.06	0.11
Men	LCA	0.11	0.08	0.14	Fasting plasma glucose	0.09	0.07	0.12
Men	LCA	0.11	0.08	0.14	Second hand smoke	0.09	0.07	0.12
Men	LCA	0.11	0.08	0.14	Systolic blood pressure	0.08	0.06	0.10
Women	LCA	0.07	0.05	0.10	BMI	0.05	0.04	0.07
Women	LCA	0.07	0.05	0.10	Baseline scenario	0.06	0.04	0.07
Women	LCA	0.07	0.05	0.10	Combined scenarios	0.05	0.03	0.06
Women	LCA	0.07	0.05	0.10	Direct Smoking	0.05	0.04	0.07
Women	LCA	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.04	0.07
Women	LCA	0.07	0.05	0.10	Second hand smoke	0.06	0.04	0.07
Women	LCA	0.07	0.05	0.10	Systolic blood pressure	0.05	0.03	0.06
Both Sexes	LCA	0.09	0.07	0.11	BMI	0.07	0.06	0.09
Both Sexes	LCA	0.09	0.07	0.11	Baseline scenario	0.07	0.06	0.09
Both Sexes	LCA	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.07
Both Sexes	LCA	0.09	0.07	0.11	Direct Smoking	0.07	0.06	0.08
Both Sexes	LCA	0.09	0.07	0.11	Fasting plasma glucose	0.07	0.06	0.09

Both Sexes	LCA	0.09	0.07	0.11	Second hand smoke	0.07	0.06	0.09
Both Sexes	LCA	0.09	0.07	0.11	Systolic blood pressure	0.06	0.05	0.08
Men	LKA	0.14	0.11	0.16	BMI	0.13	0.11	0.16
Men	LKA	0.14	0.11	0.16	Baseline scenario	0.14	0.11	0.16
Men	LKA	0.14	0.11	0.16	Combined scenarios	0.11	0.09	0.13
Men	LKA	0.14	0.11	0.16	Direct Smoking	0.13	0.11	0.15
Men	LKA	0.14	0.11	0.16	Fasting plasma glucose	0.14	0.11	0.16
Men	LKA	0.14	0.11	0.16	Second hand smoke	0.14	0.11	0.16
Men	LKA	0.14	0.11	0.16	Systolic blood pressure	0.12	0.10	0.14
Women	LKA	0.05	0.04	0.07	BMI	0.05	0.04	0.06
Women	LKA	0.05	0.04	0.07	Baseline scenario	0.05	0.04	0.06
Women	LKA	0.05	0.04	0.07	Combined scenarios	0.04	0.03	0.05
Women	LKA	0.05	0.04	0.07	Direct Smoking	0.05	0.04	0.06
Women	LKA	0.05	0.04	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	LKA	0.05	0.04	0.07	Second hand smoke	0.05	0.04	0.06
Women	LKA	0.05	0.04	0.07	Systolic blood pressure	0.05	0.04	0.06
Both Sexes	LKA	0.09	0.08	0.11	BMI	0.09	0.08	0.10
Both Sexes	LKA	0.09	0.08	0.11	Baseline scenario	0.09	0.08	0.11
Both Sexes	LKA	0.09	0.08	0.11	Combined scenarios	0.08	0.07	0.09
Both Sexes	LKA	0.09	0.08	0.11	Direct Smoking	0.09	0.08	0.10
Both Sexes	LKA	0.09	0.08	0.11	Fasting plasma glucose	0.09	0.08	0.11
Both Sexes	LKA	0.09	0.08	0.11	Second hand smoke	0.09	0.08	0.11
Both Sexes	LKA	0.09	0.08	0.11	Systolic blood pressure	0.08	0.07	0.09
Men	LSO	0.21	0.17	0.25	BMI	0.24	0.20	0.28
Men	LSO	0.21	0.17	0.25	Baseline scenario	0.24	0.20	0.29
Men	LSO	0.21	0.17	0.25	Combined scenarios	0.21	0.17	0.25

Men	LSO	0.21	0.17	0.25	Direct Smoking	0.24	0.20	0.28
Men	LSO	0.21	0.17	0.25	Fasting plasma glucose	0.24	0.20	0.29
Men	LSO	0.21	0.17	0.25	Second hand smoke	0.24	0.20	0.29
Men	LSO	0.21	0.17	0.25	Systolic blood pressure	0.22	0.18	0.26
Women	LSO	0.10	0.06	0.15	BMI	0.11	0.07	0.17
Women	LSO	0.10	0.06	0.15	Baseline scenario	0.11	0.08	0.17
Women	LSO	0.10	0.06	0.15	Combined scenarios	0.10	0.06	0.15
Women	LSO	0.10	0.06	0.15	Direct Smoking	0.11	0.08	0.17
Women	LSO	0.10	0.06	0.15	Fasting plasma glucose	0.11	0.08	0.17
Women	LSO	0.10	0.06	0.15	Second hand smoke	0.11	0.08	0.17
Women	LSO	0.10	0.06	0.15	Systolic blood pressure	0.10	0.07	0.15
Both Sexes	LSO	0.14	0.12	0.18	BMI	0.16	0.14	0.20
Both Sexes	LSO	0.14	0.12	0.18	Baseline scenario	0.17	0.14	0.21
Both Sexes	LSO	0.14	0.12	0.18	Combined scenarios	0.14	0.12	0.18
Both Sexes	LSO	0.14	0.12	0.18	Direct Smoking	0.17	0.14	0.20
Both Sexes	LSO	0.14	0.12	0.18	Fasting plasma glucose	0.17	0.14	0.21
Both Sexes	LSO	0.14	0.12	0.18	Second hand smoke	0.17	0.14	0.21
Both Sexes	LSO	0.14	0.12	0.18	Systolic blood pressure	0.15	0.12	0.18
Men	LTU	0.19	0.18	0.20	BMI	0.18	0.17	0.19
Men	LTU	0.19	0.18	0.20	Baseline scenario	0.19	0.18	0.20
Men	LTU	0.19	0.18	0.20	Combined scenarios	0.14	0.13	0.15
Men	LTU	0.19	0.18	0.20	Direct Smoking	0.17	0.16	0.18
Men	LTU	0.19	0.18	0.20	Fasting plasma glucose	0.19	0.18	0.20
Men	LTU	0.19	0.18	0.20	Second hand smoke	0.19	0.18	0.20
Men	LTU	0.19	0.18	0.20	Systolic blood pressure	0.17	0.15	0.18

Women	LTU	0.06	0.06	0.07	BMI	0.05	0.05	0.06
Women	LTU	0.06	0.06	0.07	Baseline scenario	0.06	0.05	0.06
Women	LTU	0.06	0.06	0.07	Combined scenarios	0.04	0.03	0.05
Women	LTU	0.06	0.06	0.07	Direct Smoking	0.05	0.05	0.06
Women	LTU	0.06	0.06	0.07	Fasting plasma glucose	0.06	0.05	0.06
Women	LTU	0.06	0.06	0.07	Second hand smoke	0.06	0.05	0.06
Women	LTU	0.06	0.06	0.07	Systolic blood pressure	0.05	0.04	0.06
Both Sexes	LTU	0.12	0.11	0.13	BMI	0.11	0.11	0.12
Both Sexes	LTU	0.12	0.11	0.13	Baseline scenario	0.12	0.11	0.12
Both Sexes	LTU	0.12	0.11	0.13	Combined scenarios	0.08	0.08	0.09
Both Sexes	LTU	0.12	0.11	0.13	Direct Smoking	0.10	0.10	0.11
Both Sexes	LTU	0.12	0.11	0.13	Fasting plasma glucose	0.12	0.11	0.12
Both Sexes	LTU	0.12	0.11	0.13	Second hand smoke	0.12	0.11	0.12
Both Sexes	LTU	0.12	0.11	0.13	Systolic blood pressure	0.10	0.09	0.11
Men	LUX	0.05	0.04	0.06	BMI	0.03	0.03	0.04
Men	LUX	0.05	0.04	0.06	Baseline scenario	0.03	0.03	0.04
Men	LUX	0.05	0.04	0.06	Combined scenarios	0.03	0.02	0.03
Men	LUX	0.05	0.04	0.06	Direct Smoking	0.03	0.03	0.04
Men	LUX	0.05	0.04	0.06	Fasting plasma glucose	0.03	0.03	0.04
Men	LUX	0.05	0.04	0.06	Second hand smoke	0.03	0.03	0.04
Men	LUX	0.05	0.04	0.06	Systolic blood pressure	0.03	0.02	0.03
Women	LUX	0.03	0.02	0.04	BMI	0.02	0.01	0.02
Women	LUX	0.03	0.02	0.04	Baseline scenario	0.02	0.01	0.02
Women	LUX	0.03	0.02	0.04	Combined scenarios	0.01	0.01	0.02
Women	LUX	0.03	0.02	0.04	Direct Smoking	0.02	0.01	0.02
Women	LUX	0.03	0.02	0.04	Fasting plasma glucose	0.02	0.01	0.02

Women	LUX	0.03	0.02	0.04	Second hand smoke	0.02	0.01	0.02
Women	LUX	0.03	0.02	0.04	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	LUX	0.04	0.03	0.04	BMI	0.02	0.02	0.03
Both Sexes	LUX	0.04	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	LUX	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	LUX	0.04	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	LUX	0.04	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	LUX	0.04	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	LUX	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	LVA	0.21	0.20	0.22	BMI	0.19	0.18	0.20
Men	LVA	0.21	0.20	0.22	Baseline scenario	0.19	0.18	0.20
Men	LVA	0.21	0.20	0.22	Combined scenarios	0.15	0.14	0.16
Men	LVA	0.21	0.20	0.22	Direct Smoking	0.17	0.16	0.18
Men	LVA	0.21	0.20	0.22	Fasting plasma glucose	0.19	0.18	0.20
Men	LVA	0.21	0.20	0.22	Second hand smoke	0.19	0.18	0.20
Men	LVA	0.21	0.20	0.22	Systolic blood pressure	0.17	0.16	0.18
Women	LVA	0.07	0.07	0.08	BMI	0.06	0.05	0.07
Women	LVA	0.07	0.07	0.08	Baseline scenario	0.06	0.05	0.07
Women	LVA	0.07	0.07	0.08	Combined scenarios	0.05	0.04	0.06
Women	LVA	0.07	0.07	0.08	Direct Smoking	0.05	0.05	0.06
Women	LVA	0.07	0.07	0.08	Fasting plasma glucose	0.06	0.05	0.07
Women	LVA	0.07	0.07	0.08	Second hand smoke	0.06	0.05	0.07
Women	LVA	0.07	0.07	0.08	Systolic blood pressure	0.05	0.05	0.06
Both Sexes	LVA	0.13	0.13	0.14	BMI	0.12	0.11	0.12
Both Sexes	LVA	0.13	0.13	0.14	Baseline scenario	0.12	0.11	0.12
Both Sexes	LVA	0.13	0.13	0.14	Combined scenarios	0.09	0.09	0.10

Both Sexes	LVA	0.13	0.13	0.14	Direct Smoking	0.11	0.10	0.11
Both Sexes	LVA	0.13	0.13	0.14	Fasting plasma glucose	0.12	0.11	0.12
Both Sexes	LVA	0.13	0.13	0.14	Second hand smoke	0.12	0.11	0.12
Both Sexes	LVA	0.13	0.13	0.14	Systolic blood pressure	0.10	0.10	0.11
Men	MAR	0.09	0.07	0.12	BMI	0.08	0.06	0.10
Men	MAR	0.09	0.07	0.12	Baseline scenario	0.08	0.07	0.11
Men	MAR	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.09
Men	MAR	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.11
Men	MAR	0.09	0.07	0.12	Fasting plasma glucose	0.08	0.07	0.11
Men	MAR	0.09	0.07	0.12	Second hand smoke	0.08	0.07	0.11
Men	MAR	0.09	0.07	0.12	Systolic blood pressure	0.08	0.06	0.10
Women	MAR	0.08	0.06	0.11	BMI	0.06	0.05	0.08
Women	MAR	0.08	0.06	0.11	Baseline scenario	0.08	0.06	0.11
Women	MAR	0.08	0.06	0.11	Combined scenarios	0.06	0.04	0.07
Women	MAR	0.08	0.06	0.11	Direct Smoking	0.08	0.06	0.11
Women	MAR	0.08	0.06	0.11	Fasting plasma glucose	0.08	0.06	0.11
Women	MAR	0.08	0.06	0.11	Second hand smoke	0.08	0.06	0.11
Women	MAR	0.08	0.06	0.11	Systolic blood pressure	0.07	0.05	0.10
Both Sexes	MAR	0.09	0.07	0.11	BMI	0.07	0.06	0.08
Both Sexes	MAR	0.09	0.07	0.11	Baseline scenario	0.08	0.07	0.10
Both Sexes	MAR	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.07
Both Sexes	MAR	0.09	0.07	0.11	Direct Smoking	0.08	0.06	0.10
Both Sexes	MAR	0.09	0.07	0.11	Fasting plasma glucose	0.08	0.07	0.10
Both Sexes	MAR	0.09	0.07	0.11	Second hand smoke	0.08	0.07	0.10
Both Sexes	MAR	0.09	0.07	0.11	Systolic blood pressure	0.07	0.06	0.09

Men	MDA	0.22	0.21	0.23	BMI	0.22	0.21	0.22
Men	MDA	0.22	0.21	0.23	Baseline scenario	0.22	0.21	0.23
Men	MDA	0.22	0.21	0.23	Combined scenarios	0.19	0.18	0.20
Men	MDA	0.22	0.21	0.23	Direct Smoking	0.21	0.20	0.22
Men	MDA	0.22	0.21	0.23	Fasting plasma glucose	0.22	0.21	0.23
Men	MDA	0.22	0.21	0.23	Second hand smoke	0.22	0.21	0.23
Men	MDA	0.22	0.21	0.23	Systolic blood pressure	0.20	0.19	0.21
Women	MDA	0.11	0.10	0.12	BMI	0.09	0.09	0.10
Women	MDA	0.11	0.10	0.12	Baseline scenario	0.09	0.09	0.10
Women	MDA	0.11	0.10	0.12	Combined scenarios	0.08	0.07	0.09
Women	MDA	0.11	0.10	0.12	Direct Smoking	0.09	0.09	0.10
Women	MDA	0.11	0.10	0.12	Fasting plasma glucose	0.09	0.09	0.10
Women	MDA	0.11	0.10	0.12	Second hand smoke	0.10	0.09	0.10
Women	MDA	0.11	0.10	0.12	Systolic blood pressure	0.08	0.07	0.09
Both Sexes	MDA	0.16	0.16	0.17	BMI	0.15	0.14	0.16
Both Sexes	MDA	0.16	0.16	0.17	Baseline scenario	0.15	0.15	0.16
Both Sexes	MDA	0.16	0.16	0.17	Combined scenarios	0.13	0.12	0.14
Both Sexes	MDA	0.16	0.16	0.17	Direct Smoking	0.15	0.14	0.15
Both Sexes	MDA	0.16	0.16	0.17	Fasting plasma glucose	0.15	0.15	0.16
Both Sexes	MDA	0.16	0.16	0.17	Second hand smoke	0.15	0.15	0.16
Both Sexes	MDA	0.16	0.16	0.17	Systolic blood pressure	0.13	0.13	0.14
Men	MDG	0.22	0.17	0.30	BMI	0.22	0.17	0.29
Men	MDG	0.22	0.17	0.30	Baseline scenario	0.22	0.17	0.29
Men	MDG	0.22	0.17	0.30	Combined scenarios	0.19	0.14	0.25
Men	MDG	0.22	0.17	0.30	Direct Smoking	0.21	0.17	0.28
Men	MDG	0.22	0.17	0.30	Fasting plasma glucose	0.22	0.17	0.29

Men	MDG	0.22	0.17	0.30	Second hand smoke	0.22	0.17	0.29
Men	MDG	0.22	0.17	0.30	Systolic blood pressure	0.19	0.14	0.26
Women	MDG	0.18	0.13	0.24	BMI	0.18	0.13	0.24
Women	MDG	0.18	0.13	0.24	Baseline scenario	0.19	0.13	0.24
Women	MDG	0.18	0.13	0.24	Combined scenarios	0.15	0.11	0.21
Women	MDG	0.18	0.13	0.24	Direct Smoking	0.19	0.13	0.24
Women	MDG	0.18	0.13	0.24	Fasting plasma glucose	0.19	0.13	0.24
Women	MDG	0.18	0.13	0.24	Second hand smoke	0.19	0.13	0.24
Women	MDG	0.18	0.13	0.24	Systolic blood pressure	0.15	0.10	0.20
Both Sexes	MDG	0.20	0.16	0.25	BMI	0.20	0.16	0.25
Both Sexes	MDG	0.20	0.16	0.25	Baseline scenario	0.20	0.16	0.25
Both Sexes	MDG	0.20	0.16	0.25	Combined scenarios	0.17	0.14	0.21
Both Sexes	MDG	0.20	0.16	0.25	Direct Smoking	0.20	0.16	0.25
Both Sexes	MDG	0.20	0.16	0.25	Fasting plasma glucose	0.20	0.16	0.25
Both Sexes	MDG	0.20	0.16	0.25	Second hand smoke	0.20	0.16	0.25
Both Sexes	MDG	0.20	0.16	0.25	Systolic blood pressure	0.17	0.14	0.21
Men	MDV	0.09	0.08	0.10	BMI	0.08	0.07	0.10
Men	MDV	0.09	0.08	0.10	Baseline scenario	0.08	0.07	0.10
Men	MDV	0.09	0.08	0.10	Combined scenarios	0.07	0.05	0.08
Men	MDV	0.09	0.08	0.10	Direct Smoking	0.08	0.06	0.09
Men	MDV	0.09	0.08	0.10	Fasting plasma glucose	0.08	0.07	0.10
Men	MDV	0.09	0.08	0.10	Second hand smoke	0.08	0.07	0.10
Men	MDV	0.09	0.08	0.10	Systolic blood pressure	0.07	0.06	0.09
Women	MDV	0.05	0.03	0.06	BMI	0.03	0.02	0.03
Women	MDV	0.05	0.03	0.06	Baseline scenario	0.03	0.02	0.03
Women	MDV	0.05	0.03	0.06	Combined scenarios	0.02	0.02	0.03

Women	MDV	0.05	0.03	0.06	Direct Smoking	0.03	0.02	0.03
Women	MDV	0.05	0.03	0.06	Fasting plasma glucose	0.03	0.02	0.03
Women	MDV	0.05	0.03	0.06	Second hand smoke	0.03	0.02	0.03
Women	MDV	0.05	0.03	0.06	Systolic blood pressure	0.02	0.02	0.03
Both Sexes	MDV	0.07	0.06	0.08	BMI	0.05	0.05	0.06
Both Sexes	MDV	0.07	0.06	0.08	Baseline scenario	0.06	0.05	0.06
Both Sexes	MDV	0.07	0.06	0.08	Combined scenarios	0.04	0.04	0.05
Both Sexes	MDV	0.07	0.06	0.08	Direct Smoking	0.05	0.04	0.06
Both Sexes	MDV	0.07	0.06	0.08	Fasting plasma glucose	0.06	0.05	0.06
Both Sexes	MDV	0.07	0.06	0.08	Second hand smoke	0.06	0.05	0.06
Both Sexes	MDV	0.07	0.06	0.08	Systolic blood pressure	0.05	0.04	0.06
Men	MEX	0.07	0.07	0.08	BMI	0.07	0.07	0.07
Men	MEX	0.07	0.07	0.08	Baseline scenario	0.07	0.07	0.08
Men	MEX	0.07	0.07	0.08	Combined scenarios	0.07	0.06	0.07
Men	MEX	0.07	0.07	0.08	Direct Smoking	0.08	0.07	0.08
Men	MEX	0.07	0.07	0.08	Fasting plasma glucose	0.07	0.07	0.08
Men	MEX	0.07	0.07	0.08	Second hand smoke	0.07	0.07	0.08
Men	MEX	0.07	0.07	0.08	Systolic blood pressure	0.07	0.07	0.07
Women	MEX	0.04	0.04	0.05	BMI	0.04	0.03	0.04
Women	MEX	0.04	0.04	0.05	Baseline scenario	0.04	0.03	0.05
Women	MEX	0.04	0.04	0.05	Combined scenarios	0.03	0.03	0.04
Women	MEX	0.04	0.04	0.05	Direct Smoking	0.04	0.03	0.05
Women	MEX	0.04	0.04	0.05	Fasting plasma glucose	0.04	0.03	0.05
Women	MEX	0.04	0.04	0.05	Second hand smoke	0.04	0.03	0.05
Women	MEX	0.04	0.04	0.05	Systolic blood pressure	0.04	0.03	0.04

Both Sexes	MEX	0.06	0.05	0.06	BMI	0.05	0.05	0.06
Both Sexes	MEX	0.06	0.05	0.06	Baseline scenario	0.06	0.05	0.06
Both Sexes	MEX	0.06	0.05	0.06	Combined scenarios	0.05	0.05	0.05
Both Sexes	MEX	0.06	0.05	0.06	Direct Smoking	0.06	0.05	0.06
Both Sexes	MEX	0.06	0.05	0.06	Fasting plasma glucose	0.05	0.05	0.06
Both Sexes	MEX	0.06	0.05	0.06	Second hand smoke	0.06	0.05	0.06
Both Sexes	MEX	0.06	0.05	0.06	Systolic blood pressure	0.05	0.05	0.06
Men	MKD	0.14	0.13	0.15	BMI	0.13	0.12	0.14
Men	MKD	0.14	0.13	0.15	Baseline scenario	0.13	0.12	0.14
Men	MKD	0.14	0.13	0.15	Combined scenarios	0.10	0.09	0.11
Men	MKD	0.14	0.13	0.15	Direct Smoking	0.11	0.10	0.12
Men	MKD	0.14	0.13	0.15	Fasting plasma glucose	0.13	0.12	0.14
Men	MKD	0.14	0.13	0.15	Second hand smoke	0.13	0.12	0.15
Men	MKD	0.14	0.13	0.15	Systolic blood pressure	0.12	0.11	0.13
Women	MKD	0.08	0.07	0.09	BMI	0.07	0.06	0.08
Women	MKD	0.08	0.07	0.09	Baseline scenario	0.07	0.06	0.08
Women	MKD	0.08	0.07	0.09	Combined scenarios	0.05	0.04	0.06
Women	MKD	0.08	0.07	0.09	Direct Smoking	0.06	0.05	0.07
Women	MKD	0.08	0.07	0.09	Fasting plasma glucose	0.07	0.06	0.08
Women	MKD	0.08	0.07	0.09	Second hand smoke	0.07	0.06	0.08
Women	MKD	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07
Both Sexes	MKD	0.11	0.10	0.12	BMI	0.10	0.09	0.11
Both Sexes	MKD	0.11	0.10	0.12	Baseline scenario	0.10	0.09	0.11
Both Sexes	MKD	0.11	0.10	0.12	Combined scenarios	0.08	0.07	0.08
Both Sexes	MKD	0.11	0.10	0.12	Direct Smoking	0.09	0.08	0.09
Both Sexes	MKD	0.11	0.10	0.12	Fasting plasma glucose	0.10	0.09	0.11

Both Sexes	MKD	0.11	0.10	0.12	Second hand smoke	0.10	0.09	0.11
Both Sexes	MKD	0.11	0.10	0.12	Systolic blood pressure	0.09	0.08	0.10
Men	MLI	0.10	0.08	0.12	BMI	0.10	0.08	0.13
Men	MLI	0.10	0.08	0.12	Baseline scenario	0.11	0.08	0.14
Men	MLI	0.10	0.08	0.12	Combined scenarios	0.09	0.07	0.11
Men	MLI	0.10	0.08	0.12	Direct Smoking	0.10	0.08	0.13
Men	MLI	0.10	0.08	0.12	Fasting plasma glucose	0.11	0.08	0.13
Men	MLI	0.10	0.08	0.12	Second hand smoke	0.11	0.08	0.14
Men	MLI	0.10	0.08	0.12	Systolic blood pressure	0.10	0.08	0.13
Women	MLI	0.15	0.11	0.19	BMI	0.15	0.11	0.20
Women	MLI	0.15	0.11	0.19	Baseline scenario	0.18	0.13	0.23
Women	MLI	0.15	0.11	0.19	Combined scenarios	0.14	0.10	0.17
Women	MLI	0.15	0.11	0.19	Direct Smoking	0.17	0.12	0.22
Women	MLI	0.15	0.11	0.19	Fasting plasma glucose	0.17	0.13	0.22
Women	MLI	0.15	0.11	0.19	Second hand smoke	0.18	0.13	0.23
Women	MLI	0.15	0.11	0.19	Systolic blood pressure	0.16	0.12	0.21
Both Sexes	MLI	0.13	0.10	0.15	BMI	0.13	0.10	0.16
Both Sexes	MLI	0.13	0.10	0.15	Baseline scenario	0.14	0.12	0.17
Both Sexes	MLI	0.13	0.10	0.15	Combined scenarios	0.11	0.09	0.14
Both Sexes	MLI	0.13	0.10	0.15	Direct Smoking	0.14	0.11	0.17
Both Sexes	MLI	0.13	0.10	0.15	Fasting plasma glucose	0.14	0.12	0.17
Both Sexes	MLI	0.13	0.10	0.15	Second hand smoke	0.14	0.12	0.17
Both Sexes	MLI	0.13	0.10	0.15	Systolic blood pressure	0.13	0.11	0.16
Men	MLT	0.06	0.05	0.07	BMI	0.04	0.03	0.05
Men	MLT	0.06	0.05	0.07	Baseline scenario	0.04	0.03	0.05
Men	MLT	0.06	0.05	0.07	Combined scenarios	0.03	0.03	0.04

Men	MLT	0.06	0.05	0.07	Direct Smoking	0.04	0.03	0.05
Men	MLT	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.03	0.05
Men	MLT	0.06	0.05	0.07	Second hand smoke	0.04	0.03	0.05
Men	MLT	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.04
Women	MLT	0.02	0.02	0.03	BMI	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Fasting plasma glucose	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.02
Women	MLT	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	MLT	0.04	0.04	0.05	BMI	0.03	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Both Sexes	MLT	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Men	MMR	0.15	0.09	0.23	BMI	0.15	0.09	0.23
Men	MMR	0.15	0.09	0.23	Baseline scenario	0.15	0.09	0.23
Men	MMR	0.15	0.09	0.23	Combined scenarios	0.12	0.07	0.18
Men	MMR	0.15	0.09	0.23	Direct Smoking	0.14	0.09	0.22
Men	MMR	0.15	0.09	0.23	Fasting plasma glucose	0.15	0.09	0.23
Men	MMR	0.15	0.09	0.23	Second hand smoke	0.15	0.09	0.23
Men	MMR	0.15	0.09	0.23	Systolic blood pressure	0.12	0.07	0.19

Women	MMR	0.11	0.06	0.17	BMI	0.09	0.05	0.15
Women	MMR	0.11	0.06	0.17	Baseline scenario	0.10	0.06	0.15
Women	MMR	0.11	0.06	0.17	Combined scenarios	0.08	0.04	0.12
Women	MMR	0.11	0.06	0.17	Direct Smoking	0.09	0.05	0.15
Women	MMR	0.11	0.06	0.17	Fasting plasma glucose	0.10	0.06	0.15
Women	MMR	0.11	0.06	0.17	Second hand smoke	0.10	0.06	0.15
Women	MMR	0.11	0.06	0.17	Systolic blood pressure	0.08	0.05	0.13
Both Sexes	MMR	0.13	0.08	0.20	BMI	0.12	0.07	0.18
Both Sexes	MMR	0.13	0.08	0.20	Baseline scenario	0.12	0.07	0.19
Both Sexes	MMR	0.13	0.08	0.20	Combined scenarios	0.10	0.06	0.15
Both Sexes	MMR	0.13	0.08	0.20	Direct Smoking	0.12	0.07	0.18
Both Sexes	MMR	0.13	0.08	0.20	Fasting plasma glucose	0.12	0.07	0.19
Both Sexes	MMR	0.13	0.08	0.20	Second hand smoke	0.12	0.07	0.19
Both Sexes	MMR	0.13	0.08	0.20	Systolic blood pressure	0.10	0.06	0.16
Men	MNE	0.18	0.16	0.21	BMI	0.17	0.15	0.20
Men	MNE	0.18	0.16	0.21	Baseline scenario	0.18	0.15	0.20
Men	MNE	0.18	0.16	0.21	Combined scenarios	0.14	0.12	0.16
Men	MNE	0.18	0.16	0.21	Direct Smoking	0.16	0.14	0.18
Men	MNE	0.18	0.16	0.21	Fasting plasma glucose	0.18	0.15	0.20
Men	MNE	0.18	0.16	0.21	Second hand smoke	0.18	0.15	0.20
Men	MNE	0.18	0.16	0.21	Systolic blood pressure	0.16	0.14	0.18
Women	MNE	0.10	0.08	0.11	BMI	0.10	0.08	0.11
Women	MNE	0.10	0.08	0.11	Baseline scenario	0.10	0.08	0.11
Women	MNE	0.10	0.08	0.11	Combined scenarios	0.07	0.06	0.09
Women	MNE	0.10	0.08	0.11	Direct Smoking	0.09	0.07	0.10
Women	MNE	0.10	0.08	0.11	Fasting plasma glucose	0.10	0.08	0.11

Women	MNE	0.10	0.08	0.11	Second hand smoke	0.10	0.08	0.11
Women	MNE	0.10	0.08	0.11	Systolic blood pressure	0.08	0.07	0.10
Both Sexes	MNE	0.14	0.12	0.15	BMI	0.13	0.12	0.15
Both Sexes	MNE	0.14	0.12	0.15	Baseline scenario	0.14	0.12	0.15
Both Sexes	MNE	0.14	0.12	0.15	Combined scenarios	0.11	0.09	0.12
Both Sexes	MNE	0.14	0.12	0.15	Direct Smoking	0.12	0.11	0.14
Both Sexes	MNE	0.14	0.12	0.15	Fasting plasma glucose	0.14	0.12	0.15
Both Sexes	MNE	0.14	0.12	0.15	Second hand smoke	0.14	0.12	0.15
Both Sexes	MNE	0.14	0.12	0.15	Systolic blood pressure	0.12	0.11	0.14
Men	MNG	0.32	0.28	0.36	BMI	0.38	0.34	0.42
Men	MNG	0.32	0.28	0.36	Baseline scenario	0.39	0.34	0.43
Men	MNG	0.32	0.28	0.36	Combined scenarios	0.28	0.24	0.32
Men	MNG	0.32	0.28	0.36	Direct Smoking	0.35	0.31	0.39
Men	MNG	0.32	0.28	0.36	Fasting plasma glucose	0.39	0.34	0.43
Men	MNG	0.32	0.28	0.36	Second hand smoke	0.39	0.34	0.43
Men	MNG	0.32	0.28	0.36	Systolic blood pressure	0.32	0.28	0.36
Women	MNG	0.18	0.15	0.21	BMI	0.18	0.15	0.21
Women	MNG	0.18	0.15	0.21	Baseline scenario	0.18	0.15	0.21
Women	MNG	0.18	0.15	0.21	Combined scenarios	0.14	0.12	0.17
Women	MNG	0.18	0.15	0.21	Direct Smoking	0.17	0.14	0.20
Women	MNG	0.18	0.15	0.21	Fasting plasma glucose	0.18	0.15	0.21
Women	MNG	0.18	0.15	0.21	Second hand smoke	0.18	0.15	0.21
Women	MNG	0.18	0.15	0.21	Systolic blood pressure	0.15	0.13	0.18
Both Sexes	MNG	0.25	0.22	0.27	BMI	0.27	0.25	0.30
Both Sexes	MNG	0.25	0.22	0.27	Baseline scenario	0.28	0.25	0.31
Both Sexes	MNG	0.25	0.22	0.27	Combined scenarios	0.21	0.18	0.23

Both Sexes	MNG	0.25	0.22	0.27	Direct Smoking	0.26	0.23	0.28
Both Sexes	MNG	0.25	0.22	0.27	Fasting plasma glucose	0.28	0.25	0.31
Both Sexes	MNG	0.25	0.22	0.27	Second hand smoke	0.28	0.25	0.31
Both Sexes	MNG	0.25	0.22	0.27	Systolic blood pressure	0.23	0.20	0.26
Men	MOZ	0.14	0.11	0.18	BMI	0.16	0.13	0.21
Men	MOZ	0.14	0.11	0.18	Baseline scenario	0.16	0.13	0.21
Men	MOZ	0.14	0.11	0.18	Combined scenarios	0.12	0.09	0.15
Men	MOZ	0.14	0.11	0.18	Direct Smoking	0.15	0.12	0.19
Men	MOZ	0.14	0.11	0.18	Fasting plasma glucose	0.16	0.13	0.21
Men	MOZ	0.14	0.11	0.18	Second hand smoke	0.16	0.13	0.21
Men	MOZ	0.14	0.11	0.18	Systolic blood pressure	0.13	0.10	0.17
Women	MOZ	0.07	0.05	0.09	BMI	0.07	0.05	0.09
Women	MOZ	0.07	0.05	0.09	Baseline scenario	0.07	0.05	0.09
Women	MOZ	0.07	0.05	0.09	Combined scenarios	0.05	0.03	0.06
Women	MOZ	0.07	0.05	0.09	Direct Smoking	0.07	0.05	0.09
Women	MOZ	0.07	0.05	0.09	Fasting plasma glucose	0.07	0.05	0.09
Women	MOZ	0.07	0.05	0.09	Second hand smoke	0.07	0.05	0.09
Women	MOZ	0.07	0.05	0.09	Systolic blood pressure	0.05	0.04	0.07
Both Sexes	MOZ	0.10	0.09	0.12	BMI	0.11	0.09	0.13
Both Sexes	MOZ	0.10	0.09	0.12	Baseline scenario	0.11	0.09	0.14
Both Sexes	MOZ	0.10	0.09	0.12	Combined scenarios	0.08	0.07	0.10
Both Sexes	MOZ	0.10	0.09	0.12	Direct Smoking	0.10	0.09	0.13
Both Sexes	MOZ	0.10	0.09	0.12	Fasting plasma glucose	0.11	0.09	0.14
Both Sexes	MOZ	0.10	0.09	0.12	Second hand smoke	0.11	0.09	0.14
Both Sexes	MOZ	0.10	0.09	0.12	Systolic blood pressure	0.09	0.07	0.11

Men	MRT	0.13	0.10	0.16	BMI	0.14	0.11	0.17
Men	MRT	0.13	0.10	0.16	Baseline scenario	0.14	0.11	0.18
Men	MRT	0.13	0.10	0.16	Combined scenarios	0.12	0.09	0.14
Men	MRT	0.13	0.10	0.16	Direct Smoking	0.13	0.10	0.16
Men	MRT	0.13	0.10	0.16	Fasting plasma glucose	0.14	0.11	0.18
Men	MRT	0.13	0.10	0.16	Second hand smoke	0.14	0.11	0.18
Men	MRT	0.13	0.10	0.16	Systolic blood pressure	0.13	0.10	0.16
Women	MRT	0.12	0.08	0.17	BMI	0.12	0.08	0.16
Women	MRT	0.12	0.08	0.17	Baseline scenario	0.13	0.09	0.17
Women	MRT	0.12	0.08	0.17	Combined scenarios	0.10	0.07	0.14
Women	MRT	0.12	0.08	0.17	Direct Smoking	0.13	0.09	0.17
Women	MRT	0.12	0.08	0.17	Fasting plasma glucose	0.13	0.09	0.17
Women	MRT	0.12	0.08	0.17	Second hand smoke	0.13	0.09	0.17
Women	MRT	0.12	0.08	0.17	Systolic blood pressure	0.11	0.08	0.15
Both Sexes	MRT	0.13	0.10	0.15	BMI	0.13	0.11	0.16
Both Sexes	MRT	0.13	0.10	0.15	Baseline scenario	0.14	0.11	0.16
Both Sexes	MRT	0.13	0.10	0.15	Combined scenarios	0.11	0.09	0.13
Both Sexes	MRT	0.13	0.10	0.15	Direct Smoking	0.13	0.10	0.16
Both Sexes	MRT	0.13	0.10	0.15	Fasting plasma glucose	0.14	0.11	0.16
Both Sexes	MRT	0.13	0.10	0.15	Second hand smoke	0.14	0.11	0.16
Both Sexes	MRT	0.13	0.10	0.15	Systolic blood pressure	0.12	0.09	0.14
Men	MUS	0.15	0.14	0.17	BMI	0.10	0.10	0.12
Men	MUS	0.15	0.14	0.17	Baseline scenario	0.11	0.10	0.12
Men	MUS	0.15	0.14	0.17	Combined scenarios	0.09	0.08	0.10
Men	MUS	0.15	0.14	0.17	Direct Smoking	0.10	0.09	0.11
Men	MUS	0.15	0.14	0.17	Fasting plasma glucose	0.11	0.10	0.12

Men	MUS	0.15	0.14	0.17	Second hand smoke	0.11	0.10	0.12
Men	MUS	0.15	0.14	0.17	Systolic blood pressure	0.09	0.08	0.10
Women	MUS	0.07	0.06	0.10	BMI	0.05	0.04	0.06
Women	MUS	0.07	0.06	0.10	Baseline scenario	0.05	0.04	0.07
Women	MUS	0.07	0.06	0.10	Combined scenarios	0.04	0.03	0.06
Women	MUS	0.07	0.06	0.10	Direct Smoking	0.05	0.04	0.07
Women	MUS	0.07	0.06	0.10	Fasting plasma glucose	0.05	0.04	0.07
Women	MUS	0.07	0.06	0.10	Second hand smoke	0.05	0.04	0.07
Women	MUS	0.07	0.06	0.10	Systolic blood pressure	0.04	0.04	0.06
Both Sexes	MUS	0.11	0.10	0.13	BMI	0.08	0.07	0.09
Both Sexes	MUS	0.11	0.10	0.13	Baseline scenario	0.08	0.07	0.09
Both Sexes	MUS	0.11	0.10	0.13	Combined scenarios	0.06	0.06	0.07
Both Sexes	MUS	0.11	0.10	0.13	Direct Smoking	0.08	0.07	0.09
Both Sexes	MUS	0.11	0.10	0.13	Fasting plasma glucose	0.08	0.07	0.09
Both Sexes	MUS	0.11	0.10	0.13	Second hand smoke	0.08	0.07	0.09
Both Sexes	MUS	0.11	0.10	0.13	Systolic blood pressure	0.07	0.06	0.08
Men	MWI	0.10	0.07	0.13	BMI	0.12	0.09	0.15
Men	MWI	0.10	0.07	0.13	Baseline scenario	0.12	0.09	0.15
Men	MWI	0.10	0.07	0.13	Combined scenarios	0.09	0.07	0.12
Men	MWI	0.10	0.07	0.13	Direct Smoking	0.11	0.09	0.15
Men	MWI	0.10	0.07	0.13	Fasting plasma glucose	0.12	0.09	0.15
Men	MWI	0.10	0.07	0.13	Second hand smoke	0.12	0.09	0.15
Men	MWI	0.10	0.07	0.13	Systolic blood pressure	0.10	0.07	0.13
Women	MWI	0.08	0.06	0.11	BMI	0.07	0.06	0.10
Women	MWI	0.08	0.06	0.11	Baseline scenario	0.08	0.06	0.10
Women	MWI	0.08	0.06	0.11	Combined scenarios	0.06	0.04	0.08

Women	MWI	0.08	0.06	0.11	Direct Smoking	0.07	0.06	0.10
Women	MWI	0.08	0.06	0.11	Fasting plasma glucose	0.08	0.06	0.10
Women	MWI	0.08	0.06	0.11	Second hand smoke	0.08	0.06	0.10
Women	MWI	0.08	0.06	0.11	Systolic blood pressure	0.06	0.05	0.08
Both Sexes	MWI	0.09	0.07	0.11	BMI	0.09	0.08	0.12
Both Sexes	MWI	0.09	0.07	0.11	Baseline scenario	0.10	0.08	0.12
Both Sexes	MWI	0.09	0.07	0.11	Combined scenarios	0.07	0.06	0.09
Both Sexes	MWI	0.09	0.07	0.11	Direct Smoking	0.09	0.08	0.12
Both Sexes	MWI	0.09	0.07	0.11	Fasting plasma glucose	0.10	0.08	0.12
Both Sexes	MWI	0.09	0.07	0.11	Second hand smoke	0.10	0.08	0.12
Both Sexes	MWI	0.09	0.07	0.11	Systolic blood pressure	0.08	0.06	0.10
Men	MYS	0.16	0.14	0.17	BMI	0.14	0.13	0.16
Men	MYS	0.16	0.14	0.17	Baseline scenario	0.15	0.13	0.16
Men	MYS	0.16	0.14	0.17	Combined scenarios	0.12	0.10	0.13
Men	MYS	0.16	0.14	0.17	Direct Smoking	0.14	0.12	0.15
Men	MYS	0.16	0.14	0.17	Fasting plasma glucose	0.15	0.13	0.16
Men	MYS	0.16	0.14	0.17	Second hand smoke	0.15	0.13	0.17
Men	MYS	0.16	0.14	0.17	Systolic blood pressure	0.13	0.11	0.14
Women	MYS	0.08	0.06	0.09	BMI	0.06	0.05	0.07
Women	MYS	0.08	0.06	0.09	Baseline scenario	0.06	0.05	0.07
Women	MYS	0.08	0.06	0.09	Combined scenarios	0.05	0.04	0.06
Women	MYS	0.08	0.06	0.09	Direct Smoking	0.06	0.05	0.07
Women	MYS	0.08	0.06	0.09	Fasting plasma glucose	0.06	0.05	0.07
Women	MYS	0.08	0.06	0.09	Second hand smoke	0.06	0.05	0.07
Women	MYS	0.08	0.06	0.09	Systolic blood pressure	0.05	0.05	0.06

Both Sexes	MYS	0.12	0.10	0.13	BMI	0.10	0.09	0.11
Both Sexes	MYS	0.12	0.10	0.13	Baseline scenario	0.10	0.09	0.11
Both Sexes	MYS	0.12	0.10	0.13	Combined scenarios	0.08	0.07	0.09
Both Sexes	MYS	0.12	0.10	0.13	Direct Smoking	0.10	0.09	0.11
Both Sexes	MYS	0.12	0.10	0.13	Fasting plasma glucose	0.10	0.09	0.11
Both Sexes	MYS	0.12	0.10	0.13	Second hand smoke	0.10	0.09	0.11
Both Sexes	MYS	0.12	0.10	0.13	Systolic blood pressure	0.09	0.08	0.10
Men	NAM	0.18	0.15	0.22	BMI	0.19	0.16	0.23
Men	NAM	0.18	0.15	0.22	Baseline scenario	0.19	0.16	0.23
Men	NAM	0.18	0.15	0.22	Combined scenarios	0.15	0.12	0.18
Men	NAM	0.18	0.15	0.22	Direct Smoking	0.18	0.15	0.22
Men	NAM	0.18	0.15	0.22	Fasting plasma glucose	0.19	0.16	0.23
Men	NAM	0.18	0.15	0.22	Second hand smoke	0.19	0.16	0.23
Men	NAM	0.18	0.15	0.22	Systolic blood pressure	0.16	0.13	0.20
Women	NAM	0.11	0.09	0.15	BMI	0.10	0.08	0.13
Women	NAM	0.11	0.09	0.15	Baseline scenario	0.12	0.09	0.15
Women	NAM	0.11	0.09	0.15	Combined scenarios	0.08	0.06	0.10
Women	NAM	0.11	0.09	0.15	Direct Smoking	0.11	0.09	0.14
Women	NAM	0.11	0.09	0.15	Fasting plasma glucose	0.12	0.09	0.15
Women	NAM	0.11	0.09	0.15	Second hand smoke	0.12	0.09	0.15
Women	NAM	0.11	0.09	0.15	Systolic blood pressure	0.09	0.07	0.12
Both Sexes	NAM	0.15	0.12	0.17	BMI	0.14	0.12	0.17
Both Sexes	NAM	0.15	0.12	0.17	Baseline scenario	0.15	0.13	0.18
Both Sexes	NAM	0.15	0.12	0.17	Combined scenarios	0.11	0.09	0.13
Both Sexes	NAM	0.15	0.12	0.17	Direct Smoking	0.14	0.12	0.17
Both Sexes	NAM	0.15	0.12	0.17	Fasting plasma glucose	0.15	0.13	0.17

Both Sexes	NAM	0.15	0.12	0.17	Second hand smoke	0.15	0.13	0.18
Both Sexes	NAM	0.15	0.12	0.17	Systolic blood pressure	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	BMI	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	Baseline scenario	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	Combined scenarios	0.11	0.09	0.13
Men	NER	0.11	0.09	0.13	Direct Smoking	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	Fasting plasma glucose	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	Second hand smoke	0.12	0.10	0.15
Men	NER	0.11	0.09	0.13	Systolic blood pressure	0.11	0.09	0.14
Women	NER	0.11	0.09	0.14	BMI	0.11	0.09	0.14
Women	NER	0.11	0.09	0.14	Baseline scenario	0.11	0.09	0.15
Women	NER	0.11	0.09	0.14	Combined scenarios	0.08	0.06	0.11
Women	NER	0.11	0.09	0.14	Direct Smoking	0.11	0.09	0.15
Women	NER	0.11	0.09	0.14	Fasting plasma glucose	0.11	0.09	0.15
Women	NER	0.11	0.09	0.14	Second hand smoke	0.11	0.09	0.15
Women	NER	0.11	0.09	0.14	Systolic blood pressure	0.09	0.07	0.12
Both Sexes	NER	0.11	0.09	0.13	BMI	0.11	0.10	0.13
Both Sexes	NER	0.11	0.09	0.13	Baseline scenario	0.12	0.10	0.14
Both Sexes	NER	0.11	0.09	0.13	Combined scenarios	0.10	0.08	0.11
Both Sexes	NER	0.11	0.09	0.13	Direct Smoking	0.12	0.10	0.14
Both Sexes	NER	0.11	0.09	0.13	Fasting plasma glucose	0.12	0.10	0.14
Both Sexes	NER	0.11	0.09	0.13	Second hand smoke	0.12	0.10	0.14
Both Sexes	NER	0.11	0.09	0.13	Systolic blood pressure	0.10	0.09	0.12
Men	NGA	0.09	0.07	0.12	BMI	0.09	0.08	0.12
Men	NGA	0.09	0.07	0.12	Baseline scenario	0.10	0.08	0.13
Men	NGA	0.09	0.07	0.12	Combined scenarios	0.08	0.07	0.11

Men	NGA	0.09	0.07	0.12	Direct Smoking	0.10	0.08	0.13
Men	NGA	0.09	0.07	0.12	Fasting plasma glucose	0.10	0.08	0.13
Men	NGA	0.09	0.07	0.12	Second hand smoke	0.10	0.08	0.13
Men	NGA	0.09	0.07	0.12	Systolic blood pressure	0.09	0.07	0.12
Women	NGA	0.09	0.07	0.12	BMI	0.09	0.07	0.12
Women	NGA	0.09	0.07	0.12	Baseline scenario	0.10	0.08	0.13
Women	NGA	0.09	0.07	0.12	Combined scenarios	0.08	0.06	0.11
Women	NGA	0.09	0.07	0.12	Direct Smoking	0.10	0.08	0.13
Women	NGA	0.09	0.07	0.12	Fasting plasma glucose	0.10	0.08	0.13
Women	NGA	0.09	0.07	0.12	Second hand smoke	0.10	0.08	0.13
Women	NGA	0.09	0.07	0.12	Systolic blood pressure	0.09	0.07	0.12
Both Sexes	NGA	0.09	0.08	0.11	BMI	0.09	0.08	0.11
Both Sexes	NGA	0.09	0.08	0.11	Baseline scenario	0.10	0.08	0.12
Both Sexes	NGA	0.09	0.08	0.11	Combined scenarios	0.08	0.07	0.10
Both Sexes	NGA	0.09	0.08	0.11	Direct Smoking	0.10	0.08	0.12
Both Sexes	NGA	0.09	0.08	0.11	Fasting plasma glucose	0.10	0.08	0.12
Both Sexes	NGA	0.09	0.08	0.11	Second hand smoke	0.10	0.08	0.12
Both Sexes	NGA	0.09	0.08	0.11	Systolic blood pressure	0.09	0.07	0.11
Men	NIC	0.06	0.06	0.07	BMI	0.05	0.05	0.06
Men	NIC	0.06	0.06	0.07	Baseline scenario	0.05	0.05	0.06
Men	NIC	0.06	0.06	0.07	Combined scenarios	0.05	0.04	0.05
Men	NIC	0.06	0.06	0.07	Direct Smoking	0.05	0.05	0.06
Men	NIC	0.06	0.06	0.07	Fasting plasma glucose	0.05	0.05	0.06
Men	NIC	0.06	0.06	0.07	Second hand smoke	0.05	0.05	0.06
Men	NIC	0.06	0.06	0.07	Systolic blood pressure	0.05	0.04	0.05

Women	NIC	0.05	0.04	0.06	BMI	0.04	0.03	0.04
Women	NIC	0.05	0.04	0.06	Baseline scenario	0.04	0.03	0.05
Women	NIC	0.05	0.04	0.06	Combined scenarios	0.03	0.03	0.04
Women	NIC	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.05
Women	NIC	0.05	0.04	0.06	Fasting plasma glucose	0.04	0.03	0.05
Women	NIC	0.05	0.04	0.06	Second hand smoke	0.04	0.03	0.05
Women	NIC	0.05	0.04	0.06	Systolic blood pressure	0.03	0.03	0.04
Both Sexes	NIC	0.05	0.05	0.06	BMI	0.04	0.04	0.05
Both Sexes	NIC	0.05	0.05	0.06	Baseline scenario	0.04	0.04	0.05
Both Sexes	NIC	0.05	0.05	0.06	Combined scenarios	0.04	0.03	0.04
Both Sexes	NIC	0.05	0.05	0.06	Direct Smoking	0.04	0.04	0.05
Both Sexes	NIC	0.05	0.05	0.06	Fasting plasma glucose	0.04	0.04	0.05
Both Sexes	NIC	0.05	0.05	0.06	Second hand smoke	0.04	0.04	0.05
Both Sexes	NIC	0.05	0.05	0.06	Systolic blood pressure	0.04	0.04	0.05
Men	NLD	0.05	0.04	0.05	BMI	0.03	0.03	0.03
Men	NLD	0.05	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Men	NLD	0.05	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Men	NLD	0.05	0.04	0.05	Direct Smoking	0.03	0.03	0.03
Men	NLD	0.05	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Men	NLD	0.05	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Men	NLD	0.05	0.04	0.05	Systolic blood pressure	0.02	0.02	0.03
Women	NLD	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	NLD	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	NLD	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	NLD	0.02	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	NLD	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.03

Women	NLD	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.03
Women	NLD	0.02	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	NLD	0.03	0.03	0.04	BMI	0.02	0.02	0.03
Both Sexes	NLD	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.03
Both Sexes	NLD	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	NLD	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	NLD	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.03
Both Sexes	NLD	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.03
Both Sexes	NLD	0.03	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	NOR	0.05	0.04	0.05	BMI	0.03	0.03	0.03
Men	NOR	0.05	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Men	NOR	0.05	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Men	NOR	0.05	0.04	0.05	Direct Smoking	0.03	0.03	0.03
Men	NOR	0.05	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Men	NOR	0.05	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Men	NOR	0.05	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Women	NOR	0.02	0.02	0.03	BMI	0.01	0.01	0.02
Women	NOR	0.02	0.02	0.03	Baseline scenario	0.01	0.01	0.02
Women	NOR	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.01
Women	NOR	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	NOR	0.02	0.02	0.03	Fasting plasma glucose	0.01	0.01	0.02
Women	NOR	0.02	0.02	0.03	Second hand smoke	0.01	0.01	0.02
Women	NOR	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	NOR	0.03	0.03	0.04	BMI	0.02	0.02	0.02
Both Sexes	NOR	0.03	0.03	0.04	Baseline scenario	0.02	0.02	0.02
Both Sexes	NOR	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.02

Both Sexes	NOR	0.03	0.03	0.04	Direct Smoking	0.02	0.02	0.02
Both Sexes	NOR	0.03	0.03	0.04	Fasting plasma glucose	0.02	0.02	0.02
Both Sexes	NOR	0.03	0.03	0.04	Second hand smoke	0.02	0.02	0.02
Both Sexes	NOR	0.03	0.03	0.04	Systolic blood pressure	0.02	0.02	0.02
Men	NPL	0.13	0.10	0.16	BMI	0.14	0.11	0.17
Men	NPL	0.13	0.10	0.16	Baseline scenario	0.14	0.11	0.17
Men	NPL	0.13	0.10	0.16	Combined scenarios	0.11	0.08	0.14
Men	NPL	0.13	0.10	0.16	Direct Smoking	0.13	0.10	0.16
Men	NPL	0.13	0.10	0.16	Fasting plasma glucose	0.14	0.11	0.17
Men	NPL	0.13	0.10	0.16	Second hand smoke	0.14	0.11	0.17
Men	NPL	0.13	0.10	0.16	Systolic blood pressure	0.12	0.09	0.15
Women	NPL	0.09	0.07	0.13	BMI	0.10	0.07	0.13
Women	NPL	0.09	0.07	0.13	Baseline scenario	0.10	0.07	0.13
Women	NPL	0.09	0.07	0.13	Combined scenarios	0.07	0.05	0.10
Women	NPL	0.09	0.07	0.13	Direct Smoking	0.08	0.06	0.11
Women	NPL	0.09	0.07	0.13	Fasting plasma glucose	0.10	0.07	0.13
Women	NPL	0.09	0.07	0.13	Second hand smoke	0.10	0.07	0.13
Women	NPL	0.09	0.07	0.13	Systolic blood pressure	0.09	0.06	0.12
Both Sexes	NPL	0.11	0.09	0.14	BMI	0.12	0.10	0.14
Both Sexes	NPL	0.11	0.09	0.14	Baseline scenario	0.12	0.10	0.14
Both Sexes	NPL	0.11	0.09	0.14	Combined scenarios	0.09	0.07	0.11
Both Sexes	NPL	0.11	0.09	0.14	Direct Smoking	0.11	0.09	0.13
Both Sexes	NPL	0.11	0.09	0.14	Fasting plasma glucose	0.12	0.09	0.14
Both Sexes	NPL	0.11	0.09	0.14	Second hand smoke	0.12	0.10	0.14
Both Sexes	NPL	0.11	0.09	0.14	Systolic blood pressure	0.10	0.08	0.13

Men	NZL	0.06	0.05	0.06	BMI	0.04	0.03	0.04
Men	NZL	0.06	0.05	0.06	Baseline scenario	0.04	0.03	0.04
Men	NZL	0.06	0.05	0.06	Combined scenarios	0.03	0.03	0.04
Men	NZL	0.06	0.05	0.06	Direct Smoking	0.04	0.03	0.04
Men	NZL	0.06	0.05	0.06	Fasting plasma glucose	0.04	0.03	0.04
Men	NZL	0.06	0.05	0.06	Second hand smoke	0.04	0.03	0.04
Men	NZL	0.06	0.05	0.06	Systolic blood pressure	0.03	0.03	0.04
Women	NZL	0.03	0.02	0.03	BMI	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Combined scenarios	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Direct Smoking	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	NZL	0.03	0.02	0.03	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	NZL	0.04	0.04	0.05	BMI	0.03	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Both Sexes	NZL	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Men	OMN	0.13	0.09	0.16	BMI	0.11	0.08	0.14
Men	OMN	0.13	0.09	0.16	Baseline scenario	0.12	0.09	0.15
Men	OMN	0.13	0.09	0.16	Combined scenarios	0.10	0.07	0.12
Men	OMN	0.13	0.09	0.16	Direct Smoking	0.12	0.09	0.15
Men	OMN	0.13	0.09	0.16	Fasting plasma glucose	0.12	0.09	0.15

Men	OMN	0.13	0.09	0.16	Second hand smoke	0.12	0.09	0.15
Men	OMN	0.13	0.09	0.16	Systolic blood pressure	0.11	0.08	0.14
Women	OMN	0.08	0.05	0.11	BMI	0.06	0.04	0.08
Women	OMN	0.08	0.05	0.11	Baseline scenario	0.07	0.04	0.09
Women	OMN	0.08	0.05	0.11	Combined scenarios	0.05	0.03	0.07
Women	OMN	0.08	0.05	0.11	Direct Smoking	0.07	0.04	0.09
Women	OMN	0.08	0.05	0.11	Fasting plasma glucose	0.06	0.04	0.08
Women	OMN	0.08	0.05	0.11	Second hand smoke	0.07	0.04	0.09
Women	OMN	0.08	0.05	0.11	Systolic blood pressure	0.06	0.04	0.08
Both Sexes	OMN	0.11	0.08	0.13	BMI	0.09	0.07	0.11
Both Sexes	OMN	0.11	0.08	0.13	Baseline scenario	0.10	0.08	0.12
Both Sexes	OMN	0.11	0.08	0.13	Combined scenarios	0.08	0.06	0.10
Both Sexes	OMN	0.11	0.08	0.13	Direct Smoking	0.10	0.08	0.12
Both Sexes	OMN	0.11	0.08	0.13	Fasting plasma glucose	0.10	0.08	0.12
Both Sexes	OMN	0.11	0.08	0.13	Second hand smoke	0.10	0.08	0.12
Both Sexes	OMN	0.11	0.08	0.13	Systolic blood pressure	0.09	0.07	0.11
Men	PAK	0.16	0.11	0.20	BMI	0.19	0.14	0.24
Men	PAK	0.16	0.11	0.20	Baseline scenario	0.20	0.15	0.26
Men	PAK	0.16	0.11	0.20	Combined scenarios	0.14	0.10	0.18
Men	PAK	0.16	0.11	0.20	Direct Smoking	0.19	0.14	0.25
Men	PAK	0.16	0.11	0.20	Fasting plasma glucose	0.20	0.15	0.26
Men	PAK	0.16	0.11	0.20	Second hand smoke	0.20	0.15	0.26
Men	PAK	0.16	0.11	0.20	Systolic blood pressure	0.16	0.11	0.20
Women	PAK	0.14	0.09	0.20	BMI	0.14	0.09	0.20
Women	PAK	0.14	0.09	0.20	Baseline scenario	0.14	0.09	0.20
Women	PAK	0.14	0.09	0.20	Combined scenarios	0.10	0.06	0.14

Women	PAK	0.14	0.09	0.20	Direct Smoking	0.14	0.09	0.19
Women	PAK	0.14	0.09	0.20	Fasting plasma glucose	0.14	0.09	0.20
Women	PAK	0.14	0.09	0.20	Second hand smoke	0.14	0.09	0.20
Women	PAK	0.14	0.09	0.20	Systolic blood pressure	0.11	0.07	0.15
Both Sexes	PAK	0.15	0.12	0.18	BMI	0.16	0.13	0.20
Both Sexes	PAK	0.15	0.12	0.18	Baseline scenario	0.17	0.14	0.21
Both Sexes	PAK	0.15	0.12	0.18	Combined scenarios	0.12	0.09	0.15
Both Sexes	PAK	0.15	0.12	0.18	Direct Smoking	0.17	0.13	0.20
Both Sexes	PAK	0.15	0.12	0.18	Fasting plasma glucose	0.17	0.13	0.21
Both Sexes	PAK	0.15	0.12	0.18	Second hand smoke	0.17	0.14	0.21
Both Sexes	PAK	0.15	0.12	0.18	Systolic blood pressure	0.13	0.10	0.17
Men	PAN	0.07	0.06	0.08	BMI	0.06	0.05	0.07
Men	PAN	0.07	0.06	0.08	Baseline scenario	0.06	0.05	0.08
Men	PAN	0.07	0.06	0.08	Combined scenarios	0.05	0.04	0.06
Men	PAN	0.07	0.06	0.08	Direct Smoking	0.06	0.05	0.08
Men	PAN	0.07	0.06	0.08	Fasting plasma glucose	0.06	0.05	0.08
Men	PAN	0.07	0.06	0.08	Second hand smoke	0.06	0.05	0.08
Men	PAN	0.07	0.06	0.08	Systolic blood pressure	0.06	0.05	0.07
Women	PAN	0.03	0.03	0.04	BMI	0.03	0.02	0.03
Women	PAN	0.03	0.03	0.04	Baseline scenario	0.03	0.02	0.04
Women	PAN	0.03	0.03	0.04	Combined scenarios	0.02	0.02	0.03
Women	PAN	0.03	0.03	0.04	Direct Smoking	0.03	0.02	0.04
Women	PAN	0.03	0.03	0.04	Fasting plasma glucose	0.03	0.02	0.04
Women	PAN	0.03	0.03	0.04	Second hand smoke	0.03	0.02	0.04
Women	PAN	0.03	0.03	0.04	Systolic blood pressure	0.03	0.02	0.03

Both Sexes	PAN	0.05	0.04	0.06	BMI	0.04	0.04	0.05
Both Sexes	PAN	0.05	0.04	0.06	Baseline scenario	0.05	0.04	0.05
Both Sexes	PAN	0.05	0.04	0.06	Combined scenarios	0.04	0.03	0.04
Both Sexes	PAN	0.05	0.04	0.06	Direct Smoking	0.05	0.04	0.05
Both Sexes	PAN	0.05	0.04	0.06	Fasting plasma glucose	0.05	0.04	0.05
Both Sexes	PAN	0.05	0.04	0.06	Second hand smoke	0.05	0.04	0.05
Both Sexes	PAN	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.05
Men	PER	0.05	0.04	0.06	BMI	0.05	0.03	0.06
Men	PER	0.05	0.04	0.06	Baseline scenario	0.05	0.03	0.06
Men	PER	0.05	0.04	0.06	Combined scenarios	0.04	0.03	0.05
Men	PER	0.05	0.04	0.06	Direct Smoking	0.04	0.03	0.05
Men	PER	0.05	0.04	0.06	Fasting plasma glucose	0.05	0.03	0.06
Men	PER	0.05	0.04	0.06	Second hand smoke	0.05	0.03	0.06
Men	PER	0.05	0.04	0.06	Systolic blood pressure	0.04	0.03	0.05
Women	PER	0.03	0.02	0.05	BMI	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Baseline scenario	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Combined scenarios	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Direct Smoking	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Fasting plasma glucose	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Second hand smoke	0.03	0.02	0.04
Women	PER	0.03	0.02	0.05	Systolic blood pressure	0.03	0.02	0.04
Both Sexes	PER	0.04	0.03	0.05	BMI	0.04	0.03	0.04
Both Sexes	PER	0.04	0.03	0.05	Baseline scenario	0.04	0.03	0.05
Both Sexes	PER	0.04	0.03	0.05	Combined scenarios	0.03	0.03	0.04
Both Sexes	PER	0.04	0.03	0.05	Direct Smoking	0.04	0.03	0.04
Both Sexes	PER	0.04	0.03	0.05	Fasting plasma glucose	0.04	0.03	0.05

Both Sexes	PER	0.04	0.03	0.05	Second hand smoke	0.04	0.03	0.05
Both Sexes	PER	0.04	0.03	0.05	Systolic blood pressure	0.04	0.03	0.04
Men	PHL	0.19	0.15	0.24	BMI	0.21	0.17	0.26
Men	PHL	0.19	0.15	0.24	Baseline scenario	0.21	0.17	0.26
Men	PHL	0.19	0.15	0.24	Combined scenarios	0.19	0.15	0.23
Men	PHL	0.19	0.15	0.24	Direct Smoking	0.20	0.16	0.25
Men	PHL	0.19	0.15	0.24	Fasting plasma glucose	0.22	0.17	0.27
Men	PHL	0.19	0.15	0.24	Second hand smoke	0.21	0.17	0.26
Men	PHL	0.19	0.15	0.24	Systolic blood pressure	0.20	0.16	0.25
Women	PHL	0.10	0.07	0.12	BMI	0.10	0.08	0.13
Women	PHL	0.10	0.07	0.12	Baseline scenario	0.11	0.08	0.14
Women	PHL	0.10	0.07	0.12	Combined scenarios	0.10	0.07	0.12
Women	PHL	0.10	0.07	0.12	Direct Smoking	0.11	0.08	0.14
Women	PHL	0.10	0.07	0.12	Fasting plasma glucose	0.11	0.08	0.14
Women	PHL	0.10	0.07	0.12	Second hand smoke	0.11	0.08	0.14
Women	PHL	0.10	0.07	0.12	Systolic blood pressure	0.10	0.08	0.13
Both Sexes	PHL	0.14	0.12	0.17	BMI	0.16	0.13	0.19
Both Sexes	PHL	0.14	0.12	0.17	Baseline scenario	0.16	0.14	0.19
Both Sexes	PHL	0.14	0.12	0.17	Combined scenarios	0.14	0.12	0.17
Both Sexes	PHL	0.14	0.12	0.17	Direct Smoking	0.15	0.13	0.18
Both Sexes	PHL	0.14	0.12	0.17	Fasting plasma glucose	0.16	0.14	0.19
Both Sexes	PHL	0.14	0.12	0.17	Second hand smoke	0.16	0.14	0.19
Both Sexes	PHL	0.14	0.12	0.17	Systolic blood pressure	0.15	0.13	0.18
Men	PNG	0.20	0.12	0.29	BMI	0.21	0.13	0.30
Men	PNG	0.20	0.12	0.29	Baseline scenario	0.22	0.14	0.31
Men	PNG	0.20	0.12	0.29	Combined scenarios	0.15	0.09	0.21

Men	PNG	0.20	0.12	0.29	Direct Smoking	0.20	0.12	0.28
Men	PNG	0.20	0.12	0.29	Fasting plasma glucose	0.21	0.13	0.30
Men	PNG	0.20	0.12	0.29	Second hand smoke	0.22	0.14	0.31
Men	PNG	0.20	0.12	0.29	Systolic blood pressure	0.18	0.11	0.26
Women	PNG	0.19	0.12	0.26	BMI	0.19	0.12	0.27
Women	PNG	0.19	0.12	0.26	Baseline scenario	0.20	0.12	0.29
Women	PNG	0.19	0.12	0.26	Combined scenarios	0.13	0.08	0.19
Women	PNG	0.19	0.12	0.26	Direct Smoking	0.19	0.11	0.27
Women	PNG	0.19	0.12	0.26	Fasting plasma glucose	0.19	0.12	0.28
Women	PNG	0.19	0.12	0.26	Second hand smoke	0.20	0.13	0.29
Women	PNG	0.19	0.12	0.26	Systolic blood pressure	0.16	0.10	0.22
Both Sexes	PNG	0.19	0.12	0.28	BMI	0.20	0.12	0.28
Both Sexes	PNG	0.19	0.12	0.28	Baseline scenario	0.21	0.13	0.30
Both Sexes	PNG	0.19	0.12	0.28	Combined scenarios	0.14	0.09	0.20
Both Sexes	PNG	0.19	0.12	0.28	Direct Smoking	0.19	0.12	0.27
Both Sexes	PNG	0.19	0.12	0.28	Fasting plasma glucose	0.20	0.13	0.29
Both Sexes	PNG	0.19	0.12	0.28	Second hand smoke	0.21	0.13	0.30
Both Sexes	PNG	0.19	0.12	0.28	Systolic blood pressure	0.17	0.11	0.24
Men	POL	0.13	0.13	0.14	BMI	0.10	0.09	0.10
Men	POL	0.13	0.13	0.14	Baseline scenario	0.10	0.09	0.11
Men	POL	0.13	0.13	0.14	Combined scenarios	0.08	0.07	0.08
Men	POL	0.13	0.13	0.14	Direct Smoking	0.09	0.09	0.10
Men	POL	0.13	0.13	0.14	Fasting plasma glucose	0.10	0.09	0.11
Men	POL	0.13	0.13	0.14	Second hand smoke	0.10	0.09	0.11
Men	POL	0.13	0.13	0.14	Systolic blood pressure	0.08	0.07	0.09

Women	POL	0.05	0.04	0.06	BMI	0.03	0.03	0.04
Women	POL	0.05	0.04	0.06	Baseline scenario	0.03	0.03	0.04
Women	POL	0.05	0.04	0.06	Combined scenarios	0.02	0.02	0.03
Women	POL	0.05	0.04	0.06	Direct Smoking	0.03	0.02	0.03
Women	POL	0.05	0.04	0.06	Fasting plasma glucose	0.03	0.03	0.04
Women	POL	0.05	0.04	0.06	Second hand smoke	0.03	0.03	0.04
Women	POL	0.05	0.04	0.06	Systolic blood pressure	0.03	0.02	0.04
Both Sexes	POL	0.09	0.08	0.10	BMI	0.06	0.06	0.07
Both Sexes	POL	0.09	0.08	0.10	Baseline scenario	0.06	0.06	0.07
Both Sexes	POL	0.09	0.08	0.10	Combined scenarios	0.05	0.04	0.05
Both Sexes	POL	0.09	0.08	0.10	Direct Smoking	0.06	0.06	0.06
Both Sexes	POL	0.09	0.08	0.10	Fasting plasma glucose	0.06	0.06	0.07
Both Sexes	POL	0.09	0.08	0.10	Second hand smoke	0.06	0.06	0.07
Both Sexes	POL	0.09	0.08	0.10	Systolic blood pressure	0.05	0.05	0.06
Men	PRK	0.18	0.14	0.21	BMI	0.18	0.14	0.22
Men	PRK	0.18	0.14	0.21	Baseline scenario	0.18	0.14	0.22
Men	PRK	0.18	0.14	0.21	Combined scenarios	0.15	0.12	0.18
Men	PRK	0.18	0.14	0.21	Direct Smoking	0.16	0.13	0.19
Men	PRK	0.18	0.14	0.21	Fasting plasma glucose	0.18	0.14	0.22
Men	PRK	0.18	0.14	0.21	Second hand smoke	0.18	0.14	0.22
Men	PRK	0.18	0.14	0.21	Systolic blood pressure	0.17	0.13	0.20
Women	PRK	0.12	0.09	0.15	BMI	0.12	0.09	0.14
Women	PRK	0.12	0.09	0.15	Baseline scenario	0.12	0.09	0.14
Women	PRK	0.12	0.09	0.15	Combined scenarios	0.11	0.08	0.13
Women	PRK	0.12	0.09	0.15	Direct Smoking	0.12	0.09	0.14
Women	PRK	0.12	0.09	0.15	Fasting plasma glucose	0.12	0.09	0.14

Women	PRK	0.12	0.09	0.15	Second hand smoke	0.12	0.09	0.14
Women	PRK	0.12	0.09	0.15	Systolic blood pressure	0.11	0.08	0.13
Both Sexes	PRK	0.15	0.12	0.17	BMI	0.15	0.12	0.17
Both Sexes	PRK	0.15	0.12	0.17	Baseline scenario	0.15	0.12	0.17
Both Sexes	PRK	0.15	0.12	0.17	Combined scenarios	0.13	0.11	0.15
Both Sexes	PRK	0.15	0.12	0.17	Direct Smoking	0.14	0.11	0.16
Both Sexes	PRK	0.15	0.12	0.17	Fasting plasma glucose	0.15	0.12	0.17
Both Sexes	PRK	0.15	0.12	0.17	Second hand smoke	0.15	0.12	0.17
Both Sexes	PRK	0.15	0.12	0.17	Systolic blood pressure	0.14	0.11	0.16
Men	PRT	0.05	0.05	0.06	BMI	0.04	0.03	0.04
Men	PRT	0.05	0.05	0.06	Baseline scenario	0.04	0.03	0.04
Men	PRT	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.03
Men	PRT	0.05	0.05	0.06	Direct Smoking	0.03	0.03	0.04
Men	PRT	0.05	0.05	0.06	Fasting plasma glucose	0.04	0.03	0.04
Men	PRT	0.05	0.05	0.06	Second hand smoke	0.04	0.03	0.04
Men	PRT	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.04
Women	PRT	0.02	0.02	0.03	BMI	0.02	0.01	0.02
Women	PRT	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	PRT	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	PRT	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	PRT	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	PRT	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	PRT	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	PRT	0.04	0.04	0.04	BMI	0.03	0.02	0.03
Both Sexes	PRT	0.04	0.04	0.04	Baseline scenario	0.03	0.02	0.03
Both Sexes	PRT	0.04	0.04	0.04	Combined scenarios	0.02	0.02	0.02

Both Sexes	PRT	0.04	0.04	0.04	Direct Smoking	0.02	0.02	0.03
Both Sexes	PRT	0.04	0.04	0.04	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	PRT	0.04	0.04	0.04	Second hand smoke	0.03	0.02	0.03
Both Sexes	PRT	0.04	0.04	0.04	Systolic blood pressure	0.02	0.02	0.03
Men	PRY	0.12	0.10	0.15	BMI	0.13	0.10	0.15
Men	PRY	0.12	0.10	0.15	Baseline scenario	0.13	0.10	0.15
Men	PRY	0.12	0.10	0.15	Combined scenarios	0.11	0.09	0.14
Men	PRY	0.12	0.10	0.15	Direct Smoking	0.12	0.10	0.15
Men	PRY	0.12	0.10	0.15	Fasting plasma glucose	0.13	0.10	0.15
Men	PRY	0.12	0.10	0.15	Second hand smoke	0.13	0.10	0.15
Men	PRY	0.12	0.10	0.15	Systolic blood pressure	0.12	0.09	0.14
Women	PRY	0.08	0.06	0.10	BMI	0.08	0.06	0.10
Women	PRY	0.08	0.06	0.10	Baseline scenario	0.08	0.06	0.10
Women	PRY	0.08	0.06	0.10	Combined scenarios	0.07	0.05	0.09
Women	PRY	0.08	0.06	0.10	Direct Smoking	0.08	0.06	0.10
Women	PRY	0.08	0.06	0.10	Fasting plasma glucose	0.08	0.06	0.10
Women	PRY	0.08	0.06	0.10	Second hand smoke	0.08	0.06	0.10
Women	PRY	0.08	0.06	0.10	Systolic blood pressure	0.07	0.05	0.09
Both Sexes	PRY	0.10	0.09	0.12	BMI	0.10	0.09	0.12
Both Sexes	PRY	0.10	0.09	0.12	Baseline scenario	0.10	0.09	0.12
Both Sexes	PRY	0.10	0.09	0.12	Combined scenarios	0.09	0.08	0.11
Both Sexes	PRY	0.10	0.09	0.12	Direct Smoking	0.10	0.09	0.12
Both Sexes	PRY	0.10	0.09	0.12	Fasting plasma glucose	0.10	0.09	0.12
Both Sexes	PRY	0.10	0.09	0.12	Second hand smoke	0.10	0.09	0.12
Both Sexes	PRY	0.10	0.09	0.12	Systolic blood pressure	0.09	0.08	0.11

Men	PSE	0.18	0.13	0.25	BMI	0.17	0.12	0.23
Men	PSE	0.18	0.13	0.25	Baseline scenario	0.18	0.13	0.24
Men	PSE	0.18	0.13	0.25	Combined scenarios	0.15	0.11	0.20
Men	PSE	0.18	0.13	0.25	Direct Smoking	0.17	0.12	0.23
Men	PSE	0.18	0.13	0.25	Fasting plasma glucose	0.18	0.13	0.24
Men	PSE	0.18	0.13	0.25	Second hand smoke	0.18	0.13	0.24
Men	PSE	0.18	0.13	0.25	Systolic blood pressure	0.16	0.12	0.22
Women	PSE	0.09	0.07	0.13	BMI	0.08	0.06	0.11
Women	PSE	0.09	0.07	0.13	Baseline scenario	0.08	0.06	0.11
Women	PSE	0.09	0.07	0.13	Combined scenarios	0.07	0.05	0.10
Women	PSE	0.09	0.07	0.13	Direct Smoking	0.08	0.06	0.11
Women	PSE	0.09	0.07	0.13	Fasting plasma glucose	0.08	0.06	0.11
Women	PSE	0.09	0.07	0.13	Second hand smoke	0.08	0.06	0.11
Women	PSE	0.09	0.07	0.13	Systolic blood pressure	0.07	0.05	0.10
Both Sexes	PSE	0.14	0.11	0.18	BMI	0.13	0.10	0.16
Both Sexes	PSE	0.14	0.11	0.18	Baseline scenario	0.13	0.10	0.17
Both Sexes	PSE	0.14	0.11	0.18	Combined scenarios	0.11	0.08	0.14
Both Sexes	PSE	0.14	0.11	0.18	Direct Smoking	0.13	0.10	0.16
Both Sexes	PSE	0.14	0.11	0.18	Fasting plasma glucose	0.13	0.10	0.17
Both Sexes	PSE	0.14	0.11	0.18	Second hand smoke	0.13	0.10	0.17
Both Sexes	PSE	0.14	0.11	0.18	Systolic blood pressure	0.12	0.09	0.15
Men	QAT	0.04	0.04	0.05	BMI	0.03	0.02	0.04
Men	QAT	0.04	0.04	0.05	Baseline scenario	0.03	0.03	0.04
Men	QAT	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Men	QAT	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Men	QAT	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.04

Men	QAT	0.04	0.04	0.05	Second hand smoke	0.03	0.03	0.04
Men	QAT	0.04	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Women	QAT	0.03	0.02	0.04	BMI	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Baseline scenario	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Combined scenarios	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Direct Smoking	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Fasting plasma glucose	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Second hand smoke	0.02	0.01	0.02
Women	QAT	0.03	0.02	0.04	Systolic blood pressure	0.02	0.01	0.02
Both Sexes	QAT	0.04	0.03	0.04	BMI	0.03	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Baseline scenario	0.03	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Direct Smoking	0.03	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Second hand smoke	0.03	0.02	0.03
Both Sexes	QAT	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.03
Men	ROU	0.15	0.14	0.16	BMI	0.12	0.11	0.12
Men	ROU	0.15	0.14	0.16	Baseline scenario	0.12	0.11	0.13
Men	ROU	0.15	0.14	0.16	Combined scenarios	0.09	0.08	0.10
Men	ROU	0.15	0.14	0.16	Direct Smoking	0.11	0.10	0.12
Men	ROU	0.15	0.14	0.16	Fasting plasma glucose	0.12	0.11	0.13
Men	ROU	0.15	0.14	0.16	Second hand smoke	0.12	0.11	0.13
Men	ROU	0.15	0.14	0.16	Systolic blood pressure	0.10	0.09	0.11
Women	ROU	0.07	0.07	0.08	BMI	0.05	0.05	0.06
Women	ROU	0.07	0.07	0.08	Baseline scenario	0.05	0.05	0.06
Women	ROU	0.07	0.07	0.08	Combined scenarios	0.04	0.03	0.05

Women	ROU	0.07	0.07	0.08	Direct Smoking	0.05	0.05	0.06
Women	ROU	0.07	0.07	0.08	Fasting plasma glucose	0.05	0.05	0.06
Women	ROU	0.07	0.07	0.08	Second hand smoke	0.05	0.05	0.06
Women	ROU	0.07	0.07	0.08	Systolic blood pressure	0.04	0.04	0.05
Both Sexes	ROU	0.11	0.10	0.11	BMI	0.08	0.08	0.09
Both Sexes	ROU	0.11	0.10	0.11	Baseline scenario	0.09	0.08	0.09
Both Sexes	ROU	0.11	0.10	0.11	Combined scenarios	0.06	0.05	0.07
Both Sexes	ROU	0.11	0.10	0.11	Direct Smoking	0.08	0.07	0.08
Both Sexes	ROU	0.11	0.10	0.11	Fasting plasma glucose	0.09	0.08	0.09
Both Sexes	ROU	0.11	0.10	0.11	Second hand smoke	0.09	0.08	0.09
Both Sexes	ROU	0.11	0.10	0.11	Systolic blood pressure	0.07	0.06	0.08
Men	RUS	0.27	0.26	0.28	BMI	0.27	0.26	0.28
Men	RUS	0.27	0.26	0.28	Baseline scenario	0.28	0.27	0.29
Men	RUS	0.27	0.26	0.28	Combined scenarios	0.22	0.21	0.23
Men	RUS	0.27	0.26	0.28	Direct Smoking	0.26	0.25	0.27
Men	RUS	0.27	0.26	0.28	Fasting plasma glucose	0.28	0.27	0.29
Men	RUS	0.27	0.26	0.28	Second hand smoke	0.28	0.27	0.29
Men	RUS	0.27	0.26	0.28	Systolic blood pressure	0.26	0.24	0.27
Women	RUS	0.11	0.10	0.12	BMI	0.11	0.09	0.12
Women	RUS	0.11	0.10	0.12	Baseline scenario	0.12	0.09	0.13
Women	RUS	0.11	0.10	0.12	Combined scenarios	0.10	0.08	0.11
Women	RUS	0.11	0.10	0.12	Direct Smoking	0.11	0.09	0.12
Women	RUS	0.11	0.10	0.12	Fasting plasma glucose	0.12	0.09	0.13
Women	RUS	0.11	0.10	0.12	Second hand smoke	0.12	0.09	0.13
Women	RUS	0.11	0.10	0.12	Systolic blood pressure	0.11	0.09	0.12

Both Sexes	RUS	0.18	0.18	0.19	BMI	0.18	0.17	0.19
Both Sexes	RUS	0.18	0.18	0.19	Baseline scenario	0.19	0.18	0.20
Both Sexes	RUS	0.18	0.18	0.19	Combined scenarios	0.15	0.14	0.16
Both Sexes	RUS	0.18	0.18	0.19	Direct Smoking	0.18	0.16	0.18
Both Sexes	RUS	0.18	0.18	0.19	Fasting plasma glucose	0.19	0.17	0.20
Both Sexes	RUS	0.18	0.18	0.19	Second hand smoke	0.19	0.18	0.20
Both Sexes	RUS	0.18	0.18	0.19	Systolic blood pressure	0.17	0.16	0.18
Men	RWA	0.13	0.11	0.16	BMI	0.09	0.08	0.11
Men	RWA	0.13	0.11	0.16	Baseline scenario	0.09	0.08	0.11
Men	RWA	0.13	0.11	0.16	Combined scenarios	0.08	0.06	0.09
Men	RWA	0.13	0.11	0.16	Direct Smoking	0.09	0.07	0.11
Men	RWA	0.13	0.11	0.16	Fasting plasma glucose	0.09	0.08	0.11
Men	RWA	0.13	0.11	0.16	Second hand smoke	0.09	0.08	0.11
Men	RWA	0.13	0.11	0.16	Systolic blood pressure	0.08	0.07	0.10
Women	RWA	0.10	0.08	0.15	BMI	0.07	0.05	0.10
Women	RWA	0.10	0.08	0.15	Baseline scenario	0.07	0.05	0.10
Women	RWA	0.10	0.08	0.15	Combined scenarios	0.06	0.04	0.09
Women	RWA	0.10	0.08	0.15	Direct Smoking	0.07	0.05	0.10
Women	RWA	0.10	0.08	0.15	Fasting plasma glucose	0.07	0.05	0.10
Women	RWA	0.10	0.08	0.15	Second hand smoke	0.07	0.05	0.10
Women	RWA	0.10	0.08	0.15	Systolic blood pressure	0.06	0.04	0.09
Both Sexes	RWA	0.12	0.10	0.14	BMI	0.08	0.06	0.10
Both Sexes	RWA	0.12	0.10	0.14	Baseline scenario	0.08	0.07	0.10
Both Sexes	RWA	0.12	0.10	0.14	Combined scenarios	0.07	0.06	0.08
Both Sexes	RWA	0.12	0.10	0.14	Direct Smoking	0.08	0.06	0.09
Both Sexes	RWA	0.12	0.10	0.14	Fasting plasma glucose	0.08	0.07	0.10

Both Sexes	RWA	0.12	0.10	0.14	Second hand smoke	0.08	0.07	0.10
Both Sexes	RWA	0.12	0.10	0.14	Systolic blood pressure	0.07	0.06	0.09
Men	SAU	0.11	0.09	0.14	BMI	0.11	0.08	0.13
Men	SAU	0.11	0.09	0.14	Baseline scenario	0.11	0.09	0.14
Men	SAU	0.11	0.09	0.14	Combined scenarios	0.08	0.06	0.10
Men	SAU	0.11	0.09	0.14	Direct Smoking	0.10	0.08	0.13
Men	SAU	0.11	0.09	0.14	Fasting plasma glucose	0.11	0.09	0.14
Men	SAU	0.11	0.09	0.14	Second hand smoke	0.11	0.09	0.14
Men	SAU	0.11	0.09	0.14	Systolic blood pressure	0.10	0.08	0.12
Women	SAU	0.06	0.05	0.08	BMI	0.05	0.04	0.06
Women	SAU	0.06	0.05	0.08	Baseline scenario	0.05	0.04	0.07
Women	SAU	0.06	0.05	0.08	Combined scenarios	0.05	0.04	0.06
Women	SAU	0.06	0.05	0.08	Direct Smoking	0.05	0.04	0.06
Women	SAU	0.06	0.05	0.08	Fasting plasma glucose	0.05	0.04	0.06
Women	SAU	0.06	0.05	0.08	Second hand smoke	0.05	0.04	0.07
Women	SAU	0.06	0.05	0.08	Systolic blood pressure	0.06	0.05	0.08
Both Sexes	SAU	0.09	0.08	0.11	BMI	0.08	0.07	0.10
Both Sexes	SAU	0.09	0.08	0.11	Baseline scenario	0.09	0.07	0.11
Both Sexes	SAU	0.09	0.08	0.11	Combined scenarios	0.07	0.06	0.08
Both Sexes	SAU	0.09	0.08	0.11	Direct Smoking	0.08	0.07	0.10
Both Sexes	SAU	0.09	0.08	0.11	Fasting plasma glucose	0.09	0.07	0.10
Both Sexes	SAU	0.09	0.08	0.11	Second hand smoke	0.09	0.07	0.11
Both Sexes	SAU	0.09	0.08	0.11	Systolic blood pressure	0.08	0.07	0.10
Men	SDN	0.20	0.15	0.24	BMI	0.17	0.13	0.21
Men	SDN	0.20	0.15	0.24	Baseline scenario	0.18	0.13	0.22
Men	SDN	0.20	0.15	0.24	Combined scenarios	0.15	0.11	0.19

Men	SDN	0.20	0.15	0.24	Direct Smoking	0.17	0.13	0.21
Men	SDN	0.20	0.15	0.24	Fasting plasma glucose	0.17	0.13	0.22
Men	SDN	0.20	0.15	0.24	Second hand smoke	0.18	0.13	0.22
Men	SDN	0.20	0.15	0.24	Systolic blood pressure	0.16	0.12	0.20
Women	SDN	0.15	0.10	0.20	BMI	0.12	0.08	0.17
Women	SDN	0.15	0.10	0.20	Baseline scenario	0.13	0.09	0.17
Women	SDN	0.15	0.10	0.20	Combined scenarios	0.11	0.08	0.16
Women	SDN	0.15	0.10	0.20	Direct Smoking	0.13	0.09	0.17
Women	SDN	0.15	0.10	0.20	Fasting plasma glucose	0.13	0.09	0.17
Women	SDN	0.15	0.10	0.20	Second hand smoke	0.13	0.09	0.17
Women	SDN	0.15	0.10	0.20	Systolic blood pressure	0.11	0.08	0.16
Both Sexes	SDN	0.17	0.14	0.21	BMI	0.15	0.12	0.18
Both Sexes	SDN	0.17	0.14	0.21	Baseline scenario	0.15	0.12	0.18
Both Sexes	SDN	0.17	0.14	0.21	Combined scenarios	0.13	0.10	0.16
Both Sexes	SDN	0.17	0.14	0.21	Direct Smoking	0.15	0.12	0.18
Both Sexes	SDN	0.17	0.14	0.21	Fasting plasma glucose	0.15	0.12	0.18
Both Sexes	SDN	0.17	0.14	0.21	Second hand smoke	0.15	0.12	0.18
Both Sexes	SDN	0.17	0.14	0.21	Systolic blood pressure	0.14	0.11	0.17
Men	SEN	0.13	0.11	0.16	BMI	0.14	0.11	0.17
Men	SEN	0.13	0.11	0.16	Baseline scenario	0.14	0.12	0.17
Men	SEN	0.13	0.11	0.16	Combined scenarios	0.12	0.10	0.15
Men	SEN	0.13	0.11	0.16	Direct Smoking	0.14	0.11	0.17
Men	SEN	0.13	0.11	0.16	Fasting plasma glucose	0.14	0.12	0.17
Men	SEN	0.13	0.11	0.16	Second hand smoke	0.14	0.12	0.17
Men	SEN	0.13	0.11	0.16	Systolic blood pressure	0.13	0.10	0.16

Women	SEN	0.12	0.09	0.16	BMI	0.12	0.09	0.16
Women	SEN	0.12	0.09	0.16	Baseline scenario	0.15	0.10	0.19
Women	SEN	0.12	0.09	0.16	Combined scenarios	0.11	0.08	0.14
Women	SEN	0.12	0.09	0.16	Direct Smoking	0.14	0.10	0.19
Women	SEN	0.12	0.09	0.16	Fasting plasma glucose	0.14	0.10	0.19
Women	SEN	0.12	0.09	0.16	Second hand smoke	0.15	0.10	0.19
Women	SEN	0.12	0.09	0.16	Systolic blood pressure	0.13	0.09	0.17
Both Sexes	SEN	0.13	0.10	0.15	BMI	0.13	0.11	0.15
Both Sexes	SEN	0.13	0.10	0.15	Baseline scenario	0.14	0.11	0.17
Both Sexes	SEN	0.13	0.10	0.15	Combined scenarios	0.11	0.09	0.14
Both Sexes	SEN	0.13	0.10	0.15	Direct Smoking	0.14	0.11	0.17
Both Sexes	SEN	0.13	0.10	0.15	Fasting plasma glucose	0.14	0.11	0.17
Both Sexes	SEN	0.13	0.10	0.15	Second hand smoke	0.14	0.11	0.17
Both Sexes	SEN	0.13	0.10	0.15	Systolic blood pressure	0.13	0.10	0.15
Men	SGP	0.06	0.06	0.07	BMI	0.04	0.03	0.04
Men	SGP	0.06	0.06	0.07	Baseline scenario	0.04	0.04	0.05
Men	SGP	0.06	0.06	0.07	Combined scenarios	0.03	0.03	0.04
Men	SGP	0.06	0.06	0.07	Direct Smoking	0.04	0.04	0.04
Men	SGP	0.06	0.06	0.07	Fasting plasma glucose	0.04	0.04	0.05
Men	SGP	0.06	0.06	0.07	Second hand smoke	0.04	0.04	0.05
Men	SGP	0.06	0.06	0.07	Systolic blood pressure	0.04	0.03	0.04
Women	SGP	0.03	0.02	0.04	BMI	0.02	0.01	0.02
Women	SGP	0.03	0.02	0.04	Baseline scenario	0.02	0.01	0.02
Women	SGP	0.03	0.02	0.04	Combined scenarios	0.01	0.01	0.02
Women	SGP	0.03	0.02	0.04	Direct Smoking	0.02	0.01	0.02
Women	SGP	0.03	0.02	0.04	Fasting plasma glucose	0.02	0.01	0.02

Women	SGP	0.03	0.02	0.04	Second hand smoke	0.02	0.01	0.02
Women	SGP	0.03	0.02	0.04	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	SGP	0.05	0.04	0.05	BMI	0.03	0.02	0.03
Both Sexes	SGP	0.05	0.04	0.05	Baseline scenario	0.03	0.03	0.03
Both Sexes	SGP	0.05	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	SGP	0.05	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	SGP	0.05	0.04	0.05	Fasting plasma glucose	0.03	0.03	0.03
Both Sexes	SGP	0.05	0.04	0.05	Second hand smoke	0.03	0.03	0.03
Both Sexes	SGP	0.05	0.04	0.05	Systolic blood pressure	0.03	0.02	0.03
Men	SLB	0.29	0.19	0.41	BMI	0.29	0.20	0.41
Men	SLB	0.29	0.19	0.41	Baseline scenario	0.30	0.20	0.42
Men	SLB	0.29	0.19	0.41	Combined scenarios	0.26	0.17	0.36
Men	SLB	0.29	0.19	0.41	Direct Smoking	0.27	0.18	0.38
Men	SLB	0.29	0.19	0.41	Fasting plasma glucose	0.29	0.20	0.42
Men	SLB	0.29	0.19	0.41	Second hand smoke	0.30	0.20	0.42
Men	SLB	0.29	0.19	0.41	Systolic blood pressure	0.28	0.19	0.40
Women	SLB	0.18	0.12	0.28	BMI	0.18	0.12	0.28
Women	SLB	0.18	0.12	0.28	Baseline scenario	0.19	0.12	0.28
Women	SLB	0.18	0.12	0.28	Combined scenarios	0.17	0.10	0.25
Women	SLB	0.18	0.12	0.28	Direct Smoking	0.18	0.11	0.26
Women	SLB	0.18	0.12	0.28	Fasting plasma glucose	0.19	0.12	0.28
Women	SLB	0.18	0.12	0.28	Second hand smoke	0.19	0.12	0.28
Women	SLB	0.18	0.12	0.28	Systolic blood pressure	0.18	0.11	0.27
Both Sexes	SLB	0.24	0.16	0.35	BMI	0.24	0.16	0.35
Both Sexes	SLB	0.24	0.16	0.35	Baseline scenario	0.24	0.16	0.35
Both Sexes	SLB	0.24	0.16	0.35	Combined scenarios	0.21	0.14	0.31

Both Sexes	SLB	0.24	0.16	0.35	Direct Smoking	0.22	0.15	0.33
Both Sexes	SLB	0.24	0.16	0.35	Fasting plasma glucose	0.24	0.16	0.35
Both Sexes	SLB	0.24	0.16	0.35	Second hand smoke	0.24	0.16	0.36
Both Sexes	SLB	0.24	0.16	0.35	Systolic blood pressure	0.23	0.15	0.34
Men	SLE	0.17	0.14	0.22	BMI	0.19	0.15	0.24
Men	SLE	0.17	0.14	0.22	Baseline scenario	0.19	0.16	0.24
Men	SLE	0.17	0.14	0.22	Combined scenarios	0.15	0.12	0.19
Men	SLE	0.17	0.14	0.22	Direct Smoking	0.18	0.15	0.22
Men	SLE	0.17	0.14	0.22	Fasting plasma glucose	0.19	0.16	0.24
Men	SLE	0.17	0.14	0.22	Second hand smoke	0.19	0.16	0.24
Men	SLE	0.17	0.14	0.22	Systolic blood pressure	0.17	0.13	0.21
Women	SLE	0.13	0.09	0.17	BMI	0.14	0.10	0.18
Women	SLE	0.13	0.09	0.17	Baseline scenario	0.14	0.10	0.19
Women	SLE	0.13	0.09	0.17	Combined scenarios	0.11	0.07	0.14
Women	SLE	0.13	0.09	0.17	Direct Smoking	0.14	0.10	0.18
Women	SLE	0.13	0.09	0.17	Fasting plasma glucose	0.14	0.10	0.19
Women	SLE	0.13	0.09	0.17	Second hand smoke	0.14	0.10	0.19
Women	SLE	0.13	0.09	0.17	Systolic blood pressure	0.11	0.08	0.15
Both Sexes	SLE	0.15	0.12	0.18	BMI	0.16	0.13	0.19
Both Sexes	SLE	0.15	0.12	0.18	Baseline scenario	0.17	0.14	0.20
Both Sexes	SLE	0.15	0.12	0.18	Combined scenarios	0.13	0.10	0.15
Both Sexes	SLE	0.15	0.12	0.18	Direct Smoking	0.16	0.13	0.19
Both Sexes	SLE	0.15	0.12	0.18	Fasting plasma glucose	0.17	0.14	0.20
Both Sexes	SLE	0.15	0.12	0.18	Second hand smoke	0.17	0.14	0.20
Both Sexes	SLE	0.15	0.12	0.18	Systolic blood pressure	0.14	0.11	0.17

Men	SLV	0.07	0.06	0.09	BMI	0.07	0.06	0.08
Men	SLV	0.07	0.06	0.09	Baseline scenario	0.07	0.06	0.08
Men	SLV	0.07	0.06	0.09	Combined scenarios	0.06	0.05	0.07
Men	SLV	0.07	0.06	0.09	Direct Smoking	0.07	0.05	0.08
Men	SLV	0.07	0.06	0.09	Fasting plasma glucose	0.07	0.06	0.08
Men	SLV	0.07	0.06	0.09	Second hand smoke	0.07	0.06	0.08
Men	SLV	0.07	0.06	0.09	Systolic blood pressure	0.07	0.05	0.08
Women	SLV	0.05	0.04	0.07	BMI	0.04	0.03	0.06
Women	SLV	0.05	0.04	0.07	Baseline scenario	0.05	0.04	0.06
Women	SLV	0.05	0.04	0.07	Combined scenarios	0.04	0.03	0.05
Women	SLV	0.05	0.04	0.07	Direct Smoking	0.05	0.04	0.06
Women	SLV	0.05	0.04	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	SLV	0.05	0.04	0.07	Second hand smoke	0.05	0.04	0.06
Women	SLV	0.05	0.04	0.07	Systolic blood pressure	0.05	0.04	0.06
Both Sexes	SLV	0.06	0.05	0.07	BMI	0.05	0.05	0.06
Both Sexes	SLV	0.06	0.05	0.07	Baseline scenario	0.06	0.05	0.07
Both Sexes	SLV	0.06	0.05	0.07	Combined scenarios	0.05	0.04	0.06
Both Sexes	SLV	0.06	0.05	0.07	Direct Smoking	0.06	0.05	0.06
Both Sexes	SLV	0.06	0.05	0.07	Fasting plasma glucose	0.06	0.05	0.07
Both Sexes	SLV	0.06	0.05	0.07	Second hand smoke	0.06	0.05	0.07
Both Sexes	SLV	0.06	0.05	0.07	Systolic blood pressure	0.05	0.05	0.06
Men	SOM	0.15	0.09	0.23	BMI	0.14	0.09	0.22
Men	SOM	0.15	0.09	0.23	Baseline scenario	0.14	0.09	0.22
Men	SOM	0.15	0.09	0.23	Combined scenarios	0.12	0.07	0.19
Men	SOM	0.15	0.09	0.23	Direct Smoking	0.13	0.08	0.21
Men	SOM	0.15	0.09	0.23	Fasting plasma glucose	0.14	0.09	0.22

Men	SOM	0.15	0.09	0.23	Second hand smoke	0.14	0.09	0.22
Men	SOM	0.15	0.09	0.23	Systolic blood pressure	0.13	0.08	0.20
Women	SOM	0.12	0.07	0.18	BMI	0.11	0.06	0.17
Women	SOM	0.12	0.07	0.18	Baseline scenario	0.11	0.06	0.17
Women	SOM	0.12	0.07	0.18	Combined scenarios	0.09	0.05	0.14
Women	SOM	0.12	0.07	0.18	Direct Smoking	0.11	0.06	0.17
Women	SOM	0.12	0.07	0.18	Fasting plasma glucose	0.11	0.06	0.17
Women	SOM	0.12	0.07	0.18	Second hand smoke	0.11	0.06	0.17
Women	SOM	0.12	0.07	0.18	Systolic blood pressure	0.10	0.05	0.15
Both Sexes	SOM	0.13	0.08	0.20	BMI	0.12	0.07	0.19
Both Sexes	SOM	0.13	0.08	0.20	Baseline scenario	0.13	0.08	0.19
Both Sexes	SOM	0.13	0.08	0.20	Combined scenarios	0.11	0.06	0.16
Both Sexes	SOM	0.13	0.08	0.20	Direct Smoking	0.12	0.07	0.19
Both Sexes	SOM	0.13	0.08	0.20	Fasting plasma glucose	0.13	0.08	0.19
Both Sexes	SOM	0.13	0.08	0.20	Second hand smoke	0.13	0.08	0.19
Both Sexes	SOM	0.13	0.08	0.20	Systolic blood pressure	0.11	0.07	0.17
Men	SRB	0.11	0.11	0.12	BMI	0.09	0.09	0.10
Men	SRB	0.11	0.11	0.12	Baseline scenario	0.09	0.09	0.10
Men	SRB	0.11	0.11	0.12	Combined scenarios	0.07	0.06	0.07
Men	SRB	0.11	0.11	0.12	Direct Smoking	0.08	0.08	0.09
Men	SRB	0.11	0.11	0.12	Fasting plasma glucose	0.09	0.09	0.10
Men	SRB	0.11	0.11	0.12	Second hand smoke	0.09	0.09	0.10
Men	SRB	0.11	0.11	0.12	Systolic blood pressure	0.08	0.07	0.09
Women	SRB	0.06	0.05	0.07	BMI	0.05	0.04	0.06
Women	SRB	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.06
Women	SRB	0.06	0.05	0.07	Combined scenarios	0.03	0.03	0.04

Women	SRB	0.06	0.05	0.07	Direct Smoking	0.04	0.04	0.05
Women	SRB	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	SRB	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.06
Women	SRB	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	SRB	0.08	0.08	0.09	BMI	0.07	0.06	0.07
Both Sexes	SRB	0.08	0.08	0.09	Baseline scenario	0.07	0.07	0.08
Both Sexes	SRB	0.08	0.08	0.09	Combined scenarios	0.05	0.05	0.06
Both Sexes	SRB	0.08	0.08	0.09	Direct Smoking	0.06	0.06	0.07
Both Sexes	SRB	0.08	0.08	0.09	Fasting plasma glucose	0.07	0.07	0.08
Both Sexes	SRB	0.08	0.08	0.09	Second hand smoke	0.07	0.07	0.08
Both Sexes	SRB	0.08	0.08	0.09	Systolic blood pressure	0.06	0.05	0.06
Men	SSD	0.18	0.13	0.22	BMI	0.17	0.13	0.21
Men	SSD	0.18	0.13	0.22	Baseline scenario	0.17	0.13	0.21
Men	SSD	0.18	0.13	0.22	Combined scenarios	0.14	0.11	0.18
Men	SSD	0.18	0.13	0.22	Direct Smoking	0.16	0.12	0.20
Men	SSD	0.18	0.13	0.22	Fasting plasma glucose	0.17	0.13	0.21
Men	SSD	0.18	0.13	0.22	Second hand smoke	0.17	0.13	0.21
Men	SSD	0.18	0.13	0.22	Systolic blood pressure	0.15	0.12	0.19
Women	SSD	0.10	0.07	0.13	BMI	0.09	0.07	0.12
Women	SSD	0.10	0.07	0.13	Baseline scenario	0.09	0.07	0.13
Women	SSD	0.10	0.07	0.13	Combined scenarios	0.08	0.06	0.10
Women	SSD	0.10	0.07	0.13	Direct Smoking	0.09	0.07	0.12
Women	SSD	0.10	0.07	0.13	Fasting plasma glucose	0.09	0.07	0.13
Women	SSD	0.10	0.07	0.13	Second hand smoke	0.09	0.07	0.13
Women	SSD	0.10	0.07	0.13	Systolic blood pressure	0.08	0.06	0.11

Both Sexes	SSD	0.14	0.11	0.17	BMI	0.13	0.10	0.16
Both Sexes	SSD	0.14	0.11	0.17	Baseline scenario	0.13	0.11	0.16
Both Sexes	SSD	0.14	0.11	0.17	Combined scenarios	0.11	0.09	0.13
Both Sexes	SSD	0.14	0.11	0.17	Direct Smoking	0.13	0.10	0.15
Both Sexes	SSD	0.14	0.11	0.17	Fasting plasma glucose	0.13	0.11	0.16
Both Sexes	SSD	0.14	0.11	0.17	Second hand smoke	0.13	0.11	0.16
Both Sexes	SSD	0.14	0.11	0.17	Systolic blood pressure	0.11	0.09	0.14
Men	STP	0.11	0.07	0.15	BMI	0.11	0.07	0.15
Men	STP	0.11	0.07	0.15	Baseline scenario	0.11	0.07	0.16
Men	STP	0.11	0.07	0.15	Combined scenarios	0.09	0.06	0.13
Men	STP	0.11	0.07	0.15	Direct Smoking	0.11	0.07	0.16
Men	STP	0.11	0.07	0.15	Fasting plasma glucose	0.11	0.07	0.16
Men	STP	0.11	0.07	0.15	Second hand smoke	0.11	0.07	0.16
Men	STP	0.11	0.07	0.15	Systolic blood pressure	0.10	0.06	0.14
Women	STP	0.13	0.08	0.18	BMI	0.12	0.08	0.17
Women	STP	0.13	0.08	0.18	Baseline scenario	0.13	0.08	0.19
Women	STP	0.13	0.08	0.18	Combined scenarios	0.10	0.06	0.14
Women	STP	0.13	0.08	0.18	Direct Smoking	0.13	0.08	0.18
Women	STP	0.13	0.08	0.18	Fasting plasma glucose	0.13	0.08	0.19
Women	STP	0.13	0.08	0.18	Second hand smoke	0.13	0.08	0.19
Women	STP	0.13	0.08	0.18	Systolic blood pressure	0.11	0.07	0.16
Both Sexes	STP	0.12	0.08	0.16	BMI	0.12	0.08	0.16
Both Sexes	STP	0.12	0.08	0.16	Baseline scenario	0.13	0.09	0.16
Both Sexes	STP	0.12	0.08	0.16	Combined scenarios	0.10	0.07	0.13
Both Sexes	STP	0.12	0.08	0.16	Direct Smoking	0.12	0.08	0.16
Both Sexes	STP	0.12	0.08	0.16	Fasting plasma glucose	0.12	0.09	0.16

Both Sexes	STP	0.12	0.08	0.16	Second hand smoke	0.13	0.09	0.16
Both Sexes	STP	0.12	0.08	0.16	Systolic blood pressure	0.10	0.07	0.14
Men	SUR	0.17	0.12	0.22	BMI	0.16	0.12	0.21
Men	SUR	0.17	0.12	0.22	Baseline scenario	0.16	0.12	0.21
Men	SUR	0.17	0.12	0.22	Combined scenarios	0.14	0.11	0.19
Men	SUR	0.17	0.12	0.22	Direct Smoking	0.16	0.12	0.21
Men	SUR	0.17	0.12	0.22	Fasting plasma glucose	0.17	0.12	0.22
Men	SUR	0.17	0.12	0.22	Second hand smoke	0.16	0.12	0.22
Men	SUR	0.17	0.12	0.22	Systolic blood pressure	0.15	0.11	0.20
Women	SUR	0.11	0.08	0.14	BMI	0.10	0.07	0.13
Women	SUR	0.11	0.08	0.14	Baseline scenario	0.10	0.07	0.13
Women	SUR	0.11	0.08	0.14	Combined scenarios	0.09	0.06	0.12
Women	SUR	0.11	0.08	0.14	Direct Smoking	0.10	0.07	0.13
Women	SUR	0.11	0.08	0.14	Fasting plasma glucose	0.10	0.07	0.13
Women	SUR	0.11	0.08	0.14	Second hand smoke	0.10	0.07	0.13
Women	SUR	0.11	0.08	0.14	Systolic blood pressure	0.09	0.06	0.12
Both Sexes	SUR	0.14	0.11	0.17	BMI	0.13	0.10	0.16
Both Sexes	SUR	0.14	0.11	0.17	Baseline scenario	0.13	0.11	0.16
Both Sexes	SUR	0.14	0.11	0.17	Combined scenarios	0.11	0.09	0.14
Both Sexes	SUR	0.14	0.11	0.17	Direct Smoking	0.13	0.10	0.16
Both Sexes	SUR	0.14	0.11	0.17	Fasting plasma glucose	0.13	0.11	0.16
Both Sexes	SUR	0.14	0.11	0.17	Second hand smoke	0.13	0.11	0.16
Both Sexes	SUR	0.14	0.11	0.17	Systolic blood pressure	0.12	0.10	0.15
Men	SVK	0.14	0.13	0.16	BMI	0.11	0.10	0.12
Men	SVK	0.14	0.13	0.16	Baseline scenario	0.11	0.10	0.12
Men	SVK	0.14	0.13	0.16	Combined scenarios	0.09	0.08	0.10

Men	SVK	0.14	0.13	0.16	Direct Smoking	0.11	0.10	0.11
Men	SVK	0.14	0.13	0.16	Fasting plasma glucose	0.11	0.10	0.12
Men	SVK	0.14	0.13	0.16	Second hand smoke	0.11	0.10	0.12
Men	SVK	0.14	0.13	0.16	Systolic blood pressure	0.10	0.09	0.11
Women	SVK	0.06	0.05	0.07	BMI	0.04	0.04	0.05
Women	SVK	0.06	0.05	0.07	Baseline scenario	0.04	0.04	0.05
Women	SVK	0.06	0.05	0.07	Combined scenarios	0.04	0.03	0.04
Women	SVK	0.06	0.05	0.07	Direct Smoking	0.04	0.04	0.05
Women	SVK	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.04	0.05
Women	SVK	0.06	0.05	0.07	Second hand smoke	0.04	0.04	0.05
Women	SVK	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	SVK	0.10	0.09	0.11	BMI	0.08	0.07	0.08
Both Sexes	SVK	0.10	0.09	0.11	Baseline scenario	0.08	0.07	0.08
Both Sexes	SVK	0.10	0.09	0.11	Combined scenarios	0.06	0.06	0.07
Both Sexes	SVK	0.10	0.09	0.11	Direct Smoking	0.07	0.07	0.08
Both Sexes	SVK	0.10	0.09	0.11	Fasting plasma glucose	0.08	0.07	0.08
Both Sexes	SVK	0.10	0.09	0.11	Second hand smoke	0.08	0.07	0.08
Both Sexes	SVK	0.10	0.09	0.11	Systolic blood pressure	0.07	0.06	0.07
Men	SVN	0.06	0.05	0.07	BMI	0.04	0.03	0.04
Men	SVN	0.06	0.05	0.07	Baseline scenario	0.04	0.03	0.04
Men	SVN	0.06	0.05	0.07	Combined scenarios	0.03	0.03	0.04
Men	SVN	0.06	0.05	0.07	Direct Smoking	0.04	0.03	0.04
Men	SVN	0.06	0.05	0.07	Fasting plasma glucose	0.04	0.03	0.04
Men	SVN	0.06	0.05	0.07	Second hand smoke	0.04	0.03	0.04
Men	SVN	0.06	0.05	0.07	Systolic blood pressure	0.03	0.03	0.04

Women	SVN	0.03	0.02	0.03	BMI	0.02	0.01	0.02
Women	SVN	0.03	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	SVN	0.03	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	SVN	0.03	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	SVN	0.03	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02
Women	SVN	0.03	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	SVN	0.03	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	SVN	0.04	0.04	0.05	BMI	0.03	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Baseline scenario	0.03	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Combined scenarios	0.02	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Direct Smoking	0.03	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Second hand smoke	0.03	0.02	0.03
Both Sexes	SVN	0.04	0.04	0.05	Systolic blood pressure	0.02	0.02	0.03
Men	SWE	0.05	0.05	0.06	BMI	0.03	0.03	0.04
Men	SWE	0.05	0.05	0.06	Baseline scenario	0.04	0.03	0.04
Men	SWE	0.05	0.05	0.06	Combined scenarios	0.03	0.03	0.03
Men	SWE	0.05	0.05	0.06	Direct Smoking	0.04	0.03	0.04
Men	SWE	0.05	0.05	0.06	Fasting plasma glucose	0.04	0.03	0.04
Men	SWE	0.05	0.05	0.06	Second hand smoke	0.04	0.03	0.04
Men	SWE	0.05	0.05	0.06	Systolic blood pressure	0.03	0.03	0.04
Women	SWE	0.02	0.02	0.03	BMI	0.01	0.01	0.02
Women	SWE	0.02	0.02	0.03	Baseline scenario	0.02	0.01	0.02
Women	SWE	0.02	0.02	0.03	Combined scenarios	0.01	0.01	0.02
Women	SWE	0.02	0.02	0.03	Direct Smoking	0.01	0.01	0.02
Women	SWE	0.02	0.02	0.03	Fasting plasma glucose	0.02	0.01	0.02

Women	SWE	0.02	0.02	0.03	Second hand smoke	0.02	0.01	0.02
Women	SWE	0.02	0.02	0.03	Systolic blood pressure	0.01	0.01	0.02
Both Sexes	SWE	0.04	0.03	0.04	BMI	0.02	0.02	0.03
Both Sexes	SWE	0.04	0.03	0.04	Baseline scenario	0.03	0.02	0.03
Both Sexes	SWE	0.04	0.03	0.04	Combined scenarios	0.02	0.02	0.02
Both Sexes	SWE	0.04	0.03	0.04	Direct Smoking	0.03	0.02	0.03
Both Sexes	SWE	0.04	0.03	0.04	Fasting plasma glucose	0.03	0.02	0.03
Both Sexes	SWE	0.04	0.03	0.04	Second hand smoke	0.03	0.02	0.03
Both Sexes	SWE	0.04	0.03	0.04	Systolic blood pressure	0.02	0.02	0.03
Men	SWZ	0.20	0.16	0.23	BMI	0.22	0.18	0.27
Men	SWZ	0.20	0.16	0.23	Baseline scenario	0.22	0.18	0.26
Men	SWZ	0.20	0.16	0.23	Combined scenarios	0.19	0.15	0.22
Men	SWZ	0.20	0.16	0.23	Direct Smoking	0.21	0.17	0.25
Men	SWZ	0.20	0.16	0.23	Fasting plasma glucose	0.22	0.18	0.26
Men	SWZ	0.20	0.16	0.23	Second hand smoke	0.22	0.18	0.27
Men	SWZ	0.20	0.16	0.23	Systolic blood pressure	0.20	0.16	0.24
Women	SWZ	0.11	0.08	0.15	BMI	0.12	0.08	0.16
Women	SWZ	0.11	0.08	0.15	Baseline scenario	0.12	0.08	0.16
Women	SWZ	0.11	0.08	0.15	Combined scenarios	0.10	0.07	0.14
Women	SWZ	0.11	0.08	0.15	Direct Smoking	0.12	0.08	0.16
Women	SWZ	0.11	0.08	0.15	Fasting plasma glucose	0.12	0.08	0.16
Women	SWZ	0.11	0.08	0.15	Second hand smoke	0.12	0.08	0.16
Women	SWZ	0.11	0.08	0.15	Systolic blood pressure	0.10	0.08	0.14
Both Sexes	SWZ	0.15	0.13	0.18	BMI	0.17	0.14	0.20
Both Sexes	SWZ	0.15	0.13	0.18	Baseline scenario	0.17	0.14	0.20
Both Sexes	SWZ	0.15	0.13	0.18	Combined scenarios	0.14	0.12	0.17

Both Sexes	SWZ	0.15	0.13	0.18	Direct Smoking	0.16	0.13	0.19
Both Sexes	SWZ	0.15	0.13	0.18	Fasting plasma glucose	0.16	0.14	0.20
Both Sexes	SWZ	0.15	0.13	0.18	Second hand smoke	0.17	0.14	0.20
Both Sexes	SWZ	0.15	0.13	0.18	Systolic blood pressure	0.15	0.12	0.17
Men	SYC	0.15	0.13	0.17	BMI	0.11	0.10	0.12
Men	SYC	0.15	0.13	0.17	Baseline scenario	0.12	0.11	0.14
Men	SYC	0.15	0.13	0.17	Combined scenarios	0.08	0.07	0.10
Men	SYC	0.15	0.13	0.17	Direct Smoking	0.11	0.10	0.13
Men	SYC	0.15	0.13	0.17	Fasting plasma glucose	0.11	0.10	0.13
Men	SYC	0.15	0.13	0.17	Second hand smoke	0.12	0.11	0.14
Men	SYC	0.15	0.13	0.17	Systolic blood pressure	0.10	0.09	0.12
Women	SYC	0.09	0.07	0.11	BMI	0.07	0.05	0.08
Women	SYC	0.09	0.07	0.11	Baseline scenario	0.07	0.06	0.09
Women	SYC	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.07
Women	SYC	0.09	0.07	0.11	Direct Smoking	0.07	0.06	0.09
Women	SYC	0.09	0.07	0.11	Fasting plasma glucose	0.07	0.06	0.09
Women	SYC	0.09	0.07	0.11	Second hand smoke	0.07	0.06	0.09
Women	SYC	0.09	0.07	0.11	Systolic blood pressure	0.07	0.05	0.08
Both Sexes	SYC	0.12	0.11	0.13	BMI	0.09	0.08	0.10
Both Sexes	SYC	0.12	0.11	0.13	Baseline scenario	0.10	0.09	0.11
Both Sexes	SYC	0.12	0.11	0.13	Combined scenarios	0.07	0.06	0.08
Both Sexes	SYC	0.12	0.11	0.13	Direct Smoking	0.09	0.08	0.10
Both Sexes	SYC	0.12	0.11	0.13	Fasting plasma glucose	0.09	0.08	0.10
Both Sexes	SYC	0.12	0.11	0.13	Second hand smoke	0.10	0.09	0.11
Both Sexes	SYC	0.12	0.11	0.13	Systolic blood pressure	0.08	0.07	0.09

Men	SYR	0.19	0.15	0.24	BMI	0.19	0.15	0.24
Men	SYR	0.19	0.15	0.24	Baseline scenario	0.20	0.15	0.24
Men	SYR	0.19	0.15	0.24	Combined scenarios	0.16	0.13	0.20
Men	SYR	0.19	0.15	0.24	Direct Smoking	0.18	0.14	0.22
Men	SYR	0.19	0.15	0.24	Fasting plasma glucose	0.20	0.15	0.24
Men	SYR	0.19	0.15	0.24	Second hand smoke	0.20	0.15	0.24
Men	SYR	0.19	0.15	0.24	Systolic blood pressure	0.18	0.14	0.22
Women	SYR	0.10	0.08	0.14	BMI	0.09	0.07	0.11
Women	SYR	0.10	0.08	0.14	Baseline scenario	0.09	0.07	0.11
Women	SYR	0.10	0.08	0.14	Combined scenarios	0.08	0.06	0.10
Women	SYR	0.10	0.08	0.14	Direct Smoking	0.08	0.06	0.11
Women	SYR	0.10	0.08	0.14	Fasting plasma glucose	0.09	0.07	0.11
Women	SYR	0.10	0.08	0.14	Second hand smoke	0.09	0.07	0.11
Women	SYR	0.10	0.08	0.14	Systolic blood pressure	0.08	0.06	0.11
Both Sexes	SYR	0.15	0.12	0.18	BMI	0.14	0.11	0.17
Both Sexes	SYR	0.15	0.12	0.18	Baseline scenario	0.14	0.12	0.17
Both Sexes	SYR	0.15	0.12	0.18	Combined scenarios	0.12	0.10	0.14
Both Sexes	SYR	0.15	0.12	0.18	Direct Smoking	0.13	0.11	0.16
Both Sexes	SYR	0.15	0.12	0.18	Fasting plasma glucose	0.14	0.12	0.17
Both Sexes	SYR	0.15	0.12	0.18	Second hand smoke	0.14	0.12	0.17
Both Sexes	SYR	0.15	0.12	0.18	Systolic blood pressure	0.13	0.11	0.15
Men	TCD	0.11	0.08	0.15	BMI	0.13	0.10	0.17
Men	TCD	0.11	0.08	0.15	Baseline scenario	0.13	0.10	0.17
Men	TCD	0.11	0.08	0.15	Combined scenarios	0.11	0.08	0.14
Men	TCD	0.11	0.08	0.15	Direct Smoking	0.13	0.09	0.17
Men	TCD	0.11	0.08	0.15	Fasting plasma glucose	0.13	0.10	0.17

Men	TCD	0.11	0.08	0.15	Second hand smoke	0.13	0.10	0.17
Men	TCD	0.11	0.08	0.15	Systolic blood pressure	0.12	0.09	0.15
Women	TCD	0.10	0.07	0.15	BMI	0.10	0.08	0.15
Women	TCD	0.10	0.07	0.15	Baseline scenario	0.11	0.08	0.16
Women	TCD	0.10	0.07	0.15	Combined scenarios	0.09	0.07	0.13
Women	TCD	0.10	0.07	0.15	Direct Smoking	0.11	0.08	0.16
Women	TCD	0.10	0.07	0.15	Fasting plasma glucose	0.11	0.08	0.16
Women	TCD	0.10	0.07	0.15	Second hand smoke	0.11	0.08	0.16
Women	TCD	0.10	0.07	0.15	Systolic blood pressure	0.10	0.07	0.14
Both Sexes	TCD	0.10	0.08	0.14	BMI	0.12	0.09	0.15
Both Sexes	TCD	0.10	0.08	0.14	Baseline scenario	0.12	0.10	0.16
Both Sexes	TCD	0.10	0.08	0.14	Combined scenarios	0.10	0.08	0.13
Both Sexes	TCD	0.10	0.08	0.14	Direct Smoking	0.12	0.09	0.15
Both Sexes	TCD	0.10	0.08	0.14	Fasting plasma glucose	0.12	0.10	0.15
Both Sexes	TCD	0.10	0.08	0.14	Second hand smoke	0.12	0.10	0.16
Both Sexes	TCD	0.10	0.08	0.14	Systolic blood pressure	0.11	0.09	0.14
Men	TGO	0.12	0.09	0.14	BMI	0.12	0.09	0.15
Men	TGO	0.12	0.09	0.14	Baseline scenario	0.12	0.09	0.15
Men	TGO	0.12	0.09	0.14	Combined scenarios	0.10	0.08	0.13
Men	TGO	0.12	0.09	0.14	Direct Smoking	0.11	0.09	0.14
Men	TGO	0.12	0.09	0.14	Fasting plasma glucose	0.12	0.09	0.15
Men	TGO	0.12	0.09	0.14	Second hand smoke	0.12	0.09	0.15
Men	TGO	0.12	0.09	0.14	Systolic blood pressure	0.11	0.09	0.14
Women	TGO	0.09	0.07	0.12	BMI	0.08	0.06	0.11
Women	TGO	0.09	0.07	0.12	Baseline scenario	0.08	0.07	0.12
Women	TGO	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.09

Women	TGO	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.11
Women	TGO	0.09	0.07	0.12	Fasting plasma glucose	0.08	0.07	0.12
Women	TGO	0.09	0.07	0.12	Second hand smoke	0.08	0.07	0.12
Women	TGO	0.09	0.07	0.12	Systolic blood pressure	0.08	0.06	0.11
Both Sexes	TGO	0.10	0.09	0.13	BMI	0.10	0.08	0.12
Both Sexes	TGO	0.10	0.09	0.13	Baseline scenario	0.10	0.08	0.12
Both Sexes	TGO	0.10	0.09	0.13	Combined scenarios	0.09	0.07	0.10
Both Sexes	TGO	0.10	0.09	0.13	Direct Smoking	0.10	0.08	0.12
Both Sexes	TGO	0.10	0.09	0.13	Fasting plasma glucose	0.10	0.08	0.12
Both Sexes	TGO	0.10	0.09	0.13	Second hand smoke	0.10	0.08	0.12
Both Sexes	TGO	0.10	0.09	0.13	Systolic blood pressure	0.09	0.08	0.11
Men	THA	0.07	0.05	0.09	BMI	0.06	0.04	0.07
Men	THA	0.07	0.05	0.09	Baseline scenario	0.06	0.05	0.07
Men	THA	0.07	0.05	0.09	Combined scenarios	0.05	0.04	0.06
Men	THA	0.07	0.05	0.09	Direct Smoking	0.06	0.04	0.07
Men	THA	0.07	0.05	0.09	Fasting plasma glucose	0.06	0.05	0.07
Men	THA	0.07	0.05	0.09	Second hand smoke	0.06	0.05	0.07
Men	THA	0.07	0.05	0.09	Systolic blood pressure	0.05	0.04	0.07
Women	THA	0.04	0.03	0.06	BMI	0.04	0.03	0.05
Women	THA	0.04	0.03	0.06	Baseline scenario	0.04	0.03	0.05
Women	THA	0.04	0.03	0.06	Combined scenarios	0.03	0.02	0.04
Women	THA	0.04	0.03	0.06	Direct Smoking	0.04	0.03	0.05
Women	THA	0.04	0.03	0.06	Fasting plasma glucose	0.04	0.03	0.05
Women	THA	0.04	0.03	0.06	Second hand smoke	0.04	0.03	0.05
Women	THA	0.04	0.03	0.06	Systolic blood pressure	0.03	0.03	0.04

Both Sexes	THA	0.06	0.05	0.07	BMI	0.05	0.04	0.05
Both Sexes	THA	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.06
Both Sexes	THA	0.06	0.05	0.07	Combined scenarios	0.04	0.03	0.05
Both Sexes	THA	0.06	0.05	0.07	Direct Smoking	0.05	0.04	0.06
Both Sexes	THA	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.06
Both Sexes	THA	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.06
Both Sexes	THA	0.06	0.05	0.07	Systolic blood pressure	0.04	0.04	0.05
Men	TJK	0.20	0.17	0.23	BMI	0.20	0.17	0.23
Men	TJK	0.20	0.17	0.23	Baseline scenario	0.20	0.17	0.23
Men	TJK	0.20	0.17	0.23	Combined scenarios	0.18	0.15	0.21
Men	TJK	0.20	0.17	0.23	Direct Smoking	0.20	0.16	0.22
Men	TJK	0.20	0.17	0.23	Fasting plasma glucose	0.20	0.17	0.23
Men	TJK	0.20	0.17	0.23	Second hand smoke	0.20	0.17	0.23
Men	TJK	0.20	0.17	0.23	Systolic blood pressure	0.19	0.15	0.21
Women	TJK	0.14	0.12	0.17	BMI	0.13	0.11	0.16
Women	TJK	0.14	0.12	0.17	Baseline scenario	0.13	0.11	0.17
Women	TJK	0.14	0.12	0.17	Combined scenarios	0.11	0.09	0.14
Women	TJK	0.14	0.12	0.17	Direct Smoking	0.13	0.11	0.16
Women	TJK	0.14	0.12	0.17	Fasting plasma glucose	0.13	0.11	0.17
Women	TJK	0.14	0.12	0.17	Second hand smoke	0.13	0.11	0.17
Women	TJK	0.14	0.12	0.17	Systolic blood pressure	0.12	0.10	0.15
Both Sexes	TJK	0.17	0.15	0.19	BMI	0.16	0.14	0.18
Both Sexes	TJK	0.17	0.15	0.19	Baseline scenario	0.17	0.15	0.19
Both Sexes	TJK	0.17	0.15	0.19	Combined scenarios	0.14	0.12	0.16
Both Sexes	TJK	0.17	0.15	0.19	Direct Smoking	0.16	0.14	0.18
Both Sexes	TJK	0.17	0.15	0.19	Fasting plasma glucose	0.17	0.15	0.19

Both Sexes	TJK	0.17	0.15	0.19	Second hand smoke	0.17	0.15	0.19
Both Sexes	TJK	0.17	0.15	0.19	Systolic blood pressure	0.15	0.13	0.17
Men	TKM	0.30	0.23	0.37	BMI	0.30	0.23	0.38
Men	TKM	0.30	0.23	0.37	Baseline scenario	0.30	0.24	0.38
Men	TKM	0.30	0.23	0.37	Combined scenarios	0.24	0.18	0.31
Men	TKM	0.30	0.23	0.37	Direct Smoking	0.27	0.22	0.34
Men	TKM	0.30	0.23	0.37	Fasting plasma glucose	0.30	0.24	0.38
Men	TKM	0.30	0.23	0.37	Second hand smoke	0.30	0.24	0.38
Men	TKM	0.30	0.23	0.37	Systolic blood pressure	0.27	0.21	0.35
Women	TKM	0.16	0.12	0.21	BMI	0.15	0.12	0.20
Women	TKM	0.16	0.12	0.21	Baseline scenario	0.15	0.12	0.20
Women	TKM	0.16	0.12	0.21	Combined scenarios	0.13	0.10	0.17
Women	TKM	0.16	0.12	0.21	Direct Smoking	0.15	0.11	0.20
Women	TKM	0.16	0.12	0.21	Fasting plasma glucose	0.15	0.12	0.20
Women	TKM	0.16	0.12	0.21	Second hand smoke	0.15	0.12	0.20
Women	TKM	0.16	0.12	0.21	Systolic blood pressure	0.13	0.10	0.18
Both Sexes	TKM	0.22	0.19	0.27	BMI	0.22	0.19	0.27
Both Sexes	TKM	0.22	0.19	0.27	Baseline scenario	0.22	0.19	0.27
Both Sexes	TKM	0.22	0.19	0.27	Combined scenarios	0.18	0.15	0.22
Both Sexes	TKM	0.22	0.19	0.27	Direct Smoking	0.21	0.17	0.25
Both Sexes	TKM	0.22	0.19	0.27	Fasting plasma glucose	0.22	0.19	0.27
Both Sexes	TKM	0.22	0.19	0.27	Second hand smoke	0.22	0.19	0.27
Both Sexes	TKM	0.22	0.19	0.27	Systolic blood pressure	0.20	0.16	0.24
Men	TLS	0.13	0.11	0.16	BMI	0.13	0.11	0.15
Men	TLS	0.13	0.11	0.16	Baseline scenario	0.13	0.11	0.15
Men	TLS	0.13	0.11	0.16	Combined scenarios	0.10	0.08	0.12

Men	TLS	0.13	0.11	0.16	Direct Smoking	0.11	0.09	0.13
Men	TLS	0.13	0.11	0.16	Fasting plasma glucose	0.13	0.11	0.15
Men	TLS	0.13	0.11	0.16	Second hand smoke	0.13	0.11	0.15
Men	TLS	0.13	0.11	0.16	Systolic blood pressure	0.11	0.09	0.14
Women	TLS	0.12	0.09	0.18	BMI	0.11	0.08	0.16
Women	TLS	0.12	0.09	0.18	Baseline scenario	0.11	0.08	0.16
Women	TLS	0.12	0.09	0.18	Combined scenarios	0.09	0.07	0.14
Women	TLS	0.12	0.09	0.18	Direct Smoking	0.10	0.08	0.16
Women	TLS	0.12	0.09	0.18	Fasting plasma glucose	0.11	0.08	0.16
Women	TLS	0.12	0.09	0.18	Second hand smoke	0.11	0.08	0.16
Women	TLS	0.12	0.09	0.18	Systolic blood pressure	0.09	0.07	0.14
Both Sexes	TLS	0.12	0.11	0.16	BMI	0.12	0.10	0.15
Both Sexes	TLS	0.12	0.11	0.16	Baseline scenario	0.12	0.10	0.15
Both Sexes	TLS	0.12	0.11	0.16	Combined scenarios	0.09	0.08	0.12
Both Sexes	TLS	0.12	0.11	0.16	Direct Smoking	0.11	0.09	0.14
Both Sexes	TLS	0.12	0.11	0.16	Fasting plasma glucose	0.12	0.10	0.15
Both Sexes	TLS	0.12	0.11	0.16	Second hand smoke	0.12	0.10	0.15
Both Sexes	TLS	0.12	0.11	0.16	Systolic blood pressure	0.10	0.09	0.13
Men	TON	0.17	0.12	0.21	BMI	0.17	0.12	0.22
Men	TON	0.17	0.12	0.21	Baseline scenario	0.17	0.12	0.22
Men	TON	0.17	0.12	0.21	Combined scenarios	0.13	0.10	0.17
Men	TON	0.17	0.12	0.21	Direct Smoking	0.15	0.11	0.20
Men	TON	0.17	0.12	0.21	Fasting plasma glucose	0.17	0.12	0.22
Men	TON	0.17	0.12	0.21	Second hand smoke	0.17	0.13	0.22
Men	TON	0.17	0.12	0.21	Systolic blood pressure	0.15	0.11	0.20

Women	TON	0.07	0.05	0.10	BMI	0.07	0.04	0.09
Women	TON	0.07	0.05	0.10	Baseline scenario	0.07	0.04	0.09
Women	TON	0.07	0.05	0.10	Combined scenarios	0.05	0.03	0.07
Women	TON	0.07	0.05	0.10	Direct Smoking	0.05	0.04	0.08
Women	TON	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.04	0.09
Women	TON	0.07	0.05	0.10	Second hand smoke	0.07	0.04	0.09
Women	TON	0.07	0.05	0.10	Systolic blood pressure	0.06	0.04	0.08
Both Sexes	TON	0.12	0.09	0.15	BMI	0.12	0.09	0.15
Both Sexes	TON	0.12	0.09	0.15	Baseline scenario	0.12	0.09	0.15
Both Sexes	TON	0.12	0.09	0.15	Combined scenarios	0.09	0.07	0.11
Both Sexes	TON	0.12	0.09	0.15	Direct Smoking	0.10	0.08	0.13
Both Sexes	TON	0.12	0.09	0.15	Fasting plasma glucose	0.12	0.09	0.15
Both Sexes	TON	0.12	0.09	0.15	Second hand smoke	0.12	0.09	0.15
Both Sexes	TON	0.12	0.09	0.15	Systolic blood pressure	0.10	0.08	0.13
Men	TTO	0.17	0.14	0.20	BMI	0.15	0.13	0.18
Men	TTO	0.17	0.14	0.20	Baseline scenario	0.16	0.13	0.18
Men	TTO	0.17	0.14	0.20	Combined scenarios	0.11	0.10	0.13
Men	TTO	0.17	0.14	0.20	Direct Smoking	0.15	0.13	0.17
Men	TTO	0.17	0.14	0.20	Fasting plasma glucose	0.16	0.13	0.18
Men	TTO	0.17	0.14	0.20	Second hand smoke	0.16	0.13	0.18
Men	TTO	0.17	0.14	0.20	Systolic blood pressure	0.12	0.10	0.14
Women	TTO	0.09	0.07	0.11	BMI	0.07	0.06	0.09
Women	TTO	0.09	0.07	0.11	Baseline scenario	0.07	0.06	0.09
Women	TTO	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.08
Women	TTO	0.09	0.07	0.11	Direct Smoking	0.07	0.06	0.08
Women	TTO	0.09	0.07	0.11	Fasting plasma glucose	0.07	0.06	0.09

Women	TTO	0.09	0.07	0.11	Second hand smoke	0.07	0.06	0.09
Women	TTO	0.09	0.07	0.11	Systolic blood pressure	0.07	0.05	0.08
Both Sexes	TTO	0.13	0.11	0.15	BMI	0.11	0.10	0.13
Both Sexes	TTO	0.13	0.11	0.15	Baseline scenario	0.11	0.10	0.13
Both Sexes	TTO	0.13	0.11	0.15	Combined scenarios	0.09	0.08	0.10
Both Sexes	TTO	0.13	0.11	0.15	Direct Smoking	0.11	0.09	0.12
Both Sexes	TTO	0.13	0.11	0.15	Fasting plasma glucose	0.11	0.10	0.13
Both Sexes	TTO	0.13	0.11	0.15	Second hand smoke	0.11	0.10	0.13
Both Sexes	TTO	0.13	0.11	0.15	Systolic blood pressure	0.09	0.08	0.11
Men	TUN	0.13	0.09	0.16	BMI	0.12	0.08	0.15
Men	TUN	0.13	0.09	0.16	Baseline scenario	0.12	0.08	0.15
Men	TUN	0.13	0.09	0.16	Combined scenarios	0.09	0.06	0.12
Men	TUN	0.13	0.09	0.16	Direct Smoking	0.10	0.07	0.13
Men	TUN	0.13	0.09	0.16	Fasting plasma glucose	0.12	0.08	0.15
Men	TUN	0.13	0.09	0.16	Second hand smoke	0.12	0.08	0.15
Men	TUN	0.13	0.09	0.16	Systolic blood pressure	0.11	0.08	0.14
Women	TUN	0.07	0.05	0.10	BMI	0.06	0.04	0.08
Women	TUN	0.07	0.05	0.10	Baseline scenario	0.06	0.04	0.08
Women	TUN	0.07	0.05	0.10	Combined scenarios	0.04	0.03	0.06
Women	TUN	0.07	0.05	0.10	Direct Smoking	0.06	0.04	0.08
Women	TUN	0.07	0.05	0.10	Fasting plasma glucose	0.06	0.04	0.08
Women	TUN	0.07	0.05	0.10	Second hand smoke	0.06	0.04	0.08
Women	TUN	0.07	0.05	0.10	Systolic blood pressure	0.05	0.03	0.07
Both Sexes	TUN	0.10	0.08	0.12	BMI	0.09	0.07	0.11
Both Sexes	TUN	0.10	0.08	0.12	Baseline scenario	0.09	0.07	0.11
Both Sexes	TUN	0.10	0.08	0.12	Combined scenarios	0.07	0.05	0.08

Both Sexes	TUN	0.10	0.08	0.12	Direct Smoking	0.08	0.06	0.10
Both Sexes	TUN	0.10	0.08	0.12	Fasting plasma glucose	0.09	0.07	0.11
Both Sexes	TUN	0.10	0.08	0.12	Second hand smoke	0.09	0.07	0.11
Both Sexes	TUN	0.10	0.08	0.12	Systolic blood pressure	0.08	0.06	0.10
Men	TUR	0.11	0.09	0.13	BMI	0.07	0.06	0.09
Men	TUR	0.11	0.09	0.13	Baseline scenario	0.07	0.06	0.09
Men	TUR	0.11	0.09	0.13	Combined scenarios	0.07	0.06	0.09
Men	TUR	0.11	0.09	0.13	Direct Smoking	0.07	0.05	0.08
Men	TUR	0.11	0.09	0.13	Fasting plasma glucose	0.07	0.06	0.09
Men	TUR	0.11	0.09	0.13	Second hand smoke	0.07	0.06	0.09
Men	TUR	0.11	0.09	0.13	Systolic blood pressure	0.08	0.06	0.09
Women	TUR	0.05	0.04	0.07	BMI	0.04	0.03	0.05
Women	TUR	0.05	0.04	0.07	Baseline scenario	0.04	0.03	0.05
Women	TUR	0.05	0.04	0.07	Combined scenarios	0.04	0.03	0.05
Women	TUR	0.05	0.04	0.07	Direct Smoking	0.04	0.03	0.04
Women	TUR	0.05	0.04	0.07	Fasting plasma glucose	0.04	0.03	0.05
Women	TUR	0.05	0.04	0.07	Second hand smoke	0.04	0.03	0.05
Women	TUR	0.05	0.04	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	TUR	0.08	0.07	0.09	BMI	0.05	0.05	0.06
Both Sexes	TUR	0.08	0.07	0.09	Baseline scenario	0.06	0.05	0.06
Both Sexes	TUR	0.08	0.07	0.09	Combined scenarios	0.05	0.05	0.06
Both Sexes	TUR	0.08	0.07	0.09	Direct Smoking	0.05	0.04	0.06
Both Sexes	TUR	0.08	0.07	0.09	Fasting plasma glucose	0.06	0.05	0.06
Both Sexes	TUR	0.08	0.07	0.09	Second hand smoke	0.06	0.05	0.06
Both Sexes	TUR	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07

Men	TZA	0.10	0.08	0.12	BMI	0.10	0.08	0.12
Men	TZA	0.10	0.08	0.12	Baseline scenario	0.10	0.07	0.12
Men	TZA	0.10	0.08	0.12	Combined scenarios	0.08	0.06	0.10
Men	TZA	0.10	0.08	0.12	Direct Smoking	0.09	0.07	0.11
Men	TZA	0.10	0.08	0.12	Fasting plasma glucose	0.10	0.07	0.12
Men	TZA	0.10	0.08	0.12	Second hand smoke	0.10	0.07	0.12
Men	TZA	0.10	0.08	0.12	Systolic blood pressure	0.08	0.06	0.10
Women	TZA	0.08	0.06	0.11	BMI	0.07	0.05	0.10
Women	TZA	0.08	0.06	0.11	Baseline scenario	0.08	0.06	0.11
Women	TZA	0.08	0.06	0.11	Combined scenarios	0.06	0.04	0.08
Women	TZA	0.08	0.06	0.11	Direct Smoking	0.08	0.06	0.11
Women	TZA	0.08	0.06	0.11	Fasting plasma glucose	0.08	0.06	0.11
Women	TZA	0.08	0.06	0.11	Second hand smoke	0.08	0.06	0.11
Women	TZA	0.08	0.06	0.11	Systolic blood pressure	0.07	0.05	0.09
Both Sexes	TZA	0.09	0.07	0.11	BMI	0.08	0.07	0.10
Both Sexes	TZA	0.09	0.07	0.11	Baseline scenario	0.09	0.07	0.11
Both Sexes	TZA	0.09	0.07	0.11	Combined scenarios	0.07	0.06	0.08
Both Sexes	TZA	0.09	0.07	0.11	Direct Smoking	0.09	0.07	0.10
Both Sexes	TZA	0.09	0.07	0.11	Fasting plasma glucose	0.09	0.07	0.11
Both Sexes	TZA	0.09	0.07	0.11	Second hand smoke	0.09	0.07	0.11
Both Sexes	TZA	0.09	0.07	0.11	Systolic blood pressure	0.08	0.06	0.09
Men	UGA	0.13	0.11	0.17	BMI	0.12	0.10	0.16
Men	UGA	0.13	0.11	0.17	Baseline scenario	0.12	0.10	0.16
Men	UGA	0.13	0.11	0.17	Combined scenarios	0.11	0.09	0.13
Men	UGA	0.13	0.11	0.17	Direct Smoking	0.12	0.10	0.15
Men	UGA	0.13	0.11	0.17	Fasting plasma glucose	0.12	0.10	0.16

Men	UGA	0.13	0.11	0.17	Second hand smoke	0.12	0.10	0.16
Men	UGA	0.13	0.11	0.17	Systolic blood pressure	0.11	0.09	0.14
Women	UGA	0.09	0.07	0.12	BMI	0.08	0.06	0.10
Women	UGA	0.09	0.07	0.12	Baseline scenario	0.08	0.06	0.10
Women	UGA	0.09	0.07	0.12	Combined scenarios	0.07	0.05	0.09
Women	UGA	0.09	0.07	0.12	Direct Smoking	0.08	0.06	0.10
Women	UGA	0.09	0.07	0.12	Fasting plasma glucose	0.08	0.06	0.10
Women	UGA	0.09	0.07	0.12	Second hand smoke	0.08	0.06	0.10
Women	UGA	0.09	0.07	0.12	Systolic blood pressure	0.07	0.05	0.09
Both Sexes	UGA	0.11	0.10	0.14	BMI	0.10	0.08	0.12
Both Sexes	UGA	0.11	0.10	0.14	Baseline scenario	0.10	0.09	0.12
Both Sexes	UGA	0.11	0.10	0.14	Combined scenarios	0.09	0.07	0.10
Both Sexes	UGA	0.11	0.10	0.14	Direct Smoking	0.10	0.08	0.12
Both Sexes	UGA	0.11	0.10	0.14	Fasting plasma glucose	0.10	0.09	0.12
Both Sexes	UGA	0.11	0.10	0.14	Second hand smoke	0.10	0.09	0.12
Both Sexes	UGA	0.11	0.10	0.14	Systolic blood pressure	0.09	0.08	0.11
Men	UKR	0.26	0.24	0.28	BMI	0.27	0.25	0.28
Men	UKR	0.26	0.24	0.28	Baseline scenario	0.27	0.25	0.29
Men	UKR	0.26	0.24	0.28	Combined scenarios	0.20	0.18	0.22
Men	UKR	0.26	0.24	0.28	Direct Smoking	0.24	0.23	0.26
Men	UKR	0.26	0.24	0.28	Fasting plasma glucose	0.27	0.25	0.29
Men	UKR	0.26	0.24	0.28	Second hand smoke	0.27	0.25	0.29
Men	UKR	0.26	0.24	0.28	Systolic blood pressure	0.23	0.20	0.25
Women	UKR	0.11	0.10	0.12	BMI	0.11	0.10	0.12
Women	UKR	0.11	0.10	0.12	Baseline scenario	0.11	0.10	0.12
Women	UKR	0.11	0.10	0.12	Combined scenarios	0.08	0.07	0.10

Women	UKR	0.11	0.10	0.12	Direct Smoking	0.10	0.09	0.11
Women	UKR	0.11	0.10	0.12	Fasting plasma glucose	0.11	0.10	0.12
Women	UKR	0.11	0.10	0.12	Second hand smoke	0.11	0.10	0.12
Women	UKR	0.11	0.10	0.12	Systolic blood pressure	0.09	0.08	0.10
Both Sexes	UKR	0.18	0.17	0.19	BMI	0.18	0.17	0.19
Both Sexes	UKR	0.18	0.17	0.19	Baseline scenario	0.18	0.17	0.19
Both Sexes	UKR	0.18	0.17	0.19	Combined scenarios	0.14	0.12	0.15
Both Sexes	UKR	0.18	0.17	0.19	Direct Smoking	0.17	0.15	0.17
Both Sexes	UKR	0.18	0.17	0.19	Fasting plasma glucose	0.18	0.17	0.19
Both Sexes	UKR	0.18	0.17	0.19	Second hand smoke	0.18	0.17	0.19
Both Sexes	UKR	0.18	0.17	0.19	Systolic blood pressure	0.15	0.14	0.16
Men	URY	0.10	0.08	0.11	BMI	0.08	0.07	0.09
Men	URY	0.10	0.08	0.11	Baseline scenario	0.08	0.07	0.09
Men	URY	0.10	0.08	0.11	Combined scenarios	0.06	0.05	0.07
Men	URY	0.10	0.08	0.11	Direct Smoking	0.08	0.07	0.09
Men	URY	0.10	0.08	0.11	Fasting plasma glucose	0.08	0.07	0.09
Men	URY	0.10	0.08	0.11	Second hand smoke	0.08	0.07	0.09
Men	URY	0.10	0.08	0.11	Systolic blood pressure	0.07	0.06	0.08
Women	URY	0.04	0.03	0.05	BMI	0.03	0.03	0.04
Women	URY	0.04	0.03	0.05	Baseline scenario	0.03	0.03	0.04
Women	URY	0.04	0.03	0.05	Combined scenarios	0.02	0.02	0.03
Women	URY	0.04	0.03	0.05	Direct Smoking	0.03	0.02	0.04
Women	URY	0.04	0.03	0.05	Fasting plasma glucose	0.03	0.03	0.04
Women	URY	0.04	0.03	0.05	Second hand smoke	0.03	0.03	0.04
Women	URY	0.04	0.03	0.05	Systolic blood pressure	0.03	0.02	0.03

Both Sexes	URY	0.07	0.06	0.07	BMI	0.05	0.05	0.06
Both Sexes	URY	0.07	0.06	0.07	Baseline scenario	0.05	0.05	0.06
Both Sexes	URY	0.07	0.06	0.07	Combined scenarios	0.04	0.04	0.05
Both Sexes	URY	0.07	0.06	0.07	Direct Smoking	0.05	0.04	0.06
Both Sexes	URY	0.07	0.06	0.07	Fasting plasma glucose	0.05	0.05	0.06
Both Sexes	URY	0.07	0.06	0.07	Second hand smoke	0.05	0.05	0.06
Both Sexes	URY	0.07	0.06	0.07	Systolic blood pressure	0.05	0.04	0.05
Men	USA	0.08	0.07	0.09	BMI	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Baseline scenario	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Combined scenarios	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Direct Smoking	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Fasting plasma glucose	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Second hand smoke	0.06	0.05	0.06
Men	USA	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07
Women	USA	0.04	0.03	0.05	BMI	0.03	0.02	0.03
Women	USA	0.04	0.03	0.05	Baseline scenario	0.03	0.02	0.04
Women	USA	0.04	0.03	0.05	Combined scenarios	0.03	0.02	0.03
Women	USA	0.04	0.03	0.05	Direct Smoking	0.03	0.02	0.04
Women	USA	0.04	0.03	0.05	Fasting plasma glucose	0.03	0.02	0.04
Women	USA	0.04	0.03	0.05	Second hand smoke	0.03	0.02	0.04
Women	USA	0.04	0.03	0.05	Systolic blood pressure	0.03	0.02	0.04
Both Sexes	USA	0.06	0.05	0.06	BMI	0.04	0.04	0.05
Both Sexes	USA	0.06	0.05	0.06	Baseline scenario	0.04	0.04	0.05
Both Sexes	USA	0.06	0.05	0.06	Combined scenarios	0.04	0.04	0.05
Both Sexes	USA	0.06	0.05	0.06	Direct Smoking	0.04	0.04	0.05
Both Sexes	USA	0.06	0.05	0.06	Fasting plasma glucose	0.04	0.04	0.05

Both Sexes	USA	0.06	0.05	0.06	Second hand smoke	0.04	0.04	0.05
Both Sexes	USA	0.06	0.05	0.06	Systolic blood pressure	0.04	0.04	0.05
Men	UZB	0.25	0.20	0.32	BMI	0.26	0.21	0.33
Men	UZB	0.25	0.20	0.32	Baseline scenario	0.26	0.21	0.33
Men	UZB	0.25	0.20	0.32	Combined scenarios	0.23	0.18	0.29
Men	UZB	0.25	0.20	0.32	Direct Smoking	0.24	0.20	0.31
Men	UZB	0.25	0.20	0.32	Fasting plasma glucose	0.26	0.21	0.33
Men	UZB	0.25	0.20	0.32	Second hand smoke	0.26	0.21	0.33
Men	UZB	0.25	0.20	0.32	Systolic blood pressure	0.24	0.19	0.31
Women	UZB	0.16	0.12	0.20	BMI	0.15	0.11	0.20
Women	UZB	0.16	0.12	0.20	Baseline scenario	0.16	0.12	0.20
Women	UZB	0.16	0.12	0.20	Combined scenarios	0.14	0.10	0.18
Women	UZB	0.16	0.12	0.20	Direct Smoking	0.16	0.12	0.20
Women	UZB	0.16	0.12	0.20	Fasting plasma glucose	0.16	0.12	0.20
Women	UZB	0.16	0.12	0.20	Second hand smoke	0.16	0.12	0.20
Women	UZB	0.16	0.12	0.20	Systolic blood pressure	0.14	0.11	0.18
Both Sexes	UZB	0.20	0.17	0.24	BMI	0.20	0.17	0.24
Both Sexes	UZB	0.20	0.17	0.24	Baseline scenario	0.21	0.18	0.25
Both Sexes	UZB	0.20	0.17	0.24	Combined scenarios	0.18	0.15	0.21
Both Sexes	UZB	0.20	0.17	0.24	Direct Smoking	0.20	0.17	0.24
Both Sexes	UZB	0.20	0.17	0.24	Fasting plasma glucose	0.21	0.17	0.25
Both Sexes	UZB	0.20	0.17	0.24	Second hand smoke	0.21	0.18	0.25
Both Sexes	UZB	0.20	0.17	0.24	Systolic blood pressure	0.19	0.16	0.23
Men	VCT	0.12	0.10	0.15	BMI	0.10	0.08	0.13
Men	VCT	0.12	0.10	0.15	Baseline scenario	0.11	0.09	0.13
Men	VCT	0.12	0.10	0.15	Combined scenarios	0.09	0.07	0.11

Men	VCT	0.12	0.10	0.15	Direct Smoking	0.10	0.08	0.13
Men	VCT	0.12	0.10	0.15	Fasting plasma glucose	0.11	0.09	0.13
Men	VCT	0.12	0.10	0.15	Second hand smoke	0.11	0.09	0.13
Men	VCT	0.12	0.10	0.15	Systolic blood pressure	0.09	0.08	0.12
Women	VCT	0.09	0.07	0.11	BMI	0.07	0.06	0.09
Women	VCT	0.09	0.07	0.11	Baseline scenario	0.08	0.06	0.09
Women	VCT	0.09	0.07	0.11	Combined scenarios	0.06	0.05	0.08
Women	VCT	0.09	0.07	0.11	Direct Smoking	0.07	0.06	0.09
Women	VCT	0.09	0.07	0.11	Fasting plasma glucose	0.08	0.06	0.09
Women	VCT	0.09	0.07	0.11	Second hand smoke	0.08	0.06	0.09
Women	VCT	0.09	0.07	0.11	Systolic blood pressure	0.07	0.05	0.08
Both Sexes	VCT	0.10	0.09	0.12	BMI	0.09	0.07	0.10
Both Sexes	VCT	0.10	0.09	0.12	Baseline scenario	0.09	0.08	0.11
Both Sexes	VCT	0.10	0.09	0.12	Combined scenarios	0.08	0.06	0.09
Both Sexes	VCT	0.10	0.09	0.12	Direct Smoking	0.09	0.07	0.11
Both Sexes	VCT	0.10	0.09	0.12	Fasting plasma glucose	0.09	0.08	0.11
Both Sexes	VCT	0.10	0.09	0.12	Second hand smoke	0.09	0.08	0.11
Both Sexes	VCT	0.10	0.09	0.12	Systolic blood pressure	0.08	0.07	0.10
Men	VEN	0.11	0.10	0.12	BMI	0.10	0.08	0.11
Men	VEN	0.11	0.10	0.12	Baseline scenario	0.10	0.09	0.11
Men	VEN	0.11	0.10	0.12	Combined scenarios	0.08	0.07	0.09
Men	VEN	0.11	0.10	0.12	Direct Smoking	0.10	0.09	0.11
Men	VEN	0.11	0.10	0.12	Fasting plasma glucose	0.10	0.09	0.11
Men	VEN	0.11	0.10	0.12	Second hand smoke	0.10	0.09	0.11
Men	VEN	0.11	0.10	0.12	Systolic blood pressure	0.08	0.07	0.10

Women	VEN	0.06	0.05	0.07	BMI	0.04	0.04	0.05
Women	VEN	0.06	0.05	0.07	Baseline scenario	0.05	0.04	0.06
Women	VEN	0.06	0.05	0.07	Combined scenarios	0.04	0.03	0.04
Women	VEN	0.06	0.05	0.07	Direct Smoking	0.05	0.04	0.05
Women	VEN	0.06	0.05	0.07	Fasting plasma glucose	0.05	0.04	0.06
Women	VEN	0.06	0.05	0.07	Second hand smoke	0.05	0.04	0.06
Women	VEN	0.06	0.05	0.07	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	VEN	0.08	0.07	0.09	BMI	0.07	0.06	0.08
Both Sexes	VEN	0.08	0.07	0.09	Baseline scenario	0.07	0.07	0.08
Both Sexes	VEN	0.08	0.07	0.09	Combined scenarios	0.06	0.05	0.06
Both Sexes	VEN	0.08	0.07	0.09	Direct Smoking	0.07	0.06	0.08
Both Sexes	VEN	0.08	0.07	0.09	Fasting plasma glucose	0.07	0.07	0.08
Both Sexes	VEN	0.08	0.07	0.09	Second hand smoke	0.07	0.07	0.08
Both Sexes	VEN	0.08	0.07	0.09	Systolic blood pressure	0.06	0.05	0.07
Men	VNM	0.11	0.08	0.14	BMI	0.08	0.06	0.12
Men	VNM	0.11	0.08	0.14	Baseline scenario	0.09	0.06	0.12
Men	VNM	0.11	0.08	0.14	Combined scenarios	0.07	0.05	0.10
Men	VNM	0.11	0.08	0.14	Direct Smoking	0.08	0.06	0.11
Men	VNM	0.11	0.08	0.14	Fasting plasma glucose	0.08	0.06	0.12
Men	VNM	0.11	0.08	0.14	Second hand smoke	0.09	0.06	0.12
Men	VNM	0.11	0.08	0.14	Systolic blood pressure	0.08	0.05	0.10
Women	VNM	0.05	0.04	0.08	BMI	0.04	0.03	0.05
Women	VNM	0.05	0.04	0.08	Baseline scenario	0.04	0.03	0.05
Women	VNM	0.05	0.04	0.08	Combined scenarios	0.04	0.03	0.05
Women	VNM	0.05	0.04	0.08	Direct Smoking	0.04	0.03	0.05
Women	VNM	0.05	0.04	0.08	Fasting plasma glucose	0.04	0.03	0.05

Women	VNM	0.05	0.04	0.08	Second hand smoke	0.04	0.03	0.05
Women	VNM	0.05	0.04	0.08	Systolic blood pressure	0.04	0.03	0.05
Both Sexes	VNM	0.08	0.06	0.10	BMI	0.06	0.05	0.08
Both Sexes	VNM	0.08	0.06	0.10	Baseline scenario	0.06	0.05	0.08
Both Sexes	VNM	0.08	0.06	0.10	Combined scenarios	0.05	0.04	0.07
Both Sexes	VNM	0.08	0.06	0.10	Direct Smoking	0.06	0.05	0.08
Both Sexes	VNM	0.08	0.06	0.10	Fasting plasma glucose	0.06	0.05	0.08
Both Sexes	VNM	0.08	0.06	0.10	Second hand smoke	0.06	0.05	0.08
Both Sexes	VNM	0.08	0.06	0.10	Systolic blood pressure	0.05	0.04	0.07
Men	VUT	0.28	0.19	0.40	BMI	0.29	0.20	0.41
Men	VUT	0.28	0.19	0.40	Baseline scenario	0.30	0.20	0.42
Men	VUT	0.28	0.19	0.40	Combined scenarios	0.23	0.15	0.33
Men	VUT	0.28	0.19	0.40	Direct Smoking	0.29	0.20	0.41
Men	VUT	0.28	0.19	0.40	Fasting plasma glucose	0.28	0.19	0.39
Men	VUT	0.28	0.19	0.40	Second hand smoke	0.30	0.20	0.42
Men	VUT	0.28	0.19	0.40	Systolic blood pressure	0.26	0.17	0.37
Women	VUT	0.16	0.10	0.24	BMI	0.17	0.10	0.26
Women	VUT	0.16	0.10	0.24	Baseline scenario	0.17	0.10	0.26
Women	VUT	0.16	0.10	0.24	Combined scenarios	0.13	0.08	0.20
Women	VUT	0.16	0.10	0.24	Direct Smoking	0.17	0.10	0.26
Women	VUT	0.16	0.10	0.24	Fasting plasma glucose	0.16	0.10	0.24
Women	VUT	0.16	0.10	0.24	Second hand smoke	0.17	0.10	0.26
Women	VUT	0.16	0.10	0.24	Systolic blood pressure	0.14	0.08	0.21
Both Sexes	VUT	0.22	0.14	0.32	BMI	0.23	0.15	0.33
Both Sexes	VUT	0.22	0.14	0.32	Baseline scenario	0.23	0.15	0.34
Both Sexes	VUT	0.22	0.14	0.32	Combined scenarios	0.18	0.11	0.26

Both Sexes	VUT	0.22	0.14	0.32	Direct Smoking	0.23	0.15	0.33
Both Sexes	VUT	0.22	0.14	0.32	Fasting plasma glucose	0.22	0.14	0.32
Both Sexes	VUT	0.22	0.14	0.32	Second hand smoke	0.24	0.15	0.34
Both Sexes	VUT	0.22	0.14	0.32	Systolic blood pressure	0.20	0.13	0.29
Men	WSM	0.15	0.12	0.19	BMI	0.14	0.10	0.17
Men	WSM	0.15	0.12	0.19	Baseline scenario	0.14	0.11	0.17
Men	WSM	0.15	0.12	0.19	Combined scenarios	0.11	0.08	0.13
Men	WSM	0.15	0.12	0.19	Direct Smoking	0.13	0.10	0.16
Men	WSM	0.15	0.12	0.19	Fasting plasma glucose	0.13	0.10	0.16
Men	WSM	0.15	0.12	0.19	Second hand smoke	0.14	0.11	0.17
Men	WSM	0.15	0.12	0.19	Systolic blood pressure	0.12	0.09	0.15
Women	WSM	0.10	0.07	0.15	BMI	0.10	0.07	0.15
Women	WSM	0.10	0.07	0.15	Baseline scenario	0.10	0.07	0.16
Women	WSM	0.10	0.07	0.15	Combined scenarios	0.08	0.06	0.13
Women	WSM	0.10	0.07	0.15	Direct Smoking	0.10	0.07	0.15
Women	WSM	0.10	0.07	0.15	Fasting plasma glucose	0.10	0.07	0.14
Women	WSM	0.10	0.07	0.15	Second hand smoke	0.10	0.08	0.16
Women	WSM	0.10	0.07	0.15	Systolic blood pressure	0.09	0.07	0.14
Both Sexes	WSM	0.13	0.11	0.16	BMI	0.12	0.10	0.15
Both Sexes	WSM	0.13	0.11	0.16	Baseline scenario	0.12	0.10	0.15
Both Sexes	WSM	0.13	0.11	0.16	Combined scenarios	0.10	0.08	0.12
Both Sexes	WSM	0.13	0.11	0.16	Direct Smoking	0.11	0.09	0.14
Both Sexes	WSM	0.13	0.11	0.16	Fasting plasma glucose	0.11	0.09	0.14
Both Sexes	WSM	0.13	0.11	0.16	Second hand smoke	0.12	0.10	0.15
Both Sexes	WSM	0.13	0.11	0.16	Systolic blood pressure	0.11	0.09	0.13

Men	YEM	0.20	0.13	0.31	BMI	0.18	0.11	0.28
Men	YEM	0.20	0.13	0.31	Baseline scenario	0.18	0.11	0.28
Men	YEM	0.20	0.13	0.31	Combined scenarios	0.16	0.10	0.25
Men	YEM	0.20	0.13	0.31	Direct Smoking	0.17	0.11	0.27
Men	YEM	0.20	0.13	0.31	Fasting plasma glucose	0.18	0.11	0.28
Men	YEM	0.20	0.13	0.31	Second hand smoke	0.18	0.11	0.28
Men	YEM	0.20	0.13	0.31	Systolic blood pressure	0.17	0.10	0.26
Women	YEM	0.22	0.13	0.32	BMI	0.21	0.12	0.31
Women	YEM	0.22	0.13	0.32	Baseline scenario	0.21	0.12	0.32
Women	YEM	0.22	0.13	0.32	Combined scenarios	0.19	0.11	0.29
Women	YEM	0.22	0.13	0.32	Direct Smoking	0.21	0.12	0.31
Women	YEM	0.22	0.13	0.32	Fasting plasma glucose	0.21	0.12	0.32
Women	YEM	0.22	0.13	0.32	Second hand smoke	0.21	0.12	0.32
Women	YEM	0.22	0.13	0.32	Systolic blood pressure	0.20	0.11	0.30
Both Sexes	YEM	0.21	0.13	0.32	BMI	0.20	0.12	0.30
Both Sexes	YEM	0.21	0.13	0.32	Baseline scenario	0.20	0.12	0.30
Both Sexes	YEM	0.21	0.13	0.32	Combined scenarios	0.18	0.11	0.27
Both Sexes	YEM	0.21	0.13	0.32	Direct Smoking	0.19	0.12	0.29
Both Sexes	YEM	0.21	0.13	0.32	Fasting plasma glucose	0.20	0.12	0.30
Both Sexes	YEM	0.21	0.13	0.32	Second hand smoke	0.20	0.12	0.30
Both Sexes	YEM	0.21	0.13	0.32	Systolic blood pressure	0.18	0.11	0.28
Men	ZAF	0.12	0.10	0.14	BMI	0.10	0.09	0.13
Men	ZAF	0.12	0.10	0.14	Baseline scenario	0.10	0.09	0.13
Men	ZAF	0.12	0.10	0.14	Combined scenarios	0.09	0.07	0.11
Men	ZAF	0.12	0.10	0.14	Direct Smoking	0.11	0.09	0.13
Men	ZAF	0.12	0.10	0.14	Fasting plasma glucose	0.10	0.09	0.13

Men	ZAF	0.12	0.10	0.14	Second hand smoke	0.10	0.09	0.13
Men	ZAF	0.12	0.10	0.14	Systolic blood pressure	0.09	0.07	0.11
Women	ZAF	0.07	0.05	0.09	BMI	0.06	0.05	0.08
Women	ZAF	0.07	0.05	0.09	Baseline scenario	0.06	0.05	0.09
Women	ZAF	0.07	0.05	0.09	Combined scenarios	0.05	0.04	0.07
Women	ZAF	0.07	0.05	0.09	Direct Smoking	0.06	0.05	0.08
Women	ZAF	0.07	0.05	0.09	Fasting plasma glucose	0.06	0.05	0.09
Women	ZAF	0.07	0.05	0.09	Second hand smoke	0.06	0.05	0.09
Women	ZAF	0.07	0.05	0.09	Systolic blood pressure	0.05	0.04	0.07
Both Sexes	ZAF	0.09	0.08	0.11	BMI	0.08	0.07	0.09
Both Sexes	ZAF	0.09	0.08	0.11	Baseline scenario	0.08	0.07	0.10
Both Sexes	ZAF	0.09	0.08	0.11	Combined scenarios	0.07	0.06	0.08
Both Sexes	ZAF	0.09	0.08	0.11	Direct Smoking	0.08	0.07	0.09
Both Sexes	ZAF	0.09	0.08	0.11	Fasting plasma glucose	0.08	0.07	0.10
Both Sexes	ZAF	0.09	0.08	0.11	Second hand smoke	0.08	0.07	0.10
Both Sexes	ZAF	0.09	0.08	0.11	Systolic blood pressure	0.07	0.06	0.08
Men	ZMB	0.11	0.08	0.15	BMI	0.23	0.17	0.30
Men	ZMB	0.11	0.08	0.15	Baseline scenario	0.23	0.17	0.30
Men	ZMB	0.11	0.08	0.15	Combined scenarios	0.16	0.11	0.21
Men	ZMB	0.11	0.08	0.15	Direct Smoking	0.21	0.16	0.28
Men	ZMB	0.11	0.08	0.15	Fasting plasma glucose	0.23	0.17	0.30
Men	ZMB	0.11	0.08	0.15	Second hand smoke	0.23	0.17	0.30
Men	ZMB	0.11	0.08	0.15	Systolic blood pressure	0.17	0.12	0.22
Women	ZMB	0.14	0.11	0.18	BMI	0.18	0.14	0.23
Women	ZMB	0.14	0.11	0.18	Baseline scenario	0.19	0.14	0.24
Women	ZMB	0.14	0.11	0.18	Combined scenarios	0.10	0.08	0.14

Women	ZMB	0.14	0.11	0.18	Direct Smoking	0.18	0.14	0.24
Women	ZMB	0.14	0.11	0.18	Fasting plasma glucose	0.19	0.14	0.24
Women	ZMB	0.14	0.11	0.18	Second hand smoke	0.19	0.14	0.24
Women	ZMB	0.14	0.11	0.18	Systolic blood pressure	0.11	0.08	0.15
Both Sexes	ZMB	0.13	0.10	0.15	BMI	0.20	0.16	0.24
Both Sexes	ZMB	0.13	0.10	0.15	Baseline scenario	0.21	0.17	0.25
Both Sexes	ZMB	0.13	0.10	0.15	Combined scenarios	0.13	0.10	0.16
Both Sexes	ZMB	0.13	0.10	0.15	Direct Smoking	0.20	0.16	0.24
Both Sexes	ZMB	0.13	0.10	0.15	Fasting plasma glucose	0.21	0.17	0.25
Both Sexes	ZMB	0.13	0.10	0.15	Second hand smoke	0.21	0.17	0.25
Both Sexes	ZMB	0.13	0.10	0.15	Systolic blood pressure	0.14	0.11	0.17
Men	ZWE	0.08	0.06	0.11	BMI	0.08	0.05	0.11
Men	ZWE	0.08	0.06	0.11	Baseline scenario	0.08	0.05	0.11
Men	ZWE	0.08	0.06	0.11	Combined scenarios	0.07	0.05	0.09
Men	ZWE	0.08	0.06	0.11	Direct Smoking	0.07	0.05	0.10
Men	ZWE	0.08	0.06	0.11	Fasting plasma glucose	0.08	0.05	0.11
Men	ZWE	0.08	0.06	0.11	Second hand smoke	0.08	0.05	0.11
Men	ZWE	0.08	0.06	0.11	Systolic blood pressure	0.07	0.05	0.10
Women	ZWE	0.07	0.04	0.13	BMI	0.06	0.04	0.10
Women	ZWE	0.07	0.04	0.13	Baseline scenario	0.06	0.04	0.11
Women	ZWE	0.07	0.04	0.13	Combined scenarios	0.05	0.03	0.09
Women	ZWE	0.07	0.04	0.13	Direct Smoking	0.06	0.04	0.10
Women	ZWE	0.07	0.04	0.13	Fasting plasma glucose	0.06	0.04	0.11
Women	ZWE	0.07	0.04	0.13	Second hand smoke	0.06	0.04	0.11
Women	ZWE	0.07	0.04	0.13	Systolic blood pressure	0.06	0.03	0.09

Both Sexes	ZWE	0.08	0.05	0.11	BMI	0.07	0.05	0.10
Both Sexes	ZWE	0.08	0.05	0.11	Baseline scenario	0.07	0.05	0.10
Both Sexes	ZWE	0.08	0.05	0.11	Combined scenarios	0.06	0.04	0.08
Both Sexes	ZWE	0.08	0.05	0.11	Direct Smoking	0.07	0.05	0.09
Both Sexes	ZWE	0.08	0.05	0.11	Fasting plasma glucose	0.07	0.05	0.10
Both Sexes	ZWE	0.08	0.05	0.11	Second hand smoke	0.07	0.05	0.10
Both Sexes	ZWE	0.08	0.05	0.11	Systolic blood pressure	0.06	0.04	0.09

Figure 1A. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Andean Latin America




Figure 1B. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Australasia




Figure 1C. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Caribbean




Figure 1D. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Central Asia




Figure 1E. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Central Europe




Figure 1F. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Central Latin America




Figure 1G. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Central Sub-Saharan Africa




Figure 1H. Probability of premature death in men due to cardiovascular disease between ages 30-70 in East Asia




Figure 11. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Eastern Europe




Figure 1J. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Eastern Sub-Saharan Africa




Figure 1K. Probability of premature death in men due to cardiovascular disease between ages 30-70 in High-income Asia Pacific




Figure 1L. Probability of premature death in men due to cardiovascular disease between ages 30-70 in High-income North America




Figure 1M. Probability of premature death in men due to cardiovascular disease between ages 30-70 in North Africa and Middle East




Figure 1N. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Oceania




Figure 10. Probability of premature death in men due to cardiovascular disease between ages 30-70 in South Asia




Figure 1P. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Southeast Asia




Figure 1Q. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Southern Latin America




Figure 1R. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Southern Sub-Saharan Africa




Figure 1S. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Tropical Latin America




Figure 1T. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Western Europe




Figure 1U. Probability of premature death in men due to cardiovascular disease between ages 30-70 in Western Sub-Saharan Africa




Figure 2A. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Andean Latin America




Figure 2B. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Australasia




Figure 2C. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Caribbean




Figure 2D. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Central Asia




Figure 2E. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Central Europe




Figure 2F. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Central Latin America




Figure 2G. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Central Sub-Saharan Africa




Figure 2H. Probability of premature death in women due to cardiovascular disease between ages 30-70 in East Asia




Figure 2I. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Eastern Europe




Figure 2J. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Eastern Sub-Saharan Africa




Figure 2K. Probability of premature death in women due to cardiovascular disease between ages 30-70 in High-income Asia Pacific




Figure 2L. Probability of premature death in women due to cardiovascular disease between ages 30-70 in High-income North America




Figure 2M. Probability of premature death in women due to cardiovascular disease between ages 30-70 in North Africa and Middle East




Figure 2N. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Oceania




Figure 20. Probability of premature death in women due to cardiovascular disease between ages 30-70 in South Asia




Figure 2P. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Southeast Asia




Figure 2Q. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Southern Latin America




Figure 2R. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Southern Sub-Saharan Africa




Figure 2S. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Tropical Latin America




Figure 2T. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Western Europe




Figure 2U. Probability of premature death in women due to cardiovascular disease between ages 30-70 in Western Sub-Saharan Africa




Figure 3A. Attributable and Nonattributable Cardiovascular Mortality 1990-2025, Men




Figure 3B. Attributable and Nonattributable Cardiovascular Mortality 1990-2025, Women




Figure 4A

Region: Andean Latin America; Sex: male




Figure 4B

Region: Australasia; Sex: male




Figure 4C

Region: Caribbean; Sex: male




Figure 4D

Region: Central Asia; Sex: male




Figure 4E

Region: Central Europe; Sex: male




Figure 4F

Region: Central Latin America; Sex: male




Figure 4G

Region: Central Sub-Saharan Africa; Sex: male




Figure 4H

Region: East Asia; Sex: male




Figure 4I

Region: Eastern Europe; Sex: male




Figure 4J

Region: Eastern Sub-Saharan Africa; Sex: male




Figure 4K

Region: High-income Asia Pacific; Sex: male




Figure 4L

Region: High-income North America; Sex: male




Figure 4M

Region: North Africa and Middle East; Sex: male




Figure 4N

Region: Oceania; Sex: male




Figure 40

Region: South Asia; Sex: male




Figure 4P

Region: Southeast Asia; Sex: male




Figure 4Q

Region: Southern Latin America; Sex: male




Figure 4R

Region: Southern Sub-Saharan Africa; Sex: male




Figure 4S

Region: Tropical Latin America; Sex: male





Figure 4T


Region: Western Europe; Sex: male



Graphs by iso3

Figure 4U

Region: Western Sub-Saharan Africa; Sex: male



Graphs by iso3

Figure 5A

Region: Andean Latin America; Sex: female




Figure 5B

Region: Australasia; Sex: female




Figure 5C

Region: Caribbean; Sex: female




Figure 5D

Region: Central Asia; Sex: female




Figure 5E

Region: Central Europe; Sex: female




Figure 5F

Region: Central Latin America; Sex: female




Figure 5G

Region: Central Sub-Saharan Africa; Sex: female




Figure 5H

Region: East Asia; Sex: female




Figure 5I

Region: Eastern Europe; Sex: female





Figure 5J

Region: Eastern Sub-Saharan Africa; Sex: female



Graphs by iso3

Figure 5K

Region: High-income Asia Pacific; Sex: female




Figure 5L

Region: High-income North America; Sex: female




Figure 5M

Region: North Africa and Middle East; Sex: female




Figure 5N

Region: Oceania; Sex: female




Figure 50

Region: South Asia; Sex: female





Figure 5P

Region: Southeast Asia; Sex: female



Graphs by iso3

Figure 5Q

Region: Southern Latin America; Sex: female




Figure 5R

Region: Southern Sub-Saharan Africa; Sex: female




Figure 5S

Region: Tropical Latin America; Sex: female





Figure 5T

Region: Western Europe; Sex: female



Graphs by iso3

Figure 5U

Region: Western Sub-Saharan Africa; Sex: female

